28TH OCT 2016.

ADDITIONAL INFORMATION SUBMITTED IN SUPPORT OF PLANNING APPLICATION 2016/62/90756/E.

1. TREATED SAMPLE OF TIMBER CLADDING. LIGHT/MID GREY STAIN APPLIED TO GIVE A NATURAL WEATHERED APPEARANCE.

2. SAMPLE OF STANDING SEAM ROOF PANEL. ALUMINIUM WITH ZINC COATING.

3. DRAWING No. 2016/1/1/C.
AMENDMENT C.
DETAILING ACCESS ROADWAY USING TARMAC 'TOPMIX PERMEABLE'. THE USE OF THIS MATERIAL COMPLYS WITH GUIDELINES OF SUDS DESIGN AND ADDRESSES THE CONCERNS OF OBJECTIONS FROM PROPERTIES ADJACENT TO THIS AREA.
'TOPMIX PERMEABLE' ALLOW FILTRATION INTO SUB-STRATA THEREFORE THE DRAINAGE PROPERTIES REMAIN UNCHANGED TO THAT OF THE EXISTING UN-PAVED AREA.

FOR THE COLLECTION OF STORMWATER A SYSTEM OF ATTENUATION CRATES AND SLOW INFILTRATION IS PROPOSED.