

Return to this page

Matrix -> Matrix Cell D3

Householder and other minor extensions in Flood Zones 2 and 3

This guidance is for domestic extensions; and non-domestic extensions where the additional footprint created by the development does not exceed 250 square metres. It should NOT be applied if an additional dwelling is being created. If an additional dwelling is being created e.g. a granny flat or a self contained annex, consult the Environment Agency.

We recommend that:

Planning Authorities

- 1) Refer the applicant to the standing advice pages on the Environment Agency website or provide them with a copy of this page for them to include as part of the planning application submission.
- 2) Check the planning application to ensure that one or other of the mitigation measures from the table below has been incorporated.

Applicants complete the table below and include it with the planning application submission. The table, together with the supporting evidence, will form the Flood Risk Assessment (FRA) and will act as an assurance to the Local Planning Authority that flood risk issues have been adequately addressed.

Applicant to provide the LPA with the supporting information detailed below as part of their FRA

Details of any flood proofing / resilience and resistance techniques, to be included in accordance with 'Improving the flood performance of new dwellings' CLG (2007)

This must be demonstrated by a plan that shows finished floor levels relative to the known or modelled flood level. All levels should be stated in relation to Ordnance Datum

Flood levels within the extension will be set 300mm above the known or modelled 1 in 100 annual probability sea flood (1%) or 1 in 200 annual probability river flood (0.5%) in any year. This flood level is the extent of the Flood Zones

Subterranean/basement extensions

Due to the risk of rapid inundation by floodwater, basements should be avoided in areas at risk of flooding. The LPA may hold additional guidance for basement extensions.

Self-contained basement dwellings are 'Highly Vulnerable' development and should not be permitted in flood zone 3. We are fundamentally opposed to these developments.

Continued...

* Ordnance Datum or the abbreviation 'OD' is the mean level of the sea at Newlyn in Cornwall from which heights above sea level are taken. The datum lines on Ordnance Survey maps measure heights above OD for example, though these are not accurate enough for a flood risk assessment.