| Reference (G = Group, H = Hedge) | Age & Species | Height (m) | Crown Ht (m) | Diameter (cm) | Crown Spread (m) N / W / E / S | Scaled Tree Diagram (m) | Notes | Recommendations (Independent of any development proposals) | | Vigour / Physiological Condition / Structural Condition | Amenity Value / Life Expectancy (yrs) / Retention Category |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Priority | Inspect Freq (yrs) | | |
| **T1** | Early-Mature<br>**Horse Chestnut**<br>Aesculus hippocastanum. | 12 | 2 | 68 @ Base | N 3.5, W 4, E 4, S 5 |  | Position: Adjacent road.<br>Form: Twin-stemmed at 1.5m with a slightly unbalanced crown.<br>History: Occasional pruning wounds due to crown lifting.<br>**Defects: Significant cavity to west-side of stem at 1m above ground level. Scattered deadwood throughout. Burrs present on branches.**<br>Other: Ivy prevented detailed inspection. | Remove ivy and undertake decay detection. | High / 0.5 | Moderate<br>Good<br>Fair | Moderate<br>10-20<br>C |
| **T2** | Mature<br>**Beech**<br>Fagus sylvatica. | 22 | 3.5 | 86 | N 6, W 4.5, E 8, S 9 |  | Form: Multi-stemmed at ground level with an unbalanced crown.<br>History: Occasional pruning wounds due to crown lifting.<br>**Defects: Small scattered deadwood to lower crown, cavities developing at old pruning wounds. Included bark between stems.**<br>Other: Ivy prevented detailed inspection, some dimensions estimated. Recorded stem diameter is equivalent for 6 stems (circa 35cm). | Remove ivy and inspect stems for any defects. | High / 0.5 | Moderate<br>Good<br>Fair | High<br>20-40<br>B |
| **T3** | Semi-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 18 | 6.5 | 44 | N 3, W 2, E 2, S 1.5 |  | Form: Single stemmed and vertical with an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: Small scattered dead twigs throughout.**<br>Other: Ivy prevented detailed inspection. | Remove ivy and inspect stem for defects. | Moderate / 1 | Low<br>Poor<br>Fair | Low<br>10-20<br>C |
| **T4** | Early-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 22 | 4 | 61 | N 4.5, W 5, E 4.5, S 8 |  | Form: Single stemmed and vertical with an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: Scattered dead branches throughout.**<br>Other: Ivy prevented detailed inspection of upper stem. | Remove deadwood, remove ivy and inspect stem for defects. | Moderate / 1.5 | Moderate<br>Fair<br>Good | Moderate<br>20-40<br>B |
| **T5** | Semi-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 13 | 4.5 | 25 | N 2.5, W 1, E 1, S 1 |  | Position: Adjacent boundary wall.<br>Form: Single stemmed and leaning with an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: Ivy smothered.**<br>Other: Ivy prevented detailed inspection, dimentions estimated. | Remove ivy and inspect stem for defects. | High / 0.5 | Low<br>Fair<br>Fair | Low<br>10-20<br>C |
| **T6** | Early-Mature<br>**Beech**<br>Fagus sylvatica. | 18 | 2 | 63 | N 4, W 6, E 8.5, S 9.5 |  | Form: Twin-stemmed at 3m with an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: Major bark wounds to the under sides of large scaffold branches to the south side of the tree with decay present. Significant deadwood throughout.**<br>Other: Ivy prevented detailed inspection of the stem base. | Remove. | Moderate / N/A | Moderate<br>Poor<br>Fair | Moderate<br><10<br>U |
| **T7** | Early-Mature<br>**Lime**<br>Tilia sp. | 17 | 6 | 60 | N 6.5, W 7, E 5, S 4.5 |  | Position: Situated on third party land.<br>Form: Twin-stemmed at 4m with a slightly unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: Ivy smothered with scattered deadwood to upper crown.**<br>Other: Access and ivy prevented detailed inspection, dimensions estimated. | Remove ivy and deadwood. | High / 0.5 | Moderate<br>Fair<br>Fair | Moderate<br>20-40<br>B - |

| Reference (G = Group, H = Hedge) | Age & Species | Height (m) | Crown Ht (m) | Diameter (cm) | Crown Spread (m) N / W / E / S | Scaled Tree Diagram (m) | Notes | Recommendations (Independent of any development proposals) | Vigour / Physiological Condition / Structural Condition | Amenity Value / Life Expectancy (yrs) / Retention Category |
|---|---|---|---|---|---|---|---|---|---|---|
| **T8** | Semi-Mature<br>**Holly**<br>Ilex aquifolium. | 10 | 0 | 15 | N 2.5, W 2.5, E 2.5, S 2.5 |  | Position: Situated on third party land.<br>Form: Multi-stemmed at ground level with a balanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No significant defects observed.**<br>Other: Access prevented detailed inspection. | No action required.<br>Priority: n/a; Inspect Freq (yrs): 1.5 | High<br>Good<br>Fair | Moderate<br>20-40<br>C |
| **T9** | Early-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 15 | 2.5 | 40 | N 6, W 3, E 7, S 5 |  | Position: Situated on third party land.<br>Form: Single stemmed with a slight lean and an unbalanced crown.<br>History: No evidence of significant pruning.<br>**Defects: Ivy smothered with scattered dead branches to lower crown.**<br>Other: Access and ivy prevented detailed inspection, dimensions estimated. | Remove ivy and inspect stem for defects.<br>Priority: Moderate; Inspect Freq (yrs): 1 | Moderate<br>Good<br>Fair | Moderate<br>40+<br>B - |
| **T10** | Early-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 14 | 5 | 40 | N 3.5, W 4, E 3.5, S 4 |  | Position: Situated on third party land.<br>Form: Single stemmed and vertical with a balanced crown.<br>History: No evidence of significant pruning.<br>**Defects: No significant defects observed.**<br>Other: Access and ivy prevented detailed inspection, dimensions estimated. | Remove ivy and inspect stem for defects.<br>Priority: Moderate; Inspect Freq (yrs): 1.5 | Moderate<br>Good<br>Fair | Moderate<br>20-40<br>B - |
| **T11** | Early-Mature<br>**Sycamore**<br>Acer pseudoplatanus. | 16 | 4 | 30 | N 5, W 5, E 7, S 6 |  | Position: Situated on third party land.<br>Form: Multi-stemmed specimen.<br>History: No evidence of significant pruning.<br>**Defects: Scattered deadwood throughout, ivy smothered.**<br>Other: Access and ivy prevented detailed inspection, dimensions estimated. | Remove ivy and deadwood.<br>Priority: Moderate; Inspect Freq (yrs): 1.5 | Moderate<br>Fair<br>Fair | Moderate<br>20-40<br>C |
| **G12** | Early-Mature<br>**Sycamore, Scots Pine, Holly**<br>Acer, pinus & ilex. | av 17 | av 4 | av 35 | N av 5, W 5, E 5.5, S 5 each |  | Position: Situated on third party land.<br>Form: Group of close growing specimens.<br>History: Occasional pruning wounds due to crown lifting.<br>**Defects: Occasional branch stubs and scattered dead twigs. Some specimens are ivy smothered.**<br>Other: Access and ivy prevented detailed inspection, dimensions estimated. | Remove ivy and inspect stem for defects.<br>Priority: Moderate; Inspect Freq (yrs): 1.5 | Moderate<br>Good<br>Fair | Moderate<br>40+<br>B |