








BEAMS C-7 & C-8

SECTION (I)-(I)




- NOTE: -
- ALL STEEL TO BE GRADE 52.5
 - MIN. 100mm END BEARING OR
 - ENGINEERS STRIP BEARING AND CONC. REINFORCEMENT
 - BRX REINFORCED STEEL IN 125mm BRICKS FOR FIRE-RESISTANCE
 - BRICK 60mm STRAIN & 50mm MIN. TO GIVE
 - HALF-MAINS FIRE RESISTANCE.

Full With
The Building Act etc. Act 1984 came into effect on 1st July 1987. If
someone is planning to carry out building work which involves work on an
existing wall shared with another property, or new building on the
boundary with a neighbouring property, or excavating near a neighbouring
property, they must first obtain the necessary consent from the local
authorities. If it does, they must serve the statutory notice on all affected
owners. The government has produced an explanatory booklet which is
available from planning services.

NOTE (i) - EXTEND & JOIN INTO EXIST.
FOUNDATION & 1500x500x400mm THICK
CONC. PAD. 1393mm MESH IN BASE WITH
40mm CONC. COVER.
- ADD TO RE-DRILL WALL BETWEEN
KITCHEN & STUDY IN EXISTING BRICK
350mm THICK.


S.W. ELEVATION

S.E. ELEVATION




NOTE (i) - NEW 1500x500x400mm CONC. PAD
1393mm MESH IN BASE, 40mm CONC. COVER
- WALL TO SIDE OF STUDY TO BE BUILT
FROM NEW REINFORCED 600x250mm STRIP
FOUNDATIONS, NEW WALL IN 215 ENAM. BRICK
& 1/4 BRICK
- BRICKSTONE TO SURROUND BEAM 'D'
440x215x25mm CONC.
1393mm MESH IN BASE.

GROUND FLOOR



J.A. OLDROYD & SONS LTD



THE BARN, 3 PRINCE LANE
HIGHTOWN, LIVERSEDE
WEST YORKSHIRE, WF15 8NS
TEL: 01724 865127
email: j.a.oldroyd@bt.co.uk

Client
MR B BURNHILL

Address
119 WESTFIELD LN
SCHOLES

Drawing Title
PROPOSED EXTN.

scale 1:50 1:100

date NOV '18 drawn by

Dwg No 18 124 B Rev