









<b>Project Name:</b> Busker Lane, Scissett  <b>Location:</b> Scissett  <b>Client:</b> KDP Architects	<b>Project No.</b> A1819  <b>Coordinates:</b> 424651, 410265  <b>Level:</b>	<b>Date:</b> 24-2-17  <b>Logged By:</b> JH  <b>Approved By:</b> JH	<b>Scale:</b> 1:100  <b>Hole Type:</b> WS
--	---	--	---





Well	Water Strikes	Sample Depth (m)	Sample Type	Test Results	Hand Penetrometer Cu (kN/m <sup>2</sup> )	Depth (m)	Legend	Stratum Description	
Plain Install 		0.40	ENV			0.15		Loose grey SAND & GRAVEL of fine to medium angular concrete and aggregate. (MADE GROUND).	
						0.50		Loose dark grey SAND & GRAVEL of fine to medium angular asphalt, concrete, ash and red brick. (MADE GROUND).	
Slotted Install 		1.20	ENV	SPT 1.2m 1/2/2/1/0/1 N= 4		1.00		Soft to firm light brown mottled brown CLAY with abundant medium to large angular gravel of red brick, concrete, wood and minor fine gravel pockets. (MADE GROUND).	1
				SPT 2.0m 2/2/3/3/5/8 N= 19		2.00		Loose to medium dense dark grey clayey SAND & GRAVEL of fine angular ash, sandstone and siltstone gravel and minor large angular sandstone gravel. (MADE GROUND).	2
					SPT 2.7m 17/ 8/15mm /24/ 26/65mm N=>50		2.70		Stiff light brown clay with abundant medium angular red brick gravel. (MADE GROUND).  Weak light brown mottled light orange laminated MUDSTONE. EOH
Remarks 1. Location scanned with CAT prior to excavation. 2. Hand-dug pits excavated to 1.2m. 3. Monitoring Installation - 0.4m plain, 2m slotted.									4
									5

 <b>Earth Environmental &amp; Geotechnical Ltd</b> Houldsworth Mill Business & Arts Centre Houldsworth Street Stockport SK5 6DA			<b>PROBEHOLE LOG</b>					Probehole No. WS102	
<b>Project Name: Busker Lane, Scissett</b>  <b>Location: Scissett</b>  <b>Client: KDP Architects</b>			<b>Project No. A1819</b>  <b>Coordinates: 424645, 410290</b>  <b>Level:</b>		<b>Date: 24-2-17</b>  <b>Logged By: LG</b>  <b>Approved By: JH</b>		<b>Scale: 1:100</b>  <b>Hole Type: WS</b>		
Well	Water Strikes	Sample Depth (m)	Sample Type	Test Results	Hand Penetrometer Cu (kN/m <sup>2</sup> )	Depth (m)	Legend	Stratum Description	
Well		0.10	ENV			0.32		Loose light grey mottled orange clayey gravelly SAND with abundant angular gravel of red brick, sandstone and concrete. (MADE GROUND).  Weak light brown mottled orange SILTSTONE.	1
		1.00	GEO	SPT 1.2m 25/20mm/50/35m m N=>50					EOH
						1.30			3
									4
									5
<b>Remarks</b> 1. Location scanned with CAT prior to excavation. 2. Hand-dug pits excavated to 1.2m. 3. No installation.									

 <b>Earth Environmental &amp; Geotechnical Ltd</b> Houldsworth Mill Business & Arts Centre Houldsworth Street Stockport SK5 6DA	<b>PROBEHOLE LOG</b>		Probehole No. WS103
---	----------------------	--	------------------------

<b>Project Name:</b> Busker Lane, Scissett <b>Location:</b> Scissett <b>Client:</b> KDP Architects	<b>Project No.</b> A1819 <b>Coordinates:</b> 424677, 410308 <b>Level:</b>	<b>Date:</b> 24-2-17 <b>Logged By:</b> LG <b>Approved By:</b> JH	<b>Scale:</b> 1:100 <b>Hole Type:</b> WS
--	---	--	---




Slotted Install — Plain Install

Well	Water Strikes	Sample Depth (m)	Sample Type	Test Results	Hand Penetrometer Cu (kN/m <sup>2</sup> )	Depth (m)	Legend	Stratum Description	
		0.20	ENV	SPT 1.2m 3/4/6/7/10/10 N=23		0.30		Soft brown CLAY topsoil with rootlets and minor medium angular gravel of red brick. (MADE GROUND).	
						1.00		Soft to firm light brown silty CLAY with medium angular silt gravel. Density increases downhole.	1
		1.80	GEO	SPT 1.8m 24/1/0mm/42/8/5m m N=>50		1.80		Weak light brown mottled grey SILTSTONE.	1
								EOH	2
									3
									4
									5

Remarks

1. Location scanned with CAT prior to excavation.
2. Hand-dug pits excavated to 1.2m.
3. Monitoring installation - 0.8m plain, 1m slotted.





<b>Project Name:</b> Busker Lane, Scissett  <b>Location:</b> Scissett  <b>Client:</b> KDP Architects	<b>Project No.</b> A1819  <b>Coordinates:</b> 424679, 410334  <b>Level:</b>	<b>Date:</b> 24-2-17  <b>Logged By:</b> LG  <b>Approved By:</b> JH	<b>Scale:</b> 1:100  <b>Hole Type:</b> WS
--	---	--	---

Well	Water Strikes	Sample Depth (m)	Sample Type	Test Results	Hand Penetrometer Cu (kN/m <sup>2</sup> )	Depth (m)	Legend	Stratum Description	
		0.50	ENV	SPT 1.2m 4/8/8/8/8 N=32		1.70		Firm to stiff light brownish orange mottled grey slightly silty CLAY with occasional fine to medium grained sandy pockets. (MADE GROUND). Increases in density downhole.	1
		1.80	GEO	SPT 1.8m 15/ 10/30mm /32/ 18/40mm N=>50		1.80		Weak light brown laminated MUDSTONE. EOH	2
									3
									4
									5

**Remarks**

1. Location scanned with CAT prior to excavation.
2. Hand dug pits excavated to 1.2m.
3. Monitoring installation - 0.8m plain, 1m slotted



<b>Project Name:</b> Busker Lane, Scissett  <b>Location:</b> Scissett  <b>Client:</b> KDP Architects	<b>Project No.</b> A1819  <b>Coordinates:</b> 424648, 41319  <b>Level:</b>	<b>Date:</b> 24-2-17  <b>Logged By:</b> LG  <b>Approved By:</b> JH	<b>Scale:</b> 1:100  <b>Hole Type:</b> WS
--	--	--	---

Well	Water Strikes	Sample Depth (m)	Sample Type	Test Results	Hand Penetrometer Cu (kN/m <sup>2</sup> )	Depth (m)	Legend	Stratum Description	
 <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Slotted Install — Plain Install</p>		0.40  0.60	ENV  GEO	SPT 1.2m 7/6/7/9/8/9 N=23		0.15		Loose light brownish grey gravelly SAND with abundant angular gravel of red brick and concrete. (MADE GROUND).  Firm to stiff light brown mottled grey and orange slightly sandy CLAY with occasional sandy pockets and occasional gravel of red brick. (MADE GROUND).	1
				SPT 2.0m 10/ 15/50mm / 50/35mm N=>50		2.00		Weak light brown laminated MUDSTONE.	2
							2.30		EOH
									4
									5

**Remarks**

1. Location scanned with CAT prior to excavation.
2. Hand-dug pits excavated to 1.2m.
3. Monitoring installation - 1m plain, 1m slotted.

<b>Project Name:</b> Busker Lane, Scissett  <b>Location:</b> Scissett  <b>Client:</b> KDP Architects	<b>Project No.</b> A1819  <b>Coordinates:</b> 424634, 410319  <b>Level:</b>	<b>Date:</b> 24-2-17  <b>Logged By:</b> LG  <b>Approved By:</b> JH	<b>Scale:</b> 1:100  <b>Hole Type:</b>
--	---	--	--

Well	Water Strikes	Sample Depth (m)	Sample Type	Test Results	Hand Penetrometer Cu (kN/m <sup>2</sup> )	Depth (m)	Legend	Stratum Description
█		0.40	ENV			0.60		Firm to stiff light brownish orange mottled light grey slightly sandy slightly silty CLAY. Increases in density downhole. (MADE GROUND).
				SPT 0.7m 25/70mm / 50/60mm N=>50		0.70		Weak light orangeish brown SILTSTONE. EOH
								1
								2
								3
								4
								5

Remarks

1. Location scanned with CAT prior to excavation
2. No installation
- 3.