

MANHOLE SCHEDULE
Sheet 1 of 2

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Dians		Manhole	Cover	
1 E. 1089.908 N. 962.1347	122.364		1	1.000	120.550	100	1200	2	D400
	1.714		0	1.001	120.500	150			
	0		1.001	118.400	150				
2 E. 1083.2398 N. 977.4666	120.384		1	1.001	118.400	150	1200	2	D400
	1.834		0	1.002	118.325	225			
	0		1.002	117.920	225				
7 E. 1079.5972 N. 979.1794	119.900		1	1.002	117.920	225	1200	2	D400
	1.755		0	1.003	117.920	225			
	0		1.003	117.530	225				
8 E. 1078.2498 N. 975.4653	120.280		1	1.003	117.530	225	1200	2	D400
	2.525		2	4.002	118.313	100			
	0		1.004	117.530	150				
9 E. 1069.814 N. 953.264	119.000		1	1.005	116.800	225	1800	2	D125
	1.975		0	1.006	116.800	150			
	0		1.006	115.300	150				
100 E. 1054.585 N. 949.385	117.250		1	10.000	115.300	150	1800	2	D125
	1.800		0	10.001	115.300	150			
	0		10.001	115.300	150				

MANHOLE SCHEDULE
Sheet 2 of 2

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Dians		Manhole	Cover	
10 E. 1052.6806 N. 951.6453	116.700		1	1.006	115.175	150	1200	2	D125
	3.240		2	10.001	115.175	150			
	0		1.007	115.100	225				
5 E. 1050.1750 N. 961.7180	116.550		1	1.007	115.000	225	1200	2	D400
	1.325		0	1.008	115.000	225			
	0		1.010	114.965	300				
4 E. 1052.275 N. 970.195	116.650		1	1.010	114.965	300	1200	2	D400
	1.385		0	1.011	114.965	300			
	0		1.011	114.880	300				
6 E. 1053.237 N. 977.957	116.520		1	1.011	114.880	300	1800	2	D400
	1.070		0	1.012	114.880	150			
	0		1.012	114.900	150				
EXISTING ALL INFO TO BE CONFIRMED E. 1045.732 N. 978.690	115.950		1	1.012	114.900	150	1200	2	D400
	1.300		0	EXISTING	EXISTING	EXISTING			
	0		EXISTING	EXISTING	EXISTING				

FOUL MANHOLE SCHEDULE
Sheet 1 of 2

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Dians		Manhole	Cover	
F1 E. 1087.0691 N. 961.6402	122.062		1	1.000	120.800	100	600	3	D400
	1.162		0	1.001	120.800	100			
	0		1.001	118.000	100				
F2 E. 1083.1598 N. 975.5541	120.503		1	1.001	118.000	100	600	3	D400
	2.403		0	1.002	118.000	100			
	0		1.002	117.200	100				
F3 E. 1077.9934 N. 979.1018	119.671		1	1.003	117.200	100	600	3	D400
	2.571		0	1.003	117.200	100			
	0		1.003	116.200	100				
F4 E. 1071.9278 N. 981.9149	118.844		1	1.003	116.200	100	600	3	D400
	2.544		0	1.004	116.150	150			
	0		1.004	116.150	150				

FOUL MANHOLE SCHEDULE
Sheet 2 of 2

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Dians		Manhole	Cover	
F5 E. 1056.8709 N. 979.5491	117.030		1	1.004	114.620	150	600	3	D400
	2.560		2	1.005	114.620	150			
	0		1.006	114.620	150				
F6 E. 1051.6250 N. 959.848	116.773		1	1.005	114.800	150	600	3	D400
	2.123		0	1.005	114.800	150			
	0		1.006	114.620	150				
F7 E. 1054.977 N. 980.515	116.880		1	1.006	114.620	150	600	3	D400
	2.410		0	1.007	114.620	150			
	0		1.007	114.500	150				
EXISTING ALL INFO TO BE CONFIRMED E. 1045.236 N. 980.349	115.650		1	1.007	114.500	150	1200	2	D400
	1.300		0	EXISTING	EXISTING	EXISTING			
	0		EXISTING	EXISTING	EXISTING				

Notes.

B	Schedule updated	28.10.2020		
A	Foul manhole schedule moved to this drawing	01.10.2020		
REV	COMMENT	DATE	DRAWN	CHECK

Holloway Jennings
Consulting Engineers
Connaught House
Park View
Lofthouse
Wakefield
West Yorkshire
WF3 3HA
Telephone: 01924 824 433
Facsimile: 0871 900 4243
email: admin@hjce.co.uk

DRAWING STATUS: **PRELIMINARY**
CLIENT:

PROJECT:
**LANCASTER LANE
SOUTH SITE
BROCKHOLES**
TITLE:
PROPOSED DRAINAGE

DESIGNED:	CHECKED:	DRAWN:
SCALE: A1	DATE: SEP 2020	
PROJECT No: 5055	DRAWING No: 603	REV: B