

Borehole Log

Borehole No.

WS301

Sheet 1 of 1

Project Name: A0697

Project No.
Laund Road, Huddersfield

Co-ords: 410359.00 - 418259.00

Hole Type
WS

Location:




Level: 0.00

Scale
1:15

Client:

Dates: 10/12/2019 - 10/12/2019

Logged By
JC

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
		Depth (m)	Type	Results				
					0.40	-0.40	 Brown sandy slightly gravelly CLAY. Sand is fine to coarse. Gravel is fine to coarse angular of red brick (TOPSOIL).	
		1.20		N=6 (1,2/1,2,1,2)	1.80	-1.80	 Soft yellow mottled grey sandy slightly gravelly CLAY. Sand is fine to coarse. Gravel is fine to coarse subangular of sandstone.	
		2.00		N=50 (25 for 100mm/50 for 125mm)	2.00	-2.00	 Weak orange SANDSTONE.	
								End of borehole at 2.00 m

1

2

3

Remarks

1) Hole location scanned with CAT. 2) Hand dug pit to 1.20m. 3) Standpipe installed to 2.00m. 4) No groundwater encountered.

Borehole Log

Borehole No.

WS302

Sheet 1 of 1

Project Name: A0697

 Project No.
Laund Road, Huddersfield

Co-ords: 410347.00 - 418242.00

 Hole Type
WS

Location:






Level: 0.00

 Scale
1:15

Client:

Dates: 10/12/2019 - 10/12/2019

 Logged By
JC

Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
		Depth (m)	Type	Results				
					0.20	-0.20		Brown sandy slightly gravelly CLAY. Sand is fine to coarse. Gravel is fine to coarse angular of red brick (TOPSOIL).
					0.80	-0.80		MADE GROUND: Brown very gravelly CLAY. Gravel is fine to coarse angular of concrete, red brick and sandstone.
		1.20		N=5 (1,1/1,2,1,1)	1.50	-1.50		Soft yellow mottled grey sandy slightly gravelly CLAY. Sand is fine to coarse. Gravel is fine to coarse subangular of sandstone.
					1.80	-1.80		Weak orange SANDSTONE.
					2.00	-2.00		Weak brown MUDSTONE.
		2.00		N=50 (25 for 100mm/50 for 85mm)	2.00	-2.00	End of borehole at 2.00 m	

 1
2
3

Remarks

1) Hole location scanned with CAT. 2) Hand dug pit to 1.20m. 3) Standpipe installed to 2.00m. 4) No groundwater encountered.