



Interchange 26, Oakenshaw

**Temporary Surface Water Drainage
Strategy
July 2020**

PRL

Issue 01

Client:	Opus North
Report Number:	PRL
Report Title:	Temporary Surface Water Drainage Strategy
Report Status:	First Issue
Author(s):	Dr. J. Crossley
(Signature & Date)	 21/07/20
Project Manager	Dr. J. Crossley
(Signature & Date)	 17/07/20
QA Approved:	A Shepherd
(Signature & Date)	21/07/20

This report has been prepared by Professional Remediation Ltd (Professional) with reasonable skill, care and diligence and taking account of the contract terms and conditions and manpower and resources devoted to it in agreement with the client. Professional disclaims any responsibility to the client and others in respect of any matters outside the scope of the above.

The report is only valid when it is used in its entirety.

Temporary Drainage Strategy

It is not expected that a discharge will be required off-site for the surface water during the construction phase. The following sets out the mitigation measures:

Grading of earthworks surfaces away from the watercourse on the eastern boundary to prevent run-off entering the watercourse.

Provision of bunds, straw bales, silt fencing etc as required to prevent surface water run off entering the adjacent watercourse.

No works undertaken during inclement weather, notably due to the requirements of the earthworks specification.

All stockpiles sealed and located away from watercourses.

Silt protection fencing installed in accordance with the Construction Ecology Management Plan.

Protection to existing drainage/manholes to prevent silt entering the drainage system which may reach the adjacent watercourse.

Provision of temporary surface water storage lagoon if required prior to any discharge, which would only be undertaken in accordance with a secured discharge consent.

Retention of topsoil where possible to mitigate earthworks surfaces whereby silt can be collected by excessive surface water run off.

If a discharge consent is required, de-siltation tanks/filters to be provided in accordance with the consent.