



TYPE	SUB-BASE	BINDER COURSE	SURFACE COURSE
PEDESTRIAN FOOTPATH OR FOOTPATH	100mm TYPE 1	40mm 0/20 DENSE BINDER COURSE AC20 DENSE BON 100/150	25mm 0/6 DENSE SURFACE COURSE AC20 DENSE BON 100/150
VEHICULAR FOOTWAY CROSSING	150mm TYPE 1	40mm 0/20 DENSE BINDER COURSE AC20 DENSE BON 100/150	25mm 0/6 DENSE SURFACE COURSE AC20 DENSE BON 100/150

ALTERNATIVE FOOTWAY CONSTRUCTION - HOME ZONES AND CONSERVATION AREAS. STANDARD 80mm CONCRETE BLOCK PAVING.  
 FLAGS OR SMALL UNIT PAVING - (NOT SUITABLE FOR FOOTWAY VEHICULAR CROSSINGS OR OTHER AREA VULNERABLE TO VEHICULAR TRAFFIC).

FOOTPATH CONSTRUCTION IS TO BE AS PER THE ADOPTABLE STANDARDS ILLUSTRATED ABOVE (SOURCE: WSP HIGHWAY CONSTRUCTION DETAILS H8040-4001-DETAILS - ENGINEERING\_AFU...S38 STANDARD DETAILS 10F2\_P01)

Rev.	Date	Description	Drawn	Check
Q/08/01/23		UPDATED TO REFLECT LATEST SITE LAYOUT	SD	LM
F/08/12/22		UPDATED TO REFLECT LATEST SITE LAYOUT	SD	LM
E/25/10/22		UPDATED TO REFLECT LATEST SITE LAYOUT	SD	LM
D/24/10/22		ADDITIONAL FOOTPATH SECTIONS ADDED	SD	LM
C/21/10/22		ADDITIONAL FOOTPATH SECTION ADDED	SD	LM
B/13/10/22		EXISTING GROUND LEVEL ADDED TO PUBLIC FOOTPATH SECTION	JP/SD	SD/LM
A/06/10/22		DRAWING UPDATED TO REFLECT LATEST EXTERNAL LEVELS INFORMATION OBTAINED FROM P17/S076/112 TO ACCOMMODATE ADDITIONAL SECTIONS	SD	THIS

**Client:** BARRATT LEEDS  
**Project:** WHITECHAPEL ROAD, CLECKHEATON  
**Drawing:** FOOTPATH DIVERSION CROSS SECTIONS AND SPECIFICATIONS SHEET 1 OF 2

**Drawing Number:** P17-5076:111 G  
**Scale @ A0:** 1:200  
**Date:** 19.10.21  
**Drawn:** LB  
**Checked:** LM  
**Date:** 19.10.21

**JRP Associates**  
 14 Moorfield Court  
 Calder Park, Wakefield, WF4 5PL

**T: 01924 383322**  
**E: info@jrp.co.uk**  
**W: www.jrp.co.uk**