



**Legend**

- tarmac
- Existing dense scrub
- proposed lawn
- proposed Meadow Grass
- Existing Woodland
- Evergreen hedging
- Native mixed hedge
- Permeable Gravel
- Amco car barrier
- 1.8 fence Green Palisade Fence RAL 6005
- 13 Proposed Tree to replace the 9 removed Arboriculturalist to advise on tree type
- Retained Tree
- Tree for removal - 9
- refer to Arboricultural Impact Assessment Ref 90112 AIA
- Silt trap location
- Electric charging point

**Tree species and size**

- 1. Betula pendula, Deciduous
- L = Large gardens (> 12m x 6m)
- benefite to wildlife
- Seed food for birds

**Lighting Strategy**

- 6 x 6m Columns (C1 - C6)
- Each carrying 1 x Urbino 35W LED Lantern (036 Optic, 3K) Post top mounted, 0 degree elevation.
- 5 x 6m Columns (C7 - C11)
- Each carrying 1 x Urbini 14W LED Lantern (010 Optic, 3K) Post top mounted, 0 degree elevation.
- 8 x Wall mounted KH15QC1X2U3KCBY 22W Luminaires 3K Mounted at 6m high (W1 - W8)
- 6 x Wall mounted KH15QC1X2U3KCBY 22W Luminaires 3K Mounted at 5m high (W9 - W14)

project: Scarlane, Industrial Units client: Private Client scale: 1:500 sheet: A3 date: March 2021	title: Proposed Landscape Layout drawing number: 211 - PL - 01 drawing status: Reserved Matters	rev: A	
--	--	-----------	--