



INVESTOR IN PEOPLE



**RTPI**  
Learning Partner

200 Lichfield Lane  
Berry Hill  
Mansfield  
Nottinghamshire  
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: [planningconsultation@coal.gov.uk](mailto:planningconsultation@coal.gov.uk)

Web: [www.gov.uk/coalauthority](http://www.gov.uk/coalauthority)



## The Coal Authority

For the Attention of: Mr W. Simcock – Case Officer  
Kirklees Council

[By Email: DC.Adm in @kirklees.gov.uk]

23 February 2023

Dear Mr Simcock

PLANNING APPLICATION: 2022/62/91968/W

Partial demolition, rebuild and extensions and alterations to mosque (Within a Conservation Area) at Jamia Masjid Osman, 32 Upper George Street, Springwood, Huddersfield, HD1 4AW

Thank you for your consultation letter of 7 February 2023 seeking the views of the Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department for Energy Security and Net Zero. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: Material Consideration

The application site falls within the defined Development High Risk Area; therefore within the application site and surrounding area there are coal mining

features and hazards which need to be considered in relation to the determination of this planning application.

More specifically, the Coal Authority's information indicates that the site lies in an area where historic unrecorded underground coal mining is likely to have taken place at shallow depth. Voids and broken ground associated with such workings can pose a risk of ground instability and may give rise to the emission of mine gases.

The planning application is accompanied by a Coal Mining Risk Assessment report (18 July 2022, prepared by Geoinvestigate Ltd), which reviews coal mining and geological information, including historic BGS borehole logs relating to investigations carried out in the area surround the site.

The report acknowledges that coal may have been worked at shallow depth beneath the site. Nevertheless, the report author is satisfied that these workings will be overlain by sufficient rock cover to ensure the stability of the site. They go on to state *'Therefore, the site is safe with respect to coal mining legacy issues and no further mitigation is required neither deep drilling investigation, special foundation design, mine working treatment or mine gas protection.'*

#### The Coal Authority Recommendation to the LPA

The Coal Authority's Planning & Development Team considers that the Coal Mining Risk Assessment report, and the professional opinions contained therein, are sufficient for the purposes of the planning system and meet the requirements of the NPPF in demonstrating that the application site is, or can be made, safe and stable for the proposed development. The Coal Authority therefore has no objection to the proposed development. However, further more detailed considerations of ground conditions and foundation design may be required as part of any subsequent building regulations application.

#### Mine Gas

It should be noted that wherever coal resources or coal mine features exist at shallow depth or at the surface, there is the potential for mine gases to exist. These risks should always be considered by the LPA. The Planning & Development Team at the Coal Authority, in its role of statutory consultee in the planning process, only comments on gas issues if our data indicates that gas emissions have been recorded on the site. However, the absence of such a comment should not be interpreted to imply that there are no gas risks present. Whether or not specific emissions have been noted by the Coal Authority, local planning

authorities should seek their own technical advice on the gas hazards that may exist, and appropriate measures to be implemented, from technically competent personnel.

### SuDS

Where SuDS are proposed as part of the development scheme consideration will need to be given to the implications of this in relation to the stability and public safety risks posed by coal mining legacy. The developer should seek their own advice from a technically competent person to ensure that a proper assessment has been made of the potential interaction between hydrology, the proposed drainage system and ground stability, including the implications this may have for any mine workings which may be present beneath the site.

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

Planning and Development Manager

### Disclaimer

The above consultation response is provided by The Coal Authority as a Statutory Consultee and is based upon the latest available data on the date of the response, and electronic consultation records held by The Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to The Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by The Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the Applicant for consultation purposes.

*In formulating this response The Coal Authority has taken full account of the professional conclusions reached by the competent person who has prepared the Coal Mining Risk Assessment or other similar report. In the event that any future claim for liability arises in relation to this development The Coal Authority will*

*take full account of the views, conclusions and mitigation previously expressed by the professional advisers for this development in relation to ground conditions and the acceptability of development.*