



Town and Country Planning Act 1990

**Town and Country Planning (Development Management Procedure) (England) Order
2015**

PLANNING PERMISSION FOR DEVELOPMENT

Application Number: 2022/62/93360/E

To: Philip Fletcher
302, New Road
Staincross
Barnsley
S75 6GP

For: Carlinghow Motorcare

In pursuance of its powers under the above-mentioned Act and Order the KIRKLEES COUNCIL (hereinafter called "The Council") as Local Planning Authority hereby permits:-

DEMOLITION OF EXISTING GARAGE AND ERECTION OF MOT
BAY/SERVICE BAY/STORAGE AREA (WITHIN A CONSERVATION AREA)

At: WILTON MILLS, 586, BRADFORD ROAD, BATLEY, WF17 8LP

**In accordance with the plan(s) and applications submitted to the Council on
18-Oct-2022, subject to the condition(s) specified hereunder:-**

1. The development hereby permitted shall be begun within three years of the date of this permission.

Reason: Pursuant to the requirements of Section 91 of the Town and Country Planning Act 1990.

2. The development hereby permitted shall be carried out in complete accordance with the plans and specifications schedule listed in this decision notice, except as may be specified in the conditions attached to this permission, which shall in all cases take precedence.

Reason: For the avoidance of doubt as to what is being permitted and so as to ensure the satisfactory appearance of the development on completion, and to accord with Policies LP1, LP2, LP20, LP21, LP22, LP24, LP27, LP30, LP35, LP51, LP52 and LP53 of the Kirklees Local Plan, the guidance within the Council's Highways Design Guide SPD and the aims of the National Planning Policy Framework.

3. The external walls of the development hereby approved shall be faced in brick and dark grey coloured (RAL 7024) metal sheet cladding. The materials of construction shall thereafter be retained for the lifetime of the development.

Reason: In the interests of visual amenity and to accord with Policy LP24 of the Kirklees Local Plan, and the aims of Chapter 12 of the National Planning Policy Framework.

4. The roofing materials of the development hereby approved shall be slates and corrugated sheeting. The materials of construction shall thereafter be retained for the lifetime of the development.

Reason: In the interests of visual amenity and to accord with Policy LP24 of the Kirklees Local Plan, and the aims of Chapter 12 of the National Planning Policy Framework.

5. Before construction work commences a noise assessment report by a suitably competent person shall be submitted to and approved in writing by the Local Planning Authority. The report shall include:

- a) an assessment of all of the noise emissions from the proposed development
- b) details of existing background and predicted future noise levels at the boundary of noise sensitive premises
- c) a written scheme of how the occupants of the above-mentioned noise sensitive premises will be protected from noise from the proposed development including details of all necessary noise attenuation

The development shall not be brought into use until all works comprised within the measures specified in the approved report have been carried out in full and such measures shall be thereafter retained.

Reason: To ensure the proposed development does not cause harmful noise pollution within neighbouring noise sensitive locations, in the interest of amenity, to comply with the aims and objectives of Policies LP24 and LP52 of the Kirklees Local Plan and Chapters 12 and 15 of the National Planning Policy Framework.

6. No activities shall be carried out on the premises, including deliveries to or dispatches from the premises, outside the hours of 8:00 to 18:00 Monday to Friday and 9:00 to 13:00 Saturdays. No activities shall take place on Sundays or Bank Holidays.

Reason: In the interest of residential amenity, to comply with the aims and objectives of Policies LP24 and LP52 of the Kirklees Local Plan and Chapters 12 and 15 of the National Planning Policy Framework.

7. The development shall not be brought into use until all areas indicated to be used for parking on the submitted plan have been marked out and laid out with a hardened and drained surface in accordance with the Communities and Local Government; and Environment Agencies 'Guidance on the permeable surfacing of front gardens (parking areas)' published 13th May 2009 (ISBN 9781409804864) as amended or any successor guidance. These areas shall be so retained, free of obstructions and available for the use(s) specified on the submitted/listed plan(s) for the lifetime of the development.

Reason: In the interests of amenity and highway safety, to ensure adequate space within the site for vehicle movements and parking that is appropriately drained, in accordance with the aims of Policies LP21, LP22, and LP28 of the Kirklees Local Plan, the Highways Design Guide SPD and the aims of the National Planning Policy Framework.

8. Groundworks shall not commence until actual or potential land contamination at the site has been investigated and a Preliminary Risk Assessment (Phase I Desk Study Report) has been submitted to and approved in writing by the Local Planning Authority.

Reason: This is a pre-commencement condition to ensure measures are incorporated at an appropriate time, to identify and remove unacceptable risks to human health and the environment and to accord with Policy LP53 of the Kirklees Local Plan and the aims of the National Planning Policy Framework.

9. Where further intrusive investigation is recommended in the Preliminary Risk Assessment approved pursuant to condition 8, groundworks (other than those required for a site investigation report) shall not commence until a Phase II Intrusive Site Investigation Report has been submitted to and approved in writing by the Local Planning Authority.

Reason: This is a pre-commencement condition to ensure measures are incorporated at an appropriate time, to identify and remove unacceptable risks to human health and the environment and to accord with Policy LP53 of the Kirklees Local Plan and the aims of the National Planning Policy Framework.

10. Where site remediation is recommended in the Phase II Intrusive Site Investigation Report approved pursuant to condition 9, further groundworks shall not commence until a Remediation Strategy has been submitted to and approved in writing by the Local Planning Authority. The Remediation Strategy shall include a timetable for the implementation and completion of the approved remediation measures.

Reason: This is a pre-commencement condition to ensure measures are incorporated at an appropriate time, to identify and remove unacceptable risks to human health and the environment and to accord with Policy LP53 of the Kirklees Local Plan and the aims of the National Planning Policy Framework.

11. Remediation of the site shall be carried out and completed in accordance with the Remediation Strategy approved pursuant to condition 10. In the event that remediation is unable to proceed in accordance with the approved Remediation Strategy or contamination not previously considered in either the Preliminary Risk Assessment or the Phase II Intrusive Site Investigation Report is identified or encountered on site, all groundworks in the affected area (except for site investigation works) shall cease immediately and the Local Planning Authority shall be notified in writing within 2 working days. Works shall not recommence until proposed revisions to the Remediation Strategy have been submitted to and approved in writing by the Local Planning Authority. Remediation of the site shall thereafter be carried out in accordance with the approved revised Remediation Strategy.

Reason: To identify and remove unacceptable risks to human health and the environment and to accord with Policy LP53 of the Kirklees Local Plan and the aims of the National Planning Policy Framework.

12. Following completion of any measures identified in the approved Remediation Strategy or any approved revised Remediation Strategy a Validation Report shall be submitted to the Local Planning Authority. No part of the site shall be brought into use until such time as the remediation measures have been completed for (that part of) the site in accordance with the approved Remediation Strategy or the approved revised Remediation Strategy and a Validation Report in respect of those remediation measures has been approved in writing by the Local Planning Authority. Where validation has been submitted and approved in stages for different areas of the whole site, a Final Validation Summary Report shall be submitted to and approved in writing by the Local Planning Authority.

Reason: To identify and remove unacceptable risks to human health and the environment and to accord with Policy LP53 of the Kirklees Local Plan and the aims of the National Planning Policy Framework.

13. No development shall commence (EXCLUDING DEMOLITION) until;

a) a scheme of intrusive investigations has been carried out on site to establish the risks posed to the development by past coal mining activity, and;

b) any remediation works and/or mitigation measures to address land instability arising from coal mining legacy, as may be necessary, have been implemented on site in full in order to ensure that the site is safe and stable for the development proposed.

The intrusive site investigations and remedial works shall be carried out in accordance with authoritative UK guidance.

Reason: The undertaking of intrusive site investigations, prior to the commencement of development, is considered to be necessary to ensure that adequate information pertaining to ground conditions and coal mining legacy is available to enable appropriate remedial and mitigatory measures to be identified and carried out before building works commence on site. This is in order to ensure the safety and stability of the development, in accordance with paragraphs 183 and 184 of the National Planning Policy Framework.

14. Prior to the occupation of the development, or it being taken into beneficial use, a signed statement or declaration prepared by a suitably competent person confirming that the site is, or has been made, safe and stable for the approved development shall be submitted to the Local Planning Authority for approval in writing. This document shall confirm the methods and findings of the intrusive site investigations and the completion of any remedial works and/or mitigation necessary to address the risks posed by past coal mining activity.

Reason: To ensure the safety and stability of the development, in accordance with paragraphs 183 and 184 of the National Planning Policy Framework.

15. Before the electrical system is installed, a scheme detailing the dedicated facilities that will be provided for charging electric vehicles and other ultra-low emission vehicles shall be submitted to and approved in writing by the Local Planning Authority. The scheme shall meet at least the following minimum standard for numbers and power output –

- One Standard Electric Vehicle Charging Point providing a continuous supply of at least 16A (3.5kW) for at least 10% of non-residential parking spaces
- For developments where some or all of the parking is likely to be used for shorter stay parking (30mins to 4 hours) Fast (7-23kW) or Rapid (43kW+) charging points will be more appropriate. If Fast or Rapid charging points are proposed together with restrictions on the times that vehicles are allowed to be parked at these points, then a lower number of charging points may be acceptable.

The agreed dedicated facilities for charging electric vehicles are to be installed, maintained and retained thereafter.

Reason: In the interest of supporting and encouraging low emission vehicles, in the interest of air quality enhancement, in accordance with Policies LP20, LP21, LP24, LP51, and LP52 of the Kirklees Local Plan and Chapter 9 of the National Planning Policy Framework.

NOTE: The property is within the Bat Alert Zone. Bats are a European protected species under regulation 41 of the Conservation of Habitats and Species Regulations 2017 (as amended). It is an offence for anyone to intentionally to kill, injure or handle a bat, disturb a roosting bat, or sell or offer a bat for sale without a licence. It is also an offence to damage, destroy or obstruct access to any place used by bats for shelter, whether they are present or not. If bats are discovered on site, development shall cease, and the applicant is advised to contact Natural England for advice.

NOTE: All noise assessments should be carried out by a competent person. The applicant may wish to contact the Association of Noise Consultants <http://www.association-of-noiseconsultants.co.uk/> (020 8253 4518) or the Institute of Acoustics <http://www.ioa.org.uk> (0300 999 9675) for a list of members.

NOTE: All contamination reports shall be prepared by a suitably competent person, as defined in Annex 2 of the National Planning Policy Framework 2021. Reports must be prepared in accordance with the following guidance:

- *Land Contamination Risk Management (LCRM)*
- BS 10175:2011+ A2:2017 *Investigation of Potentially Contaminated Sites. Code of Practice*
- *Development on Land Affected by Contamination - Technical Guidance for Developers, Landowners & Consultants - (v11.2) June 2020* by the Yorkshire and Lincolnshire Pollution Advisory Group.

NOTE:

- A Standard Electric Vehicle Charging Point is one which is capable of providing a continuous supply of at least 16A (3.5kW) and up to 32A (7kW). The higher output is more likely to be futureproof.
- Standard charging points for single residential properties that meet the requirements specified in the latest version of “Minimum technical specification - Electric Vehicle Homecharge Scheme (EVHS)” by the Office for Low Emission Vehicles will be acceptable. Basically, charging points that provide Mode 3 charging with a continuous output of least 16A (3.5kW) and have Type 2 socket outlet would be acceptable.
- At non-residential developments, the requirement for one standard electric vehicle charging point for at least 10% of parking spaces may initially be reduced to one charging point for at least 5% of parking spaces with the remainder provided at an agreed trigger point.
- The electrical supply of the final installation should allow the charging equipment to operate at full rated capacity and the installation must comply with all applicable electrical requirements in force at the time of installation.

NOTE: The granting of planning permission does not override any private legal rights or consents that may be required. It is the responsibility of the applicant / developer to ensure that all appropriate consents are in place prior to any development commencing; during the period of construction existing access for neighbouring properties is maintained; and no damage is caused to the access driveway or surrounding properties.

NOTE: To minimise noise disturbance at nearby premises it is generally recommended that activities relating to the erection, construction, alteration, repair or maintenance of buildings, structures or roads shall not take place outside the hours of:

07.30 and 18.30 hours, Mondays to Fridays,
08.00 and 13.00 hours, Saturdays,
with no working Sundays or Public Holidays.

In some cases, different site-specific hours of operation may be appropriate.

Under the Control of Pollution Act 1974, Section 60 Kirklees Environment and Transportation Services can control noise from construction sites by serving a notice. This notice can specify the hours during which the works may be carried out.

Plans and specifications schedule:

Plan Type	Reference	Web ID	Date Received
Location Plan	Site Location Plan and Block/Site Plan	956455	18/10/2022
Existing Elevations	Existing Front Elevation and Existing Side Elevation	956457	18/10/2022
Proposed Site / Block Layout	Proposed Site (Block) Plan	956456	18/10/2022
Proposed Site / Block Layout	Proposed Site (Block) Plan showing parking	967243	18/10/2022
Proposed Elevations	Proposed Rear Elevation	956458	18/10/2022
Proposed Elevations	Proposed Front Elevation and Proposed Side Elevation	956459	18/10/2022
Proposed Floor Plans	Proposed Ground Floor Plan	956461	18/10/2022
Design and Access Statement	Design and Access Statement – Heritage Statement	956452	18/10/2022
General	Coal Mining Risk Assessment by Holdgate Consulting Ltd (undated)	956965	18/10/2022

Pursuant to article 35 (2) of the Town and Country Planning (Development Management Procedure) Order 2015 and guidance in the National Planning Policy Framework, the Local Authority have, where possible, made a pre-application advice service available, complied with the Kirklees Development Management Charter 2015 and otherwise actively engaged with the applicant in dealing with the application.

The KC Highways Development Management consultation response requested that details be provided of the proposed staff and customer parking arrangements and of the storage and access for collection of wastes from the premises. These were received and considered acceptable by officers. The amended plans were not subjected to any formal new publicity since they were not considered to raise substantial new planning issues. The draft conditions were shown to the agent to obtain agreement the pre-commencement conditions. Concerns were raised about the proposed opening hours condition. Following negotiations, the opening hours were extended to 08:00-18:00 Mon-Fri which is considered appropriate for a business of this type.

Building Regulations Approval is required for most work involving building operations and/or structural alterations. It is the applicant's responsibility to find out if the work permitted by this planning permission needs approval under the Building Regulations, and if necessary to submit an application. If you are not the applicant can you please ensure the applicant is aware of this requirement. Contact Building Control on Tel No: (01484) 221550 for more information.

It is the applicant's responsibility to find out whether any works approved by this planning permission, which involve excavating or working near public highway and any highway structures including retaining walls, will require written approval from the Council's Highways Structures Section. Please contact the Highways Structures Section on Tel No. 01484-221000 Ext 74199 for further advice on this matter.

Details Reserved by Condition

- This permission has been granted subject to conditions. Some of the conditions may require you to submit further details. These conditions normally contain the wording "submitted to and approved in writing by the Local Planning Authority".
- You can apply online for approval of these details at the Planning Portals website at www.planningportal.gov.uk. Alternatively the forms and supporting guidance for submitting an application can be found online at www.kirklees.gov.uk/planning.
- This Authority recognises the need to ensure that you are able to develop the site as effectively and flexibly as possible. However, at the same time it must ensure that development is in accordance with the terms of the planning conditions and legal agreement and the expectations of elected members and local residents set through the decision process.
- You should note the triggers for compliance with the conditions of this planning permission. This Authority is committed to processing applications to discharge conditions in a timely manner. It is important to ensure that submissions are made as far in advance of the trigger to allow time for adequate consultation, discussion and in some circumstances publicity.
- It is important that applications to discharge conditions are accompanied by sufficient information to enable this Authority and its consultees to fully consider and determine the proposals. Whilst officers will endeavour to negotiate solutions, failure to provide a comprehensive submission may result in delay and refusal of the application.
- If you commence work without discharging conditions you are at risk of enforcement action and invalidating your permission if the planning condition is a pre commencement condition.

Development within a Coal Mining Area

The proposed development lies within an area that has been defined by the Coal Authority as containing coal mining features at surface or shallow depth. These features may include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and former surface mining sites. Although such features are seldom readily visible, they can often be present and problems can occur, particularly as a result of new development taking place.

Any form of development over or within the influencing distance of a mine entry can be dangerous and raises significant land stability and public safety risks. As a general precautionary principle, the Coal Authority considers that the building over or within the influencing distance of a mine entry should be avoided. In exceptional circumstance where this is unavoidable, expert advice must be sought to ensure that a suitable engineering design which takes into account all the relevant safety and environmental risk factors, including mine gas and mine-water. Your attention is drawn to the Coal Authority Policy in relation to new development and mine entries available at:

www.gov.uk/government/publications/building-on-or-within-the-influencing-distance-of-mine-entries

Any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) requires a Coal Authority Permit. Such activities could include site investigation boreholes, excavations for foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Failure to obtain a Coal Authority Permit for such activities is trespass, with the potential for court action.

If any coal mining features are unexpectedly encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848. Further information is available on the Coal Authority website at:

www.gov.uk/government/organisations/the-coal-authority

Digital Infrastructure: Fibre To The Property (FTTP)

Access to affordable and reliable broadband is necessary for Kirklees' residents, businesses, and visitors to take advantage of the growing digital economy and 'digital by default' services. Fibre optic cables direct to a property (FTTP) is the most reliable way of delivering high speed broadband connectivity and allows for gigabit internet speeds. Access to high quality digital infrastructure provides the foundations for, amongst other things:

- **Economic prosperity** – workforces that are digitally-literate enables business to thrive.
- **Digital literacy** – digital literacy and skills increase employability and people can exploit the internet for transactional, social, entertainment and learning purposes.
- **New services** – digital delivery can lower costs and provide innovative public and health services more conveniently.

It is therefore advised that digital infrastructure, including FTTP, and its benefits for the development be considered from the earliest feasible stage. Methods include working with Internet Service Providers to install digital infrastructure alongside other utilities or providing pre-infrastructure allowing for speedier installation at a later date.

To discuss the benefits that FTTP may have for your development, please contact Carl Tinson in Kirklees Council's Digital Team at carl.tinson@kirklees.gov.uk

Note: The provision of fibre infrastructure is often available from certain telecommunications providers free of charge for development over a certain scale, provided that sufficient notice is given. Notice periods are typically at least 12 months prior to first occupation. In some cases, providers may request a contribution from the developer.

Note: Where no telecommunications provider has been secured to provide fibre infrastructure by the time of highway construction, it is advised that additional dedicated telecommunications ducting is incorporated alongside other utilities to enable the efficient and cost effective provision of fibre infrastructure in the future.

The application has been publicised by notice(s) in the vicinity of the site. It is respectfully requested that the notice(s) now be removed and responsibly disposed of to avoid harm to the appearance of the area

Appeals to the Secretary of State

- If you are aggrieved by the decision of your Local Planning Authority to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
- If an enforcement notice is served relating to the same or substantially the same land and development as in your application and if you want to appeal against your Local Planning Authority's decision on your application, then you must do so within:
 - i) 28 days of the date of service of the enforcement notice, or
 - ii) within the specified period, starting on the date of this notice,whichever period expires earlier.
- If you want to appeal against your Local Planning Authority's decision then you must do so within the specified period, starting on the date of this notice.
- The "specified period" is 12 weeks where the development relates to a "minor commercial application" as defined within the Town and Country Planning (Development Management Procedure) Order 2010 (as amended), or 6 months in any other case.
- Appeals must be made using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at <https://www.gov.uk/appeal-planning-decision>. Further information on the Planning Appeal process can be found online at the Planning Inspectorates website <https://www.gov.uk/government/organisations/planning-inspectorate>.
- You must use the correct Planning Appeal Form when making your appeal. If requesting forms from the Planning Inspectorate, please state the type of application that the appeal relates to so they can send you the appeal form you require.
- The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to him that the Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.
- In practice, the Secretary of State does not refuse to consider appeals solely because the Local Planning Authority based their decision on a direction given by him.

Please note, only the applicant possesses the right of appeal.

Purchase Notices

- If either the Local Planning Authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

An important part of improving our service is to review your feedback on the way that we have dealt with your planning application(s). Please take a couple of minutes to email your comments to dc.admin@kirklees.gov.uk so that we can work on continually improving our customer service. Thank you.

Dated: 10-Jan-2023

Signed:



David Shepherd
Strategic Director Growth and Regeneration

Decision Documents

The decision notice indicates which documents relate to the decision. These documents can be viewed online at the Planning Services website at www.kirklees.gov.uk/planning, and by clicking on the 'search planning applications and decisions' and by searching for application number 2022/62/93360/E .

If a paper copy of the decision notice or decided plans are required please email dc.admin@kirklees.gov.uk or telephone 01484 414746 with the application number. There may be a charge for this service.

All communications should be sent to one of the following address:

E-mail: dc.admin@kirklees.gov.uk

Write to: Kirklees Council
Planning and Development Service
PO Box 1720
Huddersfield
HD1 9EL
