


KEY: Construction Details

	FOOTPATH Construction: - 25mm OF 0/6 DENSE SURFACE COURSE AC.20 DENSE BON 100/150 - 40mm OF 0/20 DENSE BINDER COURSE AC.20 DENSE BON 100/50 - 100mm TYPE 1 STONE SUB-BASE TO CL.603
	VEHICLE CROSSING Construction: - 25mm OF 0/6 DENSE BINDER COURSE AC.20 DENSE BON 100/150 - 60mm OF 0/20 DENSE BINDER COURSE AC.20 DENSE BON 100/150 - 150mm TYPE 1 STONE SUB-BASE TO CL.603

Note: See Drawing Number E21/7885/009 For Standard Details

Rev A. Drawing amended to suit clients instruction. 16.12.22 JM



Haigh Huddleston & Associates
Civil Structural Engineering Consultants

Firth Buildings, 99 - 101 Leeds Rd, Dewsbury, WF12 7BU t 01924 464342 f 01924 450662
e martin@haighhuddleston.co.uk

Client
RHODES HOMES

Project
WEST LANE, GOMERSAL

Detail
SURFACE TREATMENT PLAN

Dwn	Chkd	Date	Scale	Dwg No.
JM		Nov/22	1:250 @A2	E21/7885/035A

PRELIMINARY