

Avie Consulting Ltd		Page 1
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

Time Area Diagram for Storm

Time (mins)	Area (ha)	Time (mins)	Area (ha)
0-4	0.570	4-8	0.173

Total Area Contributing (ha) = 0.743

Total Pipe Volume (m³) = 11.082

Avie Consulting Ltd		Page 2
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Existing Network Details for Storm

PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	Base Flow (l/s)	k (mm)	HYD SECT	DIA (mm)	Section Type
1.000	32.375	0.890	36.4	0.007	5.00	0.0	0.600	o	100	Pipe/Conduit
2.000	11.869	0.177	67.1	0.032	5.00	0.0	0.600	o	150	Pipe/Conduit
2.001	20.866	0.313	66.7	0.027	0.00	0.0	0.600	o	150	Pipe/Conduit
2.002	7.583	0.100	75.8	0.000	0.00	0.0	0.600	o	150	Pipe/Conduit
1.001	18.765	0.305	61.5	0.000	0.00	0.0	0.600	o	150	Pipe/Conduit
1.002	8.851	0.220	40.2	0.000	0.00	0.0	0.600	o	225	Pipe/Conduit
3.000	47.867	2.535	18.9	0.007	5.00	0.0	0.600	o	150	Pipe/Conduit
3.001	11.139	1.510	7.4	0.133	0.00	0.0	0.600	o	225	Pipe/Conduit
1.003	5.423	0.060	90.4	0.000	0.00	0.0	0.600	o	225	Pipe/Conduit
1.004	5.004	0.200	25.0	0.000	0.00	0.0	0.600	o	225	Pipe/Conduit
1.005	32.311	-0.838	-38.6	0.000	0.00	0.0	0.600	o	225	Pipe/Conduit
1.006	25.325	0.375	67.5	0.231	0.00	0.0	0.600	o	225	Pipe/Conduit
4.000	42.468	2.170	19.6	0.010	5.00	0.0	0.600	o	225	Pipe/Conduit
4.001	12.001	1.058	11.3	0.000	0.00	0.0	0.600	o	225	Pipe/Conduit
5.000	32.519	2.815	11.6	0.109	5.00	0.0	0.600	o	150	Pipe/Conduit
5.001	26.703	2.595	10.3	0.000	0.00	0.0	0.600	o	150	Pipe/Conduit

Network Results Table

PN	US/IL (m)	Σ I.Area (ha)	Σ Base Flow (l/s)	Vel (m/s)	Cap (l/s)
1.000	124.700	0.007	0.0	1.28	10.1
2.000	124.350	0.032	0.0	1.23	21.7
2.001	124.173	0.059	0.0	1.23	21.8
2.002	123.860	0.059	0.0	1.16	20.4
1.001	123.760	0.066	0.0	1.28	22.7
1.002	123.380	0.066	0.0	2.07	82.2
3.000	127.280	0.007	0.0	2.33	41.2
3.001	124.670	0.140	0.0	4.85	192.8
1.003	123.160	0.206	0.0	1.38	54.7
1.004	123.100	0.206	0.0	2.63	104.4
1.005	119.112	0.206	0.0	0.00	0.0
1.006	119.950	0.437	0.0	1.59	63.4
4.000	123.395	0.010	0.0	2.97	118.1
4.001	119.158	0.010	0.0	3.91	155.4
5.000	125.060	0.109	0.0	2.98	52.7
5.001	122.245	0.109	0.0	3.16	55.8

Avie Consulting Ltd		Page 3
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Existing Network Details for Storm

PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	Base Flow (l/s)	k (mm)	HYD SECT	DIA (mm)	Section Type
1.007	11.745	0.040	293.6	0.000	0.00	0.0	0.600	o	225	Pipe/Conduit
1.008	15.910	0.159	100.1	0.187	0.00	0.0	0.600	o	375	Pipe/Conduit

Network Results Table

PN	US/IL (m)	Σ I.Area (ha)	Σ Base Flow (l/s)	Vel (m/s)	Cap (l/s)
1.007	118.100	0.556	0.0	0.76	30.1
1.008	118.060	0.743	0.0	1.81	200.1



Manhole Schedules for Storm

MH Name	MH CL (m)	MH Depth (m)	MH Connection	MH Diam.,L*W (mm)	Pipe Out			Pipes In			Backdrop (mm)
					PN	Invert Level (m)	Diameter (mm)	PN	Invert Level (m)	Diameter (mm)	
RE	126.750	2.050	Junction		1.000	124.700	100				
RE	125.000	0.650	Junction		2.000	124.350	150				
JUNC	125.100	0.927	Junction		2.001	124.173	150	2.000	124.173	150	
MHS03	124.950	1.090	Open Manhole	750	2.002	123.860	150	2.001	123.860	150	
MHS04	125.100	1.340	Open Manhole	600	1.001	123.760	150	1.000	123.810	100	
								2.002	123.760	150	
MHS04A	125.100	1.720	Open Manhole	600	1.002	123.380	225	1.001	123.455	150	
MH S06	128.510	1.230	Open Manhole	1200	3.000	127.280	150				
MHS07	125.850	1.180	Open Manhole	1200	3.001	124.670	225	3.000	124.745	150	
MHS08	124.720	1.560	Open Manhole	1200	1.003	123.160	225	1.002	123.160	225	
								3.001	123.160	225	
MHS09	124.720	1.620	Open Manhole	1200	1.004	123.100	225	1.003	123.100	225	
MHS10	124.812	5.700	Open Manhole	1800	1.005	119.112	225	1.004	122.900	225	3788
12	122.650	2.700	Open Manhole	1800	1.006	119.950	225	1.005	119.950	225	
13	124.000	0.605	Open Manhole	1200	4.000	123.395	225				
13	122.650	3.492	Open Manhole	1200	4.001	119.158	225	4.000	121.225	225	2067
15	125.660	0.600	Open Manhole	1200	5.000	125.060	150				
15	122.845	0.600	Open Manhole	1200	5.001	122.245	150	5.000	122.245	150	
13	120.650	2.550	Open Manhole	1800	1.007	118.100	225	1.006	119.575	225	1475
								4.001	118.100	225	
								5.001	119.650	150	1475
14	120.350	2.290	Open Manhole	1800	1.008	118.060	375	1.007	118.060	225	
	119.100	1.199	Open Manhole	0		OUTFALL		1.008	117.901	375	

No coordinates have been specified, layout information cannot be produced.

Avie Consulting Ltd		Page 5
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



PIPELINE SCHEDULES for Storm

Upstream Manhole

PN	Hyd Sect	Diam (mm)	MH Name	C.Level (m)	I.Level (m)	D.Depth (m)	MH Connection	MH DIAM., (mm)	L*W
1.000	o	100	RE	126.750	124.700	1.950	Junction		
2.000	o	150	RE	125.000	124.350	0.500	Junction		
2.001	o	150	JUNC	125.100	124.173	0.777	Junction		
2.002	o	150	MHS03	124.950	123.860	0.940	Open Manhole		750
1.001	o	150	MHS04	125.100	123.760	1.190	Open Manhole		600
1.002	o	225	MHS04A	125.100	123.380	1.495	Open Manhole		600
3.000	o	150	MH S06	128.510	127.280	1.080	Open Manhole		1200
3.001	o	225	MHS07	125.850	124.670	0.955	Open Manhole		1200
1.003	o	225	MHS08	124.720	123.160	1.335	Open Manhole		1200
1.004	o	225	MHS09	124.720	123.100	1.395	Open Manhole		1200
1.005	o	225	MHS10	124.812	119.112	5.475	Open Manhole		1800
1.006	o	225	12	122.650	119.950	2.475	Open Manhole		1800
4.000	o	225	13	124.000	123.395	0.380	Open Manhole		1200
4.001	o	225	13	122.650	119.158	3.267	Open Manhole		1200
5.000	o	150	15	125.660	125.060	0.450	Open Manhole		1200

Downstream Manhole

PN	Length (m)	Slope (1:X)	MH Name	C.Level (m)	I.Level (m)	D.Depth (m)	MH Connection	MH DIAM., (mm)	L*W
1.000	32.375	36.4	MHS04	125.100	123.810	1.190	Open Manhole		600
2.000	11.869	67.1	JUNC	125.100	124.173	0.777	Junction		
2.001	20.866	66.7	MHS03	124.950	123.860	0.940	Open Manhole		750
2.002	7.583	75.8	MHS04	125.100	123.760	1.190	Open Manhole		600
1.001	18.765	61.5	MHS04A	125.100	123.455	1.495	Open Manhole		600
1.002	8.851	40.2	MHS08	124.720	123.160	1.335	Open Manhole		1200
3.000	47.867	18.9	MHS07	125.850	124.745	0.955	Open Manhole		1200
3.001	11.139	7.4	MHS08	124.720	123.160	1.335	Open Manhole		1200
1.003	5.423	90.4	MHS09	124.720	123.100	1.395	Open Manhole		1200
1.004	5.004	25.0	MHS10	124.812	122.900	1.687	Open Manhole		1800
1.005	32.311	-38.6	12	122.650	119.950	2.475	Open Manhole		1800
1.006	25.325	67.5	13	120.650	119.575	0.850	Open Manhole		1800
4.000	42.468	19.6	13	122.650	121.225	1.200	Open Manhole		1200
4.001	12.001	11.3	13	120.650	118.100	2.325	Open Manhole		1800
5.000	32.519	11.6	15	122.845	122.245	0.450	Open Manhole		1200

Avie Consulting Ltd		Page 6
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



PIPELINE SCHEDULES for Storm

Upstream Manhole

PN	Hyd Sect	Diam (mm)	MH Name	C.Level (m)	I.Level (m)	D.Depth (m)	MH Connection	MH DIAM., L*W (mm)
5.001	o	150	15	122.845	122.245	0.450	Open Manhole	1200
1.007	o	225	13	120.650	118.100	2.325	Open Manhole	1800
1.008	o	375	14	120.350	118.060	1.915	Open Manhole	1800

Downstream Manhole

PN	Length (m)	Slope (1:X)	MH Name	C.Level (m)	I.Level (m)	D.Depth (m)	MH Connection	MH DIAM., L*W (mm)
5.001	26.703	10.3	13	120.650	119.650	0.850	Open Manhole	1800
1.007	11.745	293.6	14	120.350	118.060	2.065	Open Manhole	1800
1.008	15.910	100.1		119.100	117.901	0.824	Open Manhole	0

Free Flowing Outfall Details for Storm

Outfall Pipe Number	Outfall Name	C. Level (m)	I. Level (m)	Min I. Level (m)	D,L (mm)	W (mm)
1.008		119.100	117.901	0.000	0	0

Simulation Criteria for Storm

Volumetric Runoff Coeff	0.750	Additional Flow - % of Total Flow	0.000
Areal Reduction Factor	1.000	MADD Factor * 10m³/ha Storage	2.000
Hot Start (mins)	0	Inlet Coefficient	0.800
Hot Start Level (mm)	0	Flow per Person per Day (l/per/day)	0.000
Manhole Headloss Coeff (Global)	0.500	Run Time (mins)	60
Foul Sewage per hectare (l/s)	0.000	Output Interval (mins)	1
Number of Input Hydrographs	0	Number of Storage Structures	1
Number of Online Controls	2	Number of Time/Area Diagrams	0
Number of Offline Controls	0	Number of Real Time Controls	0

Synthetic Rainfall Details

Rainfall Model	FSR	Profile Type	Summer
Return Period (years)	100	Cv (Summer)	0.750
Region	England and Wales	Cv (Winter)	0.840
M5-60 (mm)	19.000	Storm Duration (mins)	30
Ratio R	0.312		

Avie Consulting Ltd		Page 7
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

Online Controls for Storm

Pump Manhole: MHS10, DS/PN: 1.005, Volume (m³): 14.6

Invert Level (m) 121.712

Depth (m)	Flow (l/s)	Depth (m)	Flow (l/s)
1.300	40.0000	2.600	80.0000

Hydro-Brake® Optimum Manhole: 14, DS/PN: 1.008, Volume (m³): 6.2

Unit Reference	MD-SHE-0327-7120-2185-7120
Design Head (m)	2.185
Design Flow (l/s)	71.2
Flush-Flo™	Calculated
Objective	Minimise upstream storage
Application	Surface
Sump Available	Yes
Diameter (mm)	327
Invert Level (m)	118.060
Minimum Outlet Pipe Diameter (mm)	375
Suggested Manhole Diameter (mm)	Site Specific Design (Contact Hydro International)

Control Points	Head (m)	Flow (l/s)
Design Point (Calculated)	2.185	71.2
Flush-Flo™	0.675	71.2
Kick-Flo®	1.471	58.8
Mean Flow over Head Range	-	61.1

The hydrological calculations have been based on the Head/Discharge relationship for the Hydro-Brake® Optimum as specified. Should another type of control device other than a Hydro-Brake Optimum® be utilised then these storage routing calculations will be invalidated

Depth (m)	Flow (l/s)						
0.100	9.7	1.200	67.1	3.000	83.0	7.000	125.4
0.200	33.4	1.400	62.0	3.500	89.5	7.500	129.7
0.300	59.3	1.600	61.2	4.000	95.5	8.000	133.8
0.400	68.0	1.800	64.8	4.500	101.1	8.500	137.9
0.500	70.1	2.000	68.2	5.000	106.4	9.000	141.8
0.600	71.0	2.200	71.4	5.500	111.5	9.500	145.6
0.800	70.9	2.400	74.5	6.000	116.3		
1.000	69.5	2.600	77.4	6.500	120.9		

Avie Consulting Ltd		Page 8
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

Storage Structures for Storm

Cellular Storage Manhole: 13, DS/PN: 1.007

Invert Level (m) 118.100 Safety Factor 2.0
 Infiltration Coefficient Base (m/hr) 0.00000 Porosity 0.95
 Infiltration Coefficient Side (m/hr) 0.00000

Depth (m)	Area (m ²)	Inf. Area (m ²)	Depth (m)	Area (m ²)	Inf. Area (m ²)
0.000	114.0	0.0	1.201	0.0	0.0
1.200	114.0	0.0			

Volume Summary (Static)

Length Calculations based on Centre-Centre

Pipe Number	USMH Name	Manhole Volume (m ³)	Pipe Volume (m ³)	Storage	
				Structure Volume (m ³)	Total Volume (m ³)
1.000	RE	0.000	0.254	0.000	0.254
2.000	RE	0.000	0.210	0.000	0.210
2.001	JUNC	0.000	0.369	0.000	0.369
2.002	MHS03	0.482	0.134	0.000	0.616
1.001	MHS04	0.379	0.332	0.000	0.710
1.002	MHS04A	0.486	0.352	0.000	0.838
3.000	MH S06	1.391	0.846	0.000	2.237
3.001	MHS07	1.335	0.443	0.000	1.777
1.003	MHS08	1.764	0.216	0.000	1.980
1.004	MHS09	1.832	0.199	0.000	2.031
1.005	MHS10	14.505	1.285	0.000	15.789
1.006	12	6.871	1.007	0.000	7.878
4.000	13	0.684	1.689	0.000	2.373
4.001	13	3.949	0.477	0.000	4.427
5.000	15	0.679	0.575	0.000	1.253
5.001	15	0.679	0.472	0.000	1.150
1.007	13	6.489	0.467	129.996	136.952
1.008	14	5.827	1.757	0.000	7.585
Total		47.351	11.082	129.996	188.429

Avie Consulting Ltd		Page 9
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

1 year Return Period Summary of Critical Results by Maximum Level (Rank 1)
for Storm

Simulation Criteria

Areal Reduction Factor 1.000 Additional Flow - % of Total Flow 0.000
Hot Start (mins) 0 MADD Factor * 10m³/ha Storage 2.000
Hot Start Level (mm) 0 Inlet Coefficient 0.800
Manhole Headloss Coeff (Global) 0.500 Flow per Person per Day (l/per/day) 0.000
Foul Sewage per hectare (l/s) 0.000

Number of Input Hydrographs 0 Number of Storage Structures 1
Number of Online Controls 2 Number of Time/Area Diagrams 0
Number of Offline Controls 0 Number of Real Time Controls 0

Synthetic Rainfall Details

Rainfall Model FSR Ratio R 0.316
Region England and Wales Cv (Summer) 0.750
M5-60 (mm) 19.000 Cv (Winter) 0.840

Margin for Flood Risk Warning (mm) 300.0 DVD Status OFF
Analysis Timestep Fine Inertia Status OFF
DTS Status ON

Profile(s) Summer and Winter
Duration(s) (mins) 15, 30, 60, 120, 180, 240, 360, 480, 600,
720, 960, 1440
Return Period(s) (years) 1, 30, 100
Climate Change (%) 0, 0, 30

PN	US/MH Name	Storm	Return Period	Climate Change	First (X) Surcharge	First (Y) Flood	First (Z) Overflow	Overflow Act.	Water Level (m)
1.000	RE 15	Winter	1	+0%					124.720
2.000	RE 15	Winter	1	+0%					124.393
2.001	JUNC 15	Winter	1	+0%					124.230
2.002	MHS03 15	Winter	1	+0%	100/15 Summer				123.924
1.001	MHS04 15	Winter	1	+0%	100/15 Summer				123.822
1.002	MHS04A 15	Winter	1	+0%	100/15 Summer				123.430
3.000	MH S06 15	Winter	1	+0%					127.295
3.001	MHS07 15	Winter	1	+0%					124.715
1.003	MHS08 15	Winter	1	+0%	30/15 Summer				123.292
1.004	MHS09 15	Winter	1	+0%	30/15 Summer				123.192
1.005	MHS10 30	Winter	1	+0%	1/15 Summer				122.205
1.006	12 60	Summer	1	+0%	30/15 Summer				120.064
4.000	13 15	Winter	1	+0%					123.407
4.001	13 15	Winter	1	+0%	100/60 Winter				119.168
5.000	15 15	Winter	1	+0%	100/15 Winter				125.112
5.001	15 15	Winter	1	+0%					122.296
1.007	13 60	Winter	1	+0%	30/15 Summer				118.293
1.008	14 60	Winter	1	+0%	30/30 Winter				118.256

Avie Consulting Ltd		Page 10
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



1 year Return Period Summary of Critical Results by Maximum Level (Rank 1)
for Storm

PN	US/MH Name	Surcharged Flooded		Flow / Cap. (l/s)	Half Drain Time (mins)	Pipe Flow (l/s)	Status	Level Exceeded
		Depth (m)	Volume (m ³)					
1.000	RE	-0.080	0.000	0.08		0.8	OK*	
2.000	RE	-0.107	0.000	0.18		3.9	OK*	
2.001	JUNC	-0.093	0.000	0.31		6.7	OK*	
2.002	MHS03	-0.086	0.000	0.38		6.7	OK	
1.001	MHS04	-0.088	0.000	0.36		7.6	OK	
1.002	MHS04A	-0.175	0.000	0.11		7.6	OK	
3.000	MH S06	-0.135	0.000	0.02		0.8	OK	
3.001	MHS07	-0.180	0.000	0.09		14.6	OK	
1.003	MHS08	-0.093	0.000	0.64		22.1	OK	
1.004	MHS09	-0.133	0.000	0.35		22.1	OK	
1.005	MHS10	2.868	0.000	1.21		14.7	SURCHARGED	
1.006	12	-0.111	0.000	0.48		28.1	OK	
4.000	13	-0.213	0.000	0.01		1.2	OK	
4.001	13	-0.215	0.000	0.01		1.2	OK	
5.000	15	-0.098	0.000	0.26		13.2	OK	
5.001	15	-0.099	0.000	0.25		13.1	OK	
1.007	13	-0.032	0.000	0.98	26	25.2	OK	
1.008	14	-0.179	0.000	0.21		32.1	OK	

Avie Consulting Ltd		Page 11
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 1.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 12
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 2.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 13
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 2.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 14
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 2.002 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 15
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 1.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 16
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 1.002 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 17
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 3.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 18
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 3.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 19
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 1.003 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 20
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 1.004 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 21
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 30 minute 1 year Winter I+0%
for Pipe 1.005 (Storm)

Time (mins)	Rain (mm/hr)								
1	2.523	7	9.461	13	36.489	19	30.407	25	8.420
2	6.198	8	11.520	14	41.713	20	24.537	26	8.154
3	7.763	9	14.732	15	45.419	21	19.228	27	8.150
4	8.150	10	19.228	16	45.419	22	14.732	28	7.763
5	8.154	11	24.537	17	41.713	23	11.520	29	6.198
6	8.420	12	30.407	18	36.489	24	9.461	30	2.522

Avie Consulting Ltd		Page 22
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 60 minute 1 year Summer I+0%
for Pipe 1.006 (Storm)

Time (mins)	Rain (mm/hr)								
2	3.964	14	5.800	26	23.274	38	16.229	50	5.293
4	4.169	16	6.429	28	31.757	40	11.576	52	4.894
6	4.374	18	7.311	30	42.705	42	8.918	54	4.568
8	4.568	20	8.918	32	42.705	44	7.311	56	4.374
10	4.894	22	11.576	34	31.757	46	6.429	58	4.169
12	5.293	24	16.229	36	23.274	48	5.800	60	3.964

Avie Consulting Ltd		Page 23
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 4.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 24
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 4.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 25
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 5.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 26
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 1 year Winter I+0%
for Pipe 5.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.470	4	15.566	7	58.022	10	40.766	13	12.297
2	11.807	5	25.196	8	67.396	11	25.196	14	11.807
3	12.297	6	40.766	9	58.022	12	15.566	15	6.470

Avie Consulting Ltd		Page 27
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 60 minute 1 year Winter I+0%
for Pipe 1.007 (Storm)

Time (mins)	Rain (mm/hr)								
2	1.664	14	6.242	26	24.076	38	20.063	50	5.556
4	4.089	16	7.601	28	27.523	40	16.190	52	5.380
6	5.122	18	9.721	30	29.968	42	12.687	54	5.378
8	5.378	20	12.687	32	29.968	44	9.721	56	5.122
10	5.380	22	16.190	34	27.523	46	7.601	58	4.089
12	5.556	24	20.063	36	24.076	48	6.242	60	1.664

Avie Consulting Ltd		Page 28
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 60 minute 1 year Winter I+0%
for Pipe 1.008 (Storm)

Time (mins)	Rain (mm/hr)								
2	1.664	14	6.242	26	24.076	38	20.063	50	5.556
4	4.089	16	7.601	28	27.523	40	16.190	52	5.380
6	5.122	18	9.721	30	29.968	42	12.687	54	5.378
8	5.378	20	12.687	32	29.968	44	9.721	56	5.122
10	5.380	22	16.190	34	27.523	46	7.601	58	4.089
12	5.556	24	20.063	36	24.076	48	6.242	60	1.664

Avie Consulting Ltd		Page 29
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

30 year Return Period Summary of Critical Results by Maximum Level (Rank 1)
for Storm

Simulation Criteria

Areal Reduction Factor 1.000 Additional Flow - % of Total Flow 0.000
Hot Start (mins) 0 MADD Factor * 10m³/ha Storage 2.000
Hot Start Level (mm) 0 Inlet Coefficient 0.800
Manhole Headloss Coeff (Global) 0.500 Flow per Person per Day (l/per/day) 0.000
Foul Sewage per hectare (l/s) 0.000

Number of Input Hydrographs 0 Number of Storage Structures 1
Number of Online Controls 2 Number of Time/Area Diagrams 0
Number of Offline Controls 0 Number of Real Time Controls 0

Synthetic Rainfall Details

Rainfall Model FSR Ratio R 0.316
Region England and Wales Cv (Summer) 0.750
M5-60 (mm) 19.000 Cv (Winter) 0.840

Margin for Flood Risk Warning (mm) 300.0 DVD Status OFF
Analysis Timestep Fine Inertia Status OFF
DTS Status ON

Profile(s) Summer and Winter
Duration(s) (mins) 15, 30, 60, 120, 180, 240, 360, 480, 600,
720, 960, 1440
Return Period(s) (years) 1, 30, 100
Climate Change (%) 0, 0, 30

PN	US/MH Name	Storm	Return Period	Climate Change	First (X) Surcharge	First (Y) Flood	First (Z) Overflow	Overflow Act.	Water Level (m)
1.000	RE	15 Winter	30	+0%					124.731
2.000	RE	15 Winter	30	+0%					124.420
2.001	JUNC	15 Winter	30	+0%					124.279
2.002	MHS03	15 Winter	30	+0%	100/15 Summer				123.999
1.001	MHS04	15 Winter	30	+0%	100/15 Summer				123.873
1.002	MHS04A	15 Winter	30	+0%	100/15 Summer				123.586
3.000	MH S06	15 Winter	30	+0%					127.302
3.001	MHS07	15 Winter	30	+0%					124.750
1.003	MHS08	15 Winter	30	+0%	30/15 Summer				123.564
1.004	MHS09	15 Winter	30	+0%	30/15 Summer				123.442
1.005	MHS10	15 Winter	30	+0%	1/15 Summer				123.327
1.006	12	30 Summer	30	+0%	30/15 Summer				120.752
4.000	13	15 Winter	30	+0%					123.419
4.001	13	15 Winter	30	+0%	100/60 Winter				119.181
5.000	15	15 Winter	30	+0%	100/15 Winter				125.148
5.001	15	15 Winter	30	+0%					122.331
1.007	13	30 Winter	30	+0%	30/15 Summer				118.655
1.008	14	60 Winter	30	+0%	30/30 Winter				118.485

Avie Consulting Ltd		Page 30
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



30 year Return Period Summary of Critical Results by Maximum Level (Rank 1)
for Storm

PN	US/MH Name	Surcharged Flooded		Flow / Cap. (l/s)	Half Drain Time (mins)	Pipe Flow (l/s)	Status	Level Exceeded
		Depth (m)	Volume (m ³)					
1.000	RE	-0.069	0.000	0.20		2.0	OK*	
2.000	RE	-0.080	0.000	0.44		9.5	OK*	
2.001	JUNC	-0.044	0.000	0.83		18.0	OK*	
2.002	MHS03	-0.011	0.000	1.00		17.6	OK	
1.001	MHS04	-0.037	0.000	0.93		19.7	OK	
1.002	MHS04A	-0.019	0.000	0.29		19.3	OK	
3.000	MH S06	-0.128	0.000	0.05		2.1	OK	
3.001	MHS07	-0.145	0.000	0.27		44.6	OK	
1.003	MHS08	0.179	0.000	1.81		62.5	SURCHARGED	
1.004	MHS09	0.117	0.000	0.98		61.5	SURCHARGED	
1.005	MHS10	3.990	0.000	4.00		48.7	SURCHARGED	
1.006	12	0.577	0.000	1.58		92.4	SURCHARGED	
4.000	13	-0.201	0.000	0.03		3.0	OK	
4.001	13	-0.202	0.000	0.02		3.0	OK	
5.000	15	-0.062	0.000	0.64		32.4	OK	
5.001	15	-0.064	0.000	0.60		32.1	OK	
1.007	13	0.330	0.000	2.27	16	58.3	SURCHARGED	
1.008	14	0.050	0.000	0.44		68.5	SURCHARGED	

Avie Consulting Ltd		Page 31
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 1.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 32
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 2.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 33
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 2.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 34
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 2.002 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 35
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 1.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 36
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		
David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC		
Designed by TC Checked by TC		
Micro Drainage	Network 2020.1	

Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 1.002 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 37
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 3.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 38
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 3.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 39
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 1.003 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 40
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 1.004 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 41
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 1.005 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 42
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 30 minute 30 year Summer I+0%
for Pipe 1.006 (Storm)

Time (mins)	Rain (mm/hr)								
1	14.766	7	21.608	13	86.704	19	60.458	25	19.718
2	15.531	8	23.949	14	118.306	20	43.127	26	18.232
3	16.296	9	27.236	15	159.092	21	33.223	27	17.016
4	17.017	10	33.223	16	159.092	22	27.236	28	16.296
5	18.232	11	43.127	17	118.306	23	23.949	29	15.531
6	19.718	12	60.458	18	86.704	24	21.608	30	14.766

Avie Consulting Ltd		Page 43
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 4.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 44
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 4.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 45
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 5.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 46
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 30 year Winter I+0%
for Pipe 5.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	15.832	4	38.090	7	141.976	10	99.753	13	30.090
2	28.890	5	61.654	8	164.916	11	61.654	14	28.890
3	30.090	6	99.753	9	141.976	12	38.090	15	15.831

Avie Consulting Ltd		Page 47
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 30 minute 30 year Winter I+0%
for Pipe 1.007 (Storm)

Time (mins)	Rain (mm/hr)								
1	6.201	7	23.255	13	89.693	19	74.744	25	20.697
2	15.234	8	28.316	14	102.532	20	60.315	26	20.042
3	19.081	9	36.213	15	111.642	21	47.263	27	20.034
4	20.034	10	47.263	16	111.642	22	36.213	28	19.081
5	20.042	11	60.315	17	102.532	23	28.316	29	15.234
6	20.697	12	74.744	18	89.693	24	23.255	30	6.200

Avie Consulting Ltd		Page 48
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		
David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC		
Designed by TC Checked by TC		
Micro Drainage	Network 2020.1	

Rainfall Hyetograph for 60 minute 30 year Winter I+0%
for Pipe 1.008 (Storm)

Time (mins)	Rain (mm/hr)								
2	4.027	14	15.103	26	58.253	38	48.544	50	13.442
4	9.894	16	18.391	28	66.592	40	39.173	52	13.017
6	12.392	18	23.519	30	72.508	42	30.696	54	13.012
8	13.012	20	30.696	32	72.508	44	23.519	56	12.392
10	13.017	22	39.173	34	66.592	46	18.391	58	9.894
12	13.442	24	48.544	36	58.253	48	15.103	60	4.027

Avie Consulting Ltd		Page 49
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

100 year Return Period Summary of Critical Results by Maximum Level (Rank 1) for Storm

Simulation Criteria

Areal Reduction Factor 1.000 Additional Flow - % of Total Flow 0.000
Hot Start (mins) 0 MADD Factor * 10m³/ha Storage 2.000
Hot Start Level (mm) 0 Inlet Coefficient 0.800
Manhole Headloss Coeff (Global) 0.500 Flow per Person per Day (l/per/day) 0.000
Foul Sewage per hectare (l/s) 0.000

Number of Input Hydrographs 0 Number of Storage Structures 1
Number of Online Controls 2 Number of Time/Area Diagrams 0
Number of Offline Controls 0 Number of Real Time Controls 0

Synthetic Rainfall Details

Rainfall Model FSR Ratio R 0.316
Region England and Wales Cv (Summer) 0.750
M5-60 (mm) 19.000 Cv (Winter) 0.840

Margin for Flood Risk Warning (mm) 300.0 DVD Status OFF
Analysis Timestep Fine Inertia Status OFF
DTS Status ON

Profile(s) Summer and Winter
Duration(s) (mins) 15, 30, 60, 120, 180, 240, 360, 480, 600,
720, 960, 1440
Return Period(s) (years) 1, 30, 100
Climate Change (%) 0, 0, 30

PN	US/MH Name	Storm	Return Period	Climate Change	First (X) Surcharge	First (Y) Flood	First (Z) Overflow	Overflow Act.	Water Level (m)
1.000	RE 15	Winter	100	+30%					124.765
2.000	RE 15	Summer	100	+30%					124.500
2.001	JUNC 15	Summer	100	+30%					124.323
2.002	MHS03 15	Winter	100	+30%	100/15	Summer			124.787
1.001	MHS04 15	Winter	100	+30%	100/15	Summer			124.697
1.002	MHS04A 15	Winter	100	+30%	100/15	Summer			124.523
3.000	MH S06 15	Winter	100	+30%					127.310
3.001	MHS07 15	Winter	100	+30%					124.777
1.003	MHS08 15	Winter	100	+30%	30/15	Summer			124.506
1.004	MHS09 15	Winter	100	+30%	30/15	Summer			124.217
1.005	MHS10 15	Winter	100	+30%	1/15	Summer			123.995
1.006	12 15	Winter	100	+30%	30/15	Summer			122.138
4.000	13 15	Winter	100	+30%					123.426
4.001	13 60	Winter	100	+30%	100/60	Winter			120.272
5.000	15 15	Winter	100	+30%	100/15	Winter			125.256
5.001	15 15	Winter	100	+30%					122.361
1.007	13 60	Winter	100	+30%	30/15	Summer			120.271
1.008	14 60	Winter	100	+30%	30/30	Winter			120.092

Avie Consulting Ltd		Page 50
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD	David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC	
Date 30/12/2021 File P3748 - Phase 1_3_4 com...	Designed by TC Checked by TC	
Micro Drainage	Network 2020.1	

100 year Return Period Summary of Critical Results by Maximum Level (Rank 1) for Storm

PN	US/MH Name	Surcharged Flooded		Flow / Overflow Cap. (l/s)	Half Drain Time (mins)	Pipe Flow (l/s)	Status	Level Exceeded
		Depth (m)	Volume (m³)					
1.000	RE	-0.035	0.000	0.34		3.4	OK*	
2.000	RE	0.000	0.000	0.57		12.4	SURCHARGED*	
2.001	JUNC	0.000	0.000	0.98		21.4	SURCHARGED*	
2.002	MHS03	0.777	0.000	1.25		21.9	FLOOD RISK	
1.001	MHS04	0.787	0.000	1.13		24.1	SURCHARGED	
1.002	MHS04A	0.918	0.000	0.42		27.7	SURCHARGED	
3.000	MH S06	-0.120	0.000	0.09		3.5	OK	
3.001	MHS07	-0.118	0.000	0.46		74.9	OK	
1.003	MHS08	1.121	0.000	2.32		79.9	FLOOD RISK	
1.004	MHS09	0.892	0.000	1.19		74.9	SURCHARGED	
1.005	MHS10	4.658	0.000	5.68		69.2	SURCHARGED	
1.006	12	1.963	0.000	2.49		145.8	SURCHARGED	
4.000	13	-0.194	0.000	0.04		5.0	OK	
4.001	13	0.889	0.000	0.03		3.7	SURCHARGED	
5.000	15	0.046	0.000	1.01		51.1	SURCHARGED	
5.001	15	-0.034	0.000	0.96		51.0	OK	
1.007	13	1.946	0.000	2.66	32	68.4	SURCHARGED	
1.008	14	1.657	0.000	0.46		71.1	FLOOD RISK	

Avie Consulting Ltd		Page 51
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 52
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Summer I+30%
for Pipe 2.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	37.574	4	56.501	7	254.255	10	128.467	13	47.066
2	41.315	5	74.981	8	394.614	11	74.981	14	41.315
3	47.066	6	128.467	9	254.255	12	56.501	15	37.574

Avie Consulting Ltd		Page 53
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Summer I+30%
for Pipe 2.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	37.574	4	56.501	7	254.255	10	128.467	13	47.066
2	41.315	5	74.981	8	394.614	11	74.981	14	41.315
3	47.066	6	128.467	9	254.255	12	56.501	15	37.574

Avie Consulting Ltd		Page 54
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 2.002 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 55
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 56
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.002 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 57
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 3.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 58
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 3.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 59
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.003 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 60
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.004 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 61
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.005 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 62
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 1.006 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 63
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 4.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 64
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 60 minute 100 year Winter I+30%
for Pipe 4.001 (Storm)

Time (mins)	Rain (mm/hr)								
2	6.878	14	25.796	26	99.496	38	82.912	50	22.959
4	16.899	16	31.411	28	113.737	40	66.906	52	22.233
6	21.166	18	40.170	30	123.843	42	52.428	54	22.224
8	22.224	20	52.428	32	123.843	44	40.170	56	21.166
10	22.232	22	66.906	34	113.737	46	31.411	58	16.899
12	22.959	24	82.912	36	99.496	48	25.796	60	6.878

Avie Consulting Ltd		Page 65
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 5.000 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 66
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 15 minute 100 year Winter I+30%
for Pipe 5.001 (Storm)

Time (mins)	Rain (mm/hr)								
1	26.584	4	63.959	7	238.400	10	167.501	13	50.525
2	48.511	5	103.527	8	276.920	11	103.527	14	48.511
3	50.525	6	167.501	9	238.400	12	63.959	15	26.584

Avie Consulting Ltd		Page 67
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 60 minute 100 year Winter I+30%
for Pipe 1.007 (Storm)

Time (mins)	Rain (mm/hr)								
2	6.878	14	25.796	26	99.496	38	82.912	50	22.959
4	16.899	16	31.411	28	113.737	40	66.906	52	22.233
6	21.166	18	40.170	30	123.843	42	52.428	54	22.224
8	22.224	20	52.428	32	123.843	44	40.170	56	21.166
10	22.232	22	66.906	34	113.737	46	31.411	58	16.899
12	22.959	24	82.912	36	99.496	48	25.796	60	6.878

Avie Consulting Ltd		Page 68
6 Killingbeck Court Killingbeck Drive Leeds LS14 6FD		David Brown P3129 Marine Assembly Combined 1 in 1, 30, 100 year Plus CC
Date 30/12/2021 File P3748 - Phase 1_3_4 com...		Designed by TC Checked by TC
Micro Drainage		Network 2020.1



Rainfall Hyetograph for 60 minute 100 year Winter I+30%
for Pipe 1.008 (Storm)

Time (mins)	Rain (mm/hr)								
2	6.878	14	25.796	26	99.496	38	82.912	50	22.959
4	16.899	16	31.411	28	113.737	40	66.906	52	22.233
6	21.166	18	40.170	30	123.843	42	52.428	54	22.224
8	22.224	20	52.428	32	123.843	44	40.170	56	21.166
10	22.232	22	66.906	34	113.737	46	31.411	58	16.899
12	22.959	24	82.912	36	99.496	48	25.796	60	6.878