Kirklees Council.

Planning Permission for Development.

Application Number: 2021/62/92488/W Permitted Development:

ERECTION OF CLINICAL BUILDING TO ACCOMMODATE NEW ACCIDENT AND EMERGENCY DEPARTMENT, ASSOCIATED VEHICULAR ACCESS, CAR AND CYCLE PARKING SPACES, PLANT AND LANDSCAPING

At:

HUDDERSFIELD ROYAL INFIRMARY, ACRE STREET.

LINDLEY. HUDDERSFIELD. HD3 3EA

For:

Calderdale And Huddersfield Solutions Ltd

Prior to the Development being brought into use.

Condition 15.

15. A scheme for the erection of a minimum barrier between the Pickup and Drop Off point and Ambulance drop off area, shall be submitted to, and approved in writing by, he Local Planning Authority. The barrier shall have a minimum height of 1.2m when measured from the highest part of the surface of the ground adjacent to it. The approved barrier shall thereafter be implemented, prior to the occupation of the building and shall be so retained.

Documents: HG0052-IBI-ED-XX-SP-A-200001 C01 (*page 161 L37:150 /160.*)

Drawings: HG0052-IBI-ED-XX-PL-L-700001 C09

HG0052-IBI-ED-XX-DT-L-700009 C02

Dated 23.05.2023