












DO NOT SCALE			
REV	DESCRIPTION	DATE	BY




F3-P1169999
(MH-S12)
(SCALE 1/25)



F3-P1169999
(MH-S18)
(SCALE 1/25)




F3-P1169999
(MH-S17)
(SCALE 1/25)



SECTION BED AND SURROUND DETAILS FOR
HARD LANDSCAPED/TRAFFICKED AREAS
(SCALE 1/20)

BACKFILL TO BE IN ACCORDANCE WITH 'SPECIFICATION FOR HIGHWAY WORKS' VOLUME 1, CLAUSE 6/2 AND SHW CLAUSE 503.3.(i)



ACCESS TURRET CONSTRUCTION
DETAILS 1200mm
(SCALE 1/20)

- NOTE:
- FOR DETAILS OF TRADITIONAL MANHOLE CONSTRUCTION REFER TO SEWERS FOR ADOPTION 7TH EDITION.
 - ALL DIMENSIONS ARE NOMINAL AND IN MILLIMETERS
 - PLEASE REFER TO AQUASPIRA PIPE INSTALLATION GUIDE FOR DETAILED INFORMATION ON PIPE INSTALLATION
 - ALL STAINLESS STEEL SPECIFIED TO BE GRADE 304.4mm THICK.
 - ALL PIPE SPECIFIED TO BE AQUASPIRA CSR PIPE
- PIPE BEDDING NOTES:
- ALL DIMENSIONS ARE NOMINAL AND IN MILLIMETERS
 - PROCESSED GRANULAR MATERIALS TO INCLUDE AGGREGATES TO BS 882, AIR-COOLED BLAST FURNACE SLAG TO BS 1047 AND LIGHTWEIGHT AGGREGATES TO BS 3797.
 - ALL TEMPORARY ENABLING WORKS ARE BY OTHERS
 - PROJECT ENGINEERS TO CONFIRM THE BACKFILL DETAILS ARE APPROPRIATE FOR THE SITE GROUND CONDITIONS AND LOADING CRITERIA.
 - SINGLE SIZE BACKFILL TO BE IN ACCORDANCE WITH 'SPECIFICATION FOR HIGHWAYS WORKS' VOLUME 1, TABLE 6/2
 - RECLAIMED AND SITE WON MATERIAL TO BE REVIEWED AND APPROVED BY MAIN PROJECT ENGINEER PRIOR TO USE AS BACKFILL.
 - WHERE MINIMUM COVER DEPTHS SHOWN CANNOT BE ACHIEVED, A REINFORCED CONCRETE PROTECTION SLAB IS REQUIRED. FOR DETAILS PLEASE SEE 'Your Questions Answered' IN THE TECHNICAL SECTION OF OUR WEBSITE-www.aquaspira.com
- FLOTATION
- PIPES ABOVE 1500mm MAY REQUIRE MORE THAN 500mm COVER. PLEASE REFER TO THE HYDRAULIC PAGE IN THE 'TECHNICAL' SECTION OF OUR WEBSITE-www.aquaspira.com

APPROVAL
ISSUE

NOTES:
THIS DRAWING HAS BEEN PRODUCED FOR THE PURPOSE OF OFFERING DESIGN AND LAYOUT INFORMATION TO ASSIST THE PROJECT ENGINEER WHEN ASSESSING THE SUITABILITY OF AQUASPIRA PRODUCTS. THE INFORMATION CONTAINED IN THIS DRAWING IS APPROPRIATE TO AQUASPIRA PRODUCTS ONLY, AND ALL REFERENCES TO ASSOCIATED CONSTRUCTION DETAILS ARE OFFERED AS TYPICAL DETAILS AND DO NOT TAKE ACCOUNT OF PROJECT CONDITIONS. THE PROJECT ENGINEER'S MUST SATISFY THEMSELVES THAT THE INFORMATION PROVIDED IN THIS DRAWING IS SATISFACTORY.

Client
BRYAN G HALL
MILL MOOR ROAD
MELTHAM

Drawing Title
PROPOSED 1650mm
STAINLESS STEEL ACCESS UNITS
AND CONSTRUCTION DETAILS