

- NOTES**
- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
 - 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
 - 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS

- KEY**
- ALDI SITE BOUNDARY
 - EXISTING HIGHWAY BOUNDARY
 - AREA TO BE OFFERED UP FOR ADOPTION
 - EXISTING CARRIAGEWAY RESURFACING / OVERLAY
 - NEW CARRIAGEWAY CONSTRUCTION
 - NEW FOOTWAY CONSTRUCTION
 - LINE OF PROPOSED HIGHWAY RETAINING STRUCTURE (TO BE DESIGNED BY OTHERS)

REVISIONS

REV	DESCRIPTION	DATE	BY
A	FIRST ISSUE	05/05/22	TS
B	EASTERN REFUGE ISLAND NARROWED	05/05/22	TS
C	WESTERN REFUGE ISLAND NARROWED	05/05/22	TS
D	4.5m CLEARANCE TO ISLANDS INCLUDED	14/07/22	TS
E	CYCLEWAY INCREASED TO 1.5m	09/11/22	TS
F	ARCHITECTS LAYOUT UPDATED	03/12/22	TS
G	DESIGN DEVELOPED	16/01/23	TS
H	DESIGN DEVELOPED	14/02/23	TS
I	UPDATED TO INCLUDE COMMENTS	16/02/23	AA
J	TROG SIZES	04/12/23	AA
K	UPDATED FOLLOWING SITE MEETING	14/12/23	AA



Project: HUDDERSFIELD ROAD MIRFIELD


Client: ALDI STORES LTD

Drawing: SECTION 278 WORKS GENERAL ARRANGEMENT

Drawn By: TS **DATE:** 05/05/2022

Checked: RC **Scale:** 1:250 @ A1

Drawing No: AMA/40110/D/001 **Rev:** K



NOTES

- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
- 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
- 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS
- 4) FOR LONGITUDINAL AND CROSS SECTIONS REFER TO DRAWING NUMBER AMA/40010/D/003

KEY


- ALDI SITE BOUNDARY
- EXISTING MAJOR CONTOUR 250mm INTERVALS
- EXISTING MINOR CONTOUR 50mm INTERVALS
- EXISTING CARRIAGEWAY CROWN
- PROPOSED MAJOR CONTOUR 250mm INTERVALS
- PROPOSED MINOR CONTOUR 50mm INTERVALS
- - - PROPOSED CARRIAGEWAY CROWN
- - - LINE OF PROPOSED HIGHWAY RETAINING STRUCTURE (TO BE DESIGNED BY OTHERS)
- 00.000* PROPOSED CARRIAGEWAY CHANNEL LEVEL
- 00.000* PROPOSED BACK OF FOOTWAY LEVEL
- 00.000* INDICATIVE PROPOSED BOTTOM OF WALL LEVEL

RETAINING WALL LEVELS SHOWN ARE INDICATIVE ONLY. REFER TO INTERNAL SITE DESIGN AND STRUCTURAL ENGINEERS DETAILS

REV	DESCRIPTION	DATE	BY
-	ISSUED FOR COOPERATION	10/09/23	TS
A	DESIGN DEVELOPED	16/02/23	TS
B	UPDATED TO REFLECT COMMENTS	16/02/23	AJA
C	FACTILE ADDED ON 'THE MALTINGS'	16/02/23	AJA



Project:		HUDDERSFIELD ROAD MIRFIELD	
Client:		ALDI STORES LTD	
Drawing:		SECTION 278 WORKS FINISHED SURFACE LEVELS	
Drawn By:	TS	DATE:	10/01/2023
Checked:	RC	Scale:	1:250 @ A1
Drawing No:	AMA/40110/D/002	Rev:	C




OFFSET	GROUND LEVEL	FEATURE LEVEL
4.760	49.064	49.064
0.037	49.131	49.131
0.000	49.071	49.071
3.235	49.172	49.172
3.311	49.236	49.236
6.511	48.764	48.764
5.422	48.409	48.409
		48.516

ALIGNMENT HUD RD
CHAINAGE 30.000




OFFSET	GROUND LEVEL	FEATURE LEVEL
6.946	48.766	48.766
1.916	48.872	48.872
0.000	48.900	48.900
3.835	48.909	48.909
3.885	48.923	48.923
6.526	48.563	48.563
6.286	48.865	48.865
		48.469

ALIGNMENT HUD RD
CHAINAGE 70.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
7.013	49.358	49.358
1.901	49.456	49.456
0.000	49.451	49.451
3.901	49.718	49.718
6.711	48.710	48.710
6.777	48.414	48.414
7.287		48.059

ALIGNMENT HUD RD
CHAINAGE 110.000




OFFSET	GROUND LEVEL	FEATURE LEVEL
5.154	49.958	49.958
0.110	50.058	50.058
0.000	50.060	50.060
3.704	50.109	50.109
3.704	50.111	50.111
6.174	50.486	50.486
6.154	49.762	49.762
		49.708

ALIGNMENT HUD RD
CHAINAGE 150.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
4.738	49.135	49.135
0.000	49.193	49.193
3.179	49.128	49.128
3.439	49.319	49.319
4.896	48.400	48.400
		48.557

ALIGNMENT HUD RD
CHAINAGE 20.000




OFFSET	GROUND LEVEL	FEATURE LEVEL
6.336	48.941	48.941
1.469	48.920	48.920
0.000	48.891	48.891
3.626	48.870	48.870
3.676	48.970	48.970
6.627	48.038	48.038
6.077	48.528	48.528
		48.475

ALIGNMENT HUD RD
CHAINAGE 60.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
7.005	49.118	49.118
1.914	49.196	49.196
0.000	49.159	49.159
3.881	49.147	49.147
		48.910

ALIGNMENT HUD RD
CHAINAGE 100.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
5.491	49.926	49.926
0.381	50.017	50.017
0.000	50.079	50.079
3.778	49.944	49.944
3.828	50.044	50.044
6.228	50.041	50.041
6.228	49.634	49.634
		49.639

ALIGNMENT HUD RD
CHAINAGE 140.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
4.742	49.207	49.207
0.000	49.266	49.266
3.142	49.192	49.192
3.479	49.394	49.394
4.311	48.400	48.400
		48.614

ALIGNMENT HUD RD
CHAINAGE 10.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
5.655	48.919	48.919
1.001	49.000	49.000
0.000	49.016	49.016
3.417	48.946	48.946
3.467	49.085	49.085
5.868	48.571	48.571
5.868	48.429	48.429
		48.472

ALIGNMENT HUD RD
CHAINAGE 50.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
6.999	48.909	48.909
1.932	49.001	49.001
0.000	49.038	49.038
3.887	48.990	48.990
7.660	48.624	48.624
		48.670

ALIGNMENT HUD RD
CHAINAGE 90.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
5.960	49.778	49.778
0.898	49.912	49.912
0.000	49.931	49.931
3.840	49.854	49.854
3.890	49.954	49.954
6.289	50.004	50.004
6.289	49.506	49.506
		48.510

ALIGNMENT HUD RD
CHAINAGE 130.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
4.739	49.291	49.291
0.000	49.351	49.351
3.215	49.268	49.268
		48.909

ALIGNMENT HUD RD
CHAINAGE 0.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
5.317	48.995	48.995
0.515	49.071	49.071
0.000	49.078	49.078
3.208	49.014	49.014
3.258	49.114	49.114
5.659	48.419	48.419
		48.484

ALIGNMENT HUD RD
CHAINAGE 40.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
7.006	48.794	48.794
2.017	48.883	48.883
0.000	48.922	48.922
3.900	48.844	48.844
3.950	48.944	48.944
6.350	48.603	48.603
6.350	48.734	48.734
		48.537

ALIGNMENT HUD RD
CHAINAGE 80.000



OFFSET	GROUND LEVEL	FEATURE LEVEL
6.572	49.593	49.593
0.000	49.677	49.677
3.901	50.003	50.003
3.951	49.758	49.758
6.351	49.357	49.357
6.351	49.375	49.375
		49.269

ALIGNMENT HUD RD
CHAINAGE 120.000




OFFSET	GROUND LEVEL	FEATURE LEVEL
4.946	49.988	49.988
0.000	50.126	50.126
3.793	50.096	50.096
5.230	50.104	50.104
5.671	50.104	50.104
		50.894

ALIGNMENT HUD RD
CHAINAGE 160.000

RD 01

CHAINAGE	EXISTING GROUND LEVEL	ALIGNMENT LEVEL	VERTICAL ALIGNMENT	HORIZONTAL ALIGNMENT
0.000	49.228			
3.886		49.206		
5.000		49.185		
7.500		49.139		
10.000	48.988	49.093	G = -1.849%	
10.150	48.985	49.090	1: -54.1	



NOTES

- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
- 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAY WORKS AND LOCAL AUTHORITY GUIDANCE
- 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS
- 4) FOR SECTION LOCATIONS REFER TO DRAWING NUMBER AMA/40010/D/002

KEY

- PROPOSED PROFILE
- - - EXISTING PROFILE

RETAINING WALL LEVELS SHOWN ARE INDICATIVE ONLY. REFER TO INTERNAL SITE DESIGN AND STRUCTURAL ENGINEERS DETAILS

REVISIONS

REV	DESCRIPTION	DATE	BY
-	FIRST ISSUE	10/01/23	TS



Project: HUDDERSFIELD ROAD MIRFIELD


Client: ALDI STORES LTD

Drawing: SECTION 278 WORKS FINISHED SURFACE LEVELS

Drawn By: TS DATE: 13/01/2023

Checked: RC Scale: 1:250 (H) 1:125 (V) @ A1

Drawing No: AMA/40110/D/003 Rev: -



- NOTES**
- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
 - 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
 - 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS

- KEY**
- ALDI SITE BOUNDARY
 - 450mm BUFF COLOURED BLISTER TACTILE PAVING
 - PAVEMENT REF P1 FULL CARRIAGEWAY CONSTRUCTION (>1m WIDE)
 - PAVEMENT REF P2 FULL CARRIAGEWAY CONSTRUCTION (<1m WIDE)
 - PAVEMENT REF P3 CARRIAGEWAY RESURFACING
 - PAVEMENT REF P4 CARRIAGEWAY OVERLAY. NUMBER DENOTES APPROXIMATE THICKNESS OF REGULATING REQUIRED
 - PAVEMENT REF F1 FULL FOOTWAY CONSTRUCTION
 - LINE OF PROPOSED HIGHWAY RETAINING STRUCTURE
 - EXISTING CARRIAGEWAY CROWN
 - PROPOSED CARRIAGEWAY CROWN

PAVEMENT TYPE P1
CARRIAGEWAY CONSTRUCTION >1m WIDE

LAYER	SHW CLAUSE	MATERIAL	THICKNESS	SPECIAL REQUIREMENTS
SURFACE	942 AR	THIN SURFACE COURSE	50mm	10mm N.S. AGGREGATE MINIMUM PSV 65. BS EN 13108, PD 6691.
BINDER	906	AC20 DENSE BIN 40/60 REC	60mm	BS EN 13108-1
BASE	906	AC32 DENSE BASE 40/60 REC	190mm	BS EN 13108-1
SUB BASE*	803	GRANULAR MATERIAL TYPE 1	450mm	
GEOTEXTILE MEMBRANE	-	TENSAR TRIAX T160TX-G-160 OR SIMILAR	N/A	WHERE POOR GROUND IS ENCOUNTERED, TO BE INSTRUCTED BY ENGINEER

PAVEMENT TYPE P2
CARRIAGEWAY CONSTRUCTION <1m WIDE

LAYER	SHW CLAUSE	MATERIAL	THICKNESS	SPECIAL REQUIREMENTS
SURFACE	942 AR	THIN SURFACE COURSE	50mm	10mm N.S. AGGREGATE MINIMUM PSV 65. BS EN 13108, PD 6691.
BINDER	906	AC20 DENSE BIN 40/60 REC	60mm	BS EN 13108-1
BASE	-	ST4 CONCRETE	450mm	

PAVEMENT TYPE P3
CARRIAGEWAY RESURFACING




LAYER	SHW CLAUSE	MATERIAL	THICKNESS	SPECIAL REQUIREMENTS
PLANE OFF 50mm EXISTING SURFACE COURSE				
SURFACE	942 AR	THIN SURFACE COURSE	50mm	10mm N.S. AGGREGATE MINIMUM PSV 65. BS EN 13108, PD 6691.

PAVEMENT TYPE P4
CARRIAGEWAY OVERLAY

LAYER	SHW CLAUSE	MATERIAL	THICKNESS	SPECIAL REQUIREMENTS
PLANE OFF 50mm EXISTING SURFACE COURSE				
SURFACE	942 AR	THIN SURFACE COURSE	50mm	10mm N.S. AGGREGATE MINIMUM PSV 65. BS EN 13108, PD 6691.
REGULATING	906	AC20 DENSE BIN 40/60 REC	AS REQUIRED	BS EN 13108-1

PAVEMENT TYPE F1
FULL FOOTWAY CONSTRUCTION

LAYER	SHW CLAUSE	MATERIAL	THICKNESS	SPECIAL REQUIREMENTS
SURFACE	1105	AC6 DENSE SURF 100/150 PEN (NOT LIMESTONE)	20mm	BS EN 13108-1
BINDER	1105	AC20 DENSE BIN 160/220 REC	60mm	BS EN 13108-1
SUB BASE	803	GRANULAR MATERIAL TYPE 1	150mm	BASED ON 2% CBR
GEOTEXTILE MEMBRANE	-	TENSAR TRIAX T160TX-G-160 OR SIMILAR	N/A	WHERE POOR GROUND IS ENCOUNTERED, TO BE INSTRUCTED BY ENGINEER



REVISIONS

REV	DESCRIPTION	DATE	BY
-	FIRST ISSUE	14/09/22	TS
A	UPDATED TO KIRKLEYS COMMENTS	16/09/22	AJA
B	UPDATED FOLLOWING SITE MEETING	19/12/23	AJA

AMA
ANDREW MOSELEY ASSOCIATES

Project: HUDDERSFIELD ROAD MIRFIELD


Client: ALDI STORES LTD

Drawing: SECTION 278 WORKS PAVEMENT CONSTRUCTION

Drawn By: TS DATE: 13/01/2023


Checked: RC Scale: 1:250 @ A1

Drawing No: AMA/40110/D/004 Rev: B




- NOTES**
- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
 - 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
 - 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS


- KEY**
- 450mm BUFF COLOURED BLISTER TACTILE PAVING
 - HALF BATTERED KERB TYPE HB2 100mm UPSTAND
 - BULLNOSED KERB TYPE BN 0-6mm UPSTAND
 - CHANNEL KERB TYPE CS2 LAID FLUSH
 - DROPPED TRANSITION KERB
 - FLAT TOP EDGING TYPE EF LAID FLUSH
 - LINE OF PROPOSED HIGHWAY RETAINING STRUCTURE




HALF BATTERED KERB (TYPE HB2)
SCALE - 1:10




BULL NOSED KERB (TYPE BN)
SCALE - 1:10



DROPPED TRANSITION KERB
SCALE - 1:10



FLAT TOP EDGING (TYPE EF)
SCALE - 1:10



REVISIONS

REV	DESCRIPTION	DATE	BY
A	FIRST ISSUE	14/07/23	TS
B	UPDATED TO SUIT KIRKLEES' COMMENTS	16/07/23	AJA
C	KERB DETAILS UPDATED	25/07/23	AJA
	UPDATED FOLLOWING SITE MEETING	16/12/23	AJA





Project: HUDDERSFIELD ROAD MIRFIELD

Client: ALDI STORES LTD

Drawing: SECTION 278 WORKS KERBS AND EDGINGS

Drawn By: TS	DATE: 13/01/2023
Checked: RC	Scale: 1:250 @ A1
Drawing No: AMA/40110/D/005	Rev: C



- NOTES**
- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
 - 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
 - 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS

KEY

— ALDI SITE BOUNDARY

REVISIONS

REV	DESCRIPTION	DATE	BY
A	FIRST ISSUE	14/01/23	TS
B	UPDATED TO KIRKLEES COMMENTS	16/01/23	AJA
C	TRAC ADDED	20/01/23	AJA
D	TRAC UPDATED	14/02/23	AJA
E	UPDATED FOLLOWING SITE MEETING	14/02/23	AJA

AMA
ANDREW MOSELEY ASSOCIATES

Project:
HUDDERSFIELD ROAD
MIRFIELD

Client:
ALDI STORES LTD

Drawing:
SECTION 278 WORKS
ROAD MARKINGS AND SIGNAGE

Drawn By: TS DATE: 13/01/2023

Checked: RC Scale: 1:250 @ A1

Drawing No: AMA/40110/D/006 Rev: D



NOTES

- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
- 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
- 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS

KEY

- ALDI SITE BOUNDARY
- MAJOR CONTOUR
250mm INTERVALS
- MINOR CONTOUR
50mm INTERVALS
- EXISTING GULLY AND LEAD TO BE RETAINED
- EXISTING GULLY TO BE REMOVED AND LEAD TO BE RETAINED
- PROPOSED GULLY WITH 1500 LEAD
- EXISTING IRONWORK TO BE ADJUSTED TO SUIT PROPOSALS
- EXISTING IRONWORK TO BE ADJUSTED TO SUIT PROPOSALS. COVER AND FRAME TO BE UPGRADED TO D400 GRADE

REVISIONS

REV	DESCRIPTION	DATE	BY
-	FIRST ISSUE	14/09/23	TS
A	UPDATED TO UNLESS COMMENTS	14/09/23	AM
B	GULLY LEADS AT ACCESS ADJUSTED	02/05/23	AM





Project:
HUDDERSFIELD ROAD
MIRFIELD

Client:
ALDI STORES LTD

Drawing:
SECTION 278 WORKS
DRAINAGE AND UTILITIES

Drawn By:	TS	DATE:	13/01/2023
Checked:	RC	Scale:	1:250 @ A1
Drawing No:	AMA/40110/D/007	Rev:	B



BC = OUTSIDE DIAMETER OF PIPE.
DIMENSION Y:

CLASS	MACHINE DUG UNIFORM SOIL	ROCK OR MIXED SOILS
S	NOTE (i)	NOTE (ii)
Z	NOTE (ii)	NOTE (ii)

(i) Y=BC/6, WITH MIN 100 UNDER BARRELS (50 FOR SLEEVE JOINTED) AND MIN 50 UNDER SOCKETS, WHICHEVER IS THE GREATER, WITH MAX OF 400.
(ii) Y=BC/4, WITH MIN 200 UNDER BARRELS (150 FOR SLEEVE JOINTED) AND MIN 150 UNDER SOCKETS, WHICHEVER IS THE GREATER, WITH A MAX OF 400.

PIPE BEDDING CLASSIFICATIONS ARE DERIVED FROM T.R.R.L. DOCUMENT 'SIMPLIFIED TABLES OF EXTERNAL LOADS ON BURIED PIPELINES.'

PIPE BEDDING DETAILS
SCALE - 1:20



NOTES

- 1) ALL DIMENSIONS ARE IN METRES UNLESS STATED OTHERWISE
- 2) ALL WORK IS TO BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATION FOR HIGHWAYS WORKS AND LOCAL AUTHORITY GUIDANCE
- 3) UNDERGROUND SERVICES ARE PRESENT IN THE AREA. CONTRACTOR IS TO CONFIRM THE PRECISE LINE AND DEPTH OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY EXCAVATION WORKS

KEY



- ABANDON EXISTING GULLY CONNECTION TO BE REUSED. REMOVE GRATE & FRAME. GULLY POT TO BE BROKEN OUT & BACKFILLED WITH ST2 CONCRETE.
- EXISTING KERB TO BE REMOVED TO BE DISPOSED OF OFF SITE
- EXISTING WALL TO BE DISMANTLED AND DISPOSED OF OFF SITE.
- RAILINGS TO BE REMOVED PRIOR TO DISMANTLING
- EXISTING GATE TO BE REMOVED AND DISPOSED OF OFF SITE
- EXISTING FENCE TO BE REMOVED AND DISPOSED OF OFF SITE
- EXISTING BOLLARD TO BE REMOVED TO BE DISPOSED OF OFF SITE

REVISIONS

REV	DESCRIPTION	DATE	BY
-	FIRST ISSUE	14/01/23	TS
A	FACTORY ADDED TO 'THE MALTINGS'	16/01/23	TS



Project:		HUDDERSFIELD ROAD MIRFIELD	
Client:		ALDI STORES LTD	
Drawing:		SECTION 278 WORKS SITE CLEARANCE	
Drawn By:	TS	DATE:	13/01/2023
Checked:	RC	Scale:	1:250 @ A1
Drawing No:	AMA/40110/D/008	Rev:	A



NOTES

KEY

- ALDI SITE BOUNDARY
 - EXISTING HIGHWAY BOUNDARY
 - AREA TO BE OFFERED UP FOR ADOPTION
- TOTAL AREA = 381m²

REV	DESCRIPTION	DATE	BY
-	FIRST ISSUE	13/03/23	AM



Project:		HUDDERSFIELD ROAD MIRFIELD	
Client:		ALDI STORES LTD	
Drawing:		SECTION 278 HIGHWAY DEDICATION PLAN	
Drawn By:	AJA	DATE:	13/03/2023
Checked:	RC	Scale:	1:250 @ A1
Drawing No:	AMA/40110/D/100	Rev:	-