


### Root Protection Area: RPA

THE ROOT PROTECTION AREA SHOULD IDEALLY REMAIN UNDISTURBED IF THE TREE IS TO BE RETAINED.

THE DEVELOPMENT PROPOSALS SHOULD THEREFORE BE DESIGNED TO AVOID THE RPA OF ANY TREE WHICH IS TO BE RETAINED.

IF IT IS NECESSARY FOR THE DEVELOPMENT TO ENCROACH INTO THE RPA OF A TREE WHICH IS TO BE RETAINED THEN SPECIALIST CONSTRUCTION TECHNIQUES AND MATERIALS MUST BE CONSIDERED.



THE LOCATIONS OF G6, T7, G8 AND H9 MUST BE TREATED AS INDICATIVE AS THEY WERE NOT SHOWN ON THE TOPOGRAPHICAL PLAN PROVIDED

THIS PLAN IS TO BE PRINTED IN COLOUR AND READ IN CONJUNCTION WITH THE JCA ARBORICULTURAL REPORT (JCA REF: 20960-A/AJB)

### Appendix 5: Tree Constraints Plan

ADDRESS: John Cotton Site, Nunbrook Mills, Huddersfield Road, Mirfield, West Yorkshire, WF14 0EH. JCA REF: 20960-A/AJB

SCALE : 1:1000 PAPER SIZE : A2

SURVEYED BY: AJB DRAWN BY: AJB APPROVED BY: EW

| BRITISH STANDARD 5837:2012: 4.5<br>RETENTION CATEGORIES                                                                                                                                       |                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Detailed definitions of these categories are at Appendix 2 of our report. N.B. These categories do not necessarily represent or correspond to recommendations for action made in this report. |                                                  |
|                                                                                                                                                                                               | CATEGORY A:<br>'RETENTION MOST DESIRABLE'        |
|                                                                                                                                                                                               | CATEGORY B:<br>'RETENTION DESIRABLE'             |
|                                                                                                                                                                                               | CATEGORY C:<br>'TREE WHICH COULD BE<br>RETAINED' |
|                                                                                                                                                                                               | CATEGORY U:<br>'TREE FOR REMOVAL'                |
|                                                                                                                                                                                               | STEM OF TREE TO<br>BE RETAINED                   |
|                                                                                                                                                                                               | STEM OF TREE TO<br>BE REMOVED                    |
|                                                                                                                                                                                               | ROOT PROTECTION AREA                             |
|                                                                                                                                                                                               | ROOT PROTECTION AREA<br>(PRIOR TO OFF-SETTING)   |

**JCA** Limited  
Arboricultural & Ecological Consultants