


GENERAL NOTES:

1. SYSTEM DESIGN TO ACCOMMODATE A 1 IN 100 YEAR STORM EVENT + 40% CLIMATE CHANGE. MAX WATER LEVEL 83.74m
2. FLOW CONTROL UNIT: HYDRO INTERNATIONAL HYDROBRAKE MD-SHE-0213-2290-0800-2290 FLOW: 22.9l/s - HEAD: 0.80m



Flow Control Unit
Design Head (m) 0.80
Design Flow (l/s) 22.9

FOR FLOW CONTROL DETAIL
REFER TO MANUFACTURERS
SPECIFICATION

ALL PRECAST CONCRETE TO BS
5911:2 & BS 8301 KITEMARKED



FLOW CONTROL MANHOLE PLAN
CONSTRUCTION DETAILS AS STANDARD PCC MANHOLE
1:20



CDM NOTES

1. ACCESS AND EGRESS TO THE SITE FROM BUSY ROAD.
2. POTENTIAL GROUND INSTABILITY IN DEEP EXCAVATIONS
3. EXISTING SERVICES IDENTIFIED ON SITE.
4. ADEQUATE SEGREGATION HOARDING REQUIRED TO SEPARATE PUBLIC FROM THE CONSTRUCTION SITE.
5. ADEQUATE MEASURES REQUIRED TO CONTROL NOISE, DUST, FUMES & VIBRATION.

REV.	DATE	REVISION	BY	CHK.
-		FIRST ISSUE.	PH	NB

Euro Garages Ltd
Proposed PFS & Drive 'Thru' Restaurant
Centurion Way, Cleckheaton

Flow Control Manhole (S3)

Goodson Associates
Tel: +44 (0)113 369 7925
Fax: -
Email: leeds@goodsons.com
Web: www.goodsons.com

Consulting Civil, Structural & Transportation Engineers
Fountain House, 4 South Parade,
Leeds, LS1 5QX
Also at Aberdeen, Edinburgh and Glasgow.

CONSTRUCTION			
DATE CREATED:	Sept '23'	SCALE:	1:20 @ A1
CONTRACT No:	P15622	DRAWING No:	504
REV:	-	REV:	-