



HIGHWAYS

1. ALL HIGHWAY WORKS TO BE CARRIED OUT IN ACCORDANCE WITH THE CURRENT LOCAL AUTHORITY DESIGN GUIDE AND SPECIFICATION
2. ALL EXCAVATIONS BELOW PROPOSED AND EXISTING HIGHWAYS TO BE BACK FILLED WITH GRANULAR TYPE 1 SUB BASE AND WELL COMPACTED IN LAYERS NOT EXCEEDING 150MM, UNLESS OTHERWISE AGREED.
3. HIGHWAY AUTHORITY TO BE NOTIFIED BY THE CONTRACTOR PRIOR TO THE COMMENCEMENT OF WORKS.

STREET LIGHTING, SAILING SIZE AND NUMBER OF DUCTS.

-	18.02.22	FIRST ISSUE	NO	NO
---	----------	-------------	----	----



QUEENSBERRY DESIGN
CIVIL, STRUCTURAL, ARCHITECTURAL &
GEOTECHNICAL CONSULTANTS

T: 01904 500662
www.queensberrydesign.co.uk

Project
WESTGATE CLECKHEATON

EXTERNAL WORKS
SHEET 1

Drawing Number	QD1776-04-01		
Drawing Status	Scale	Date	

APPROVAL	1:250 - A0	C
----------	------------	---