



Bat Activity Survey Report for Rowlands Pharmacy, 26 Market Street, Cleckheaton.



19th June 2024

CONTENTS

	Page No.
SUMMARY	3
INTRODUCTION	5
2. METHODOLOGY.....	7
3. RESULTS	10
3.1 Emergence Survey.....	10
4. CONCLUSIONS AND RECOMMENDATIONS.....	12

SUMMARY

At Rowlands Pharmacy in Cleckheaton, planning permission is being sought for alterations to the building.

As this could impact on features typically used by bats as roosting and/or hibernating places, a diurnal inspection was undertaken on 19th December 2023, to assess the building for signs of bat occupation.

A desk study revealed a small number of bat records within 1.0 km of the site; these including Common Pipistrelle *Pipistrellus Pipistrellus*.

This suggested that if any suitable features were present on/within the building, they could be utilised by roosting and/or hibernating bats within the area.

All the internal and external structures, especially those associated with the roofs and walls of the building were examined.

The inspection revealed no signs of recent or historical bat activity or occupation.

The suitability of Rowlands Pharmacy, for roosting pipistrelles *Pipistrellus* sp and/or other bat species was considered to be low, with a small number of external features identified (narrow gaps in roof tiles).

At the time of the survey, the building was not identified as bat roost or hibernation site, however, as a precautionary measure, it was recommended a single nocturnal survey is undertaken in the period May to September (inclusive). Two surveyors were required to cover the roof elevations simultaneously.

Subsequently, a nocturnal emergence survey was undertaken on the 28th May 2024 by ML-Ecology. No bats were detected or observed emerging from the application building and no bat activity was detected within the immediate area.

From the evidence of the surveys, the status of bats at, is considered thus:

- ❑ An absence of roosting bats in the application building.

As such, no further surveys or mitigation with regards bats is considered necessary.

It is recommended the proposed development seeks to provide biodiversity enhancement in line with the NPPF. This should include the provision of a bat box

(e.g. Vivara Pro Woodstone bat box) erected on external walls. The box should be located ideally on the south or west facing aspect, at gable ends or directly below the roof.

INTRODUCTION

At Rowlands Pharmacy in Cleckheaton, planning permission is being sought for alterations to the building.

As this could impact on features typically used by bats as roosting and/or hibernating places, a diurnal inspection was undertaken on 19th December 2023, to assess the building for signs of bat occupation.

A desk study revealed a small number of bat records within 1.0 km of the site; these including Common Pipistrelle.

This suggested that if any suitable features were present on/within the building, they could be utilised by roosting and/or hibernating bats within the area.

All the internal and external structures, especially those associated with the roofs and walls of the building were examined.

The inspection revealed no signs of recent or historical bat activity or occupation.

The suitability of Rowlands Pharmacy, for roosting pipistrelles *Pipistrellus* sp and/or other bat species was considered to be low, with a small number of external features identified (narrow gaps in roof tiles).

At the time of the survey, the building was not identified as bat roost or hibernation site, however, as a precautionary measure, it was recommended a single nocturnal survey is undertaken in the period May to September (inclusive). Two surveyors were required to cover the roof elevations simultaneously.

The results of the surveys are contained in this report.

In England, Scotland and Wales, all bat species are fully protected under the Wildlife and Countryside Act 1981 (WCA) (as amended), through inclusion in Schedule 5. In England and Wales this Act has been amended by the Countryside and Rights of Way Act 2000 (CRoW), which adds an extra offence, makes species offences arrestable, increases the time limits for some prosecutions, and increases penalties.

All bats are also included in Schedule 2 of the Conservation (Natural Habitats, & c.) Regulations 1994, (or Northern Ireland 1995) (the Habitats Regulations), which defines 'European protected species of animals'.

The above legislation can be summarised thus (Mitchell-Jones and McLeish, 2004):

- ❑ *Intentionally or deliberately kill, injure or capture (or take) bats*
- ❑ *Deliberately disturb bats (whether in a roost or not)*
- ❑ *Recklessly disturb roosting bats or obstruct access to their roosts*
- ❑ *Damage or destroy roosts*
- ❑ *Possess or transport a bat or any part of a part of a bat, unless acquired legally*
- ❑ *Sell (or offer for sale) or exchange bats, or parts of bats*

The word 'roost' is not used in the legislation, but is used here for simplicity. The actual wording is 'any structure or place which any wild animal...uses for shelter or protection' (WCA), or 'breeding site or resting place' (Habitats Regulations). As bats generally have both a winter and a summer roost, the legislation is clear that all roosts are protected whether bats are in residence at the time or not.

2. METHODOLOGY

In order to fully assess bat occupation of a particular site, the Bat Conservation Trust (2023) recommends that information gathered from a desk study of known bat records, and a daytime site walkover, is used to inform the type and extent of future bat survey work, potentially including nocturnal emergence surveys.

The preliminary roost assessment (PRA) is usually in the form of a diurnal walkover and can be carried out at any time of the year. It provides an opportunity to check for signs of bat occupancy and/or the suitability for bat roosting.

Evidence of bat activity includes droppings, scratch marks, feeding remains, carcasses, or even roosting animals, whilst suitability is determined by the type and number of potential roost features (PRFs) typically used by bats.

Roosting places vary depending on the species. Pipistrelles usually inhabit narrow cracks or cavities around the outside of buildings, but they will roost in similar niches inside larger barns. Typical sites include soffit spaces, gaps behind fascia boards and end rafters, crevices around the ends of projecting purlins, under warped or lifted roof and ridge tiles, or in gaps in stone and brickwork where mortar has dropped out.

Larger species such as Brown Long-eared Bats *Plecotus auritus*, Myotis bats (Natterer's Myotis *nattereri* and Whiskered/Brandt's *M. mystacinus*/*M. brandtii*), and Lesser Horseshoes *Rhinolophus hipposideros*, like to roost in the roof voids of buildings, and can often be found hanging singly or in small groups from ridge boards or roof timbers, especially where these butt up against gable walls or chimney breasts. They especially favour older structures with timber frames. Here they squeeze into tight crevices making them difficult to observe.

Where bats are found, or there is evidence of bat occupation or activity, i.e. that bat use is confirmed, a roost characterisation survey is undertaken. The results are used to inform the impact assessment and design of mitigation measures. Roost characterisation includes nocturnal emergence surveys, unless sufficient information has already been collected using robust survey methods with no significant constraints.

Nocturnal emergence surveys allow numbers and species of bats to be confirmed, and should only be undertaken when bats are out of hibernation and in their summer roosts.

The bat active period is generally considered to be between April and October, although particularly cold weather will affect the level and extent of bat activity. Indeed, the air temperature at the start of each survey should be at least 10°C or above, with no strong wind or heavy rain. The survey starts 15 minutes before sunset and continues for one and a half to two hours after sunset.

Visits will be a minimum of three weeks apart, and the number of surveys and timing is dependent on the evidence found or the suitability of the site to bats. This will be determined by the ecologist. In general, at least two emergence nocturnal surveys will be carried out, but a third visit may be necessary if the results are inconclusive or further information is required.

Nocturnal emergence surveys are also used to determine the presence or absence of bats, where signs of bat activity are indeterminate or absent but the suitability for bat roosting is considered to be low, moderate or high.

For a site with no evidence but low suitability, just one nocturnal emergence survey is required, this to be in the period May to August.

For moderate suitability a minimum of two visits are needed between May and September, of which one must be in the period May to August.

With high suitability, three visits will be necessary between May and September, of which two must be in the period May to August.

Where there is no evidence of bat presence, and no suitability for roosting, no nocturnal surveys will be needed.

The number of surveyors and/or the use of night vision aids (NVAs) is determined by the ecologist, and is dependent on the complexity of the structure. For simple structures just one surveyor using an appropriate number of NVAs will be sufficient, but for larger sites and/or more complex or irregularly shaped structures, e.g. those with multiple elevations and/or roof slopes, more surveyors will be required.

On the evening of 28th May 2024, a nocturnal emergence survey was undertaken, commencing 15 mins before and continuing approximately 1hr 30 after sunset.

The survey consisted of direct observation by Matt Liston and assistant (both working under Natural England bat licence number No. 2015-16489-CLS-CLS), positioned adjacent to the building.

The surveys were aided by the use of Echometer Touch Pro bat detectors to facilitate the detection of bats and aids in the identification of individual species, in particular those which might be utilising different frequencies simultaneously, whilst Night Vision Aids (Nightfox Vulpes IR goggles) were also used to observe potential emergence points.

The results of the survey are detailed in Section 3, with the position of the observers shown in Plan 1.

3. RESULTS

3.1 Nocturnal Emergence Survey

The emergence survey was carried out on the evening of 28th May 2024, commencing at 21:00 and finishing at 22:45. The weather conditions during the time of the survey were recorded and are presented in Table 2 below.

Parameter	Value
Temperature (°C)	11
Cloud cover (%)	40
Precipitation	None
Wind speed (Beaufort scale)	F1
Sunset	21:22

Table 2 Weather conditions during the emergence survey on 28th May 2024

No bats were detected or observed emerging from the application building and no bat activity was detected within the immediate area.

Details of the bat observations and detections are listed below.

Time	Observation
21:00	Survey starts.
22:45	No bats emerge from the application building, with no bat detections in wider area and survey ends.

The flight paths of the bats during the emergence survey are shown in plan 1 (overleaf).

Plan 1: Flight paths of bats on 28th May 2024



Positions of observers 

4. CONCLUSIONS AND RECOMMENDATIONS

Bats tend to be seasonal visitors to trees and built structures such as residential properties, and are not usually in occupation all year round. The females normally form maternity colonies during May or June and then leave for adjacent trees and/or woodland during July or August once the young bats are able to fly and become independent. Here they will spend the winter months in hibernation before returning to the house or barn the following spring.

Male bats generally live alone and have a number of favoured roosts. During the summer they visit each of these for a few days at a time, before moving to their chosen hibernation site in mid-late October.

Different species have different habits, but this seasonal movement is common to all.

Bats choose their roosts carefully. During the summer they look for sites which are warmed by the sun, and as a result are most often found on the south and western side of trees and buildings.

Pipistrelles, our smallest and commonest bats, prefer to roost in very confined spaces around the outside of buildings, typical places being behind hanging tiles, weather boarding, soffit, barge and eave boarding, between roof felt and roof tiles or in cavity walls.

The inspection revealed no signs of recent or historical bat activity or occupation.

The suitability of Rowlands Pharmacy, for roosting pipistrelles *Pipistrellus* sp and/or other bat species was considered to be low, with a small number of external features identified (narrow gaps in roof tiles).

At the time of the survey, the building was not identified as bat roost or hibernation site, however, as a precautionary measure, it was recommended a single nocturnal survey is undertaken in the period May to September (inclusive). Two surveyors were required to cover the roof elevations simultaneously.

Subsequently, a nocturnal emergence survey was undertaken on the 28th May 2024 by ML-Ecology. No bats were detected or observed emerging from the application building and no bat activity was detected within the immediate area.

From the evidence of the surveys, the status of bats at, is considered thus:

- An absence of roosting bats in the application building.

As such, no further surveys or mitigation with regards bats is considered necessary.

It is recommended the proposed development seeks to provide biodiversity enhancement in line with the NPPF. This should include the provision of a bat box (e.g. Vivara Pro Woodstone bat box) erected on external walls. The box should be located ideally on the south or west facing aspect, at gable ends or directly below the roof.

5. REFERENCES

Collins, J. (ed.), 2023. *Bat Surveys for Professional Ecologists: Good Practice Guidelines*. (4th edition). The Bat Conservation Trust, London.

Bat Conservation Trust, 2018. Bats and artificial lighting guidance note. Bat Conservation Trust, London.

English Nature, 2004. *Bat mitigation guidelines*. English Nature, Peterborough.

Mitchell-Jones A. J. & McLeish, 2004. *Bat Workers' Manual*. Joint Nature Conservation Committee, Peterborough.

Peterson Elektronik AB, 2003. *BatSound. Real-time spectrogram sound analysis software (version 3.3)*. Peterson Elektronik AB, Uppsala, Sweden.

Reason, P.F. and Wray, S. 2023. *UK Bat Mitigation Guidelines: a guide to impact assessment, mitigation and compensation for developments affecting bats*. Chartered Institute of Ecology and Environmental Management, Ampfield.

Russ, J., 1999. *The Bats of Britain and Ireland. Echolocation Calls, Sound Analysis and Species Identification*. Alana Ecology Ltd., UK.

Stebbins R.E., 1986. *Which bat is it?* The Mammal Society and The Vincent Wildlife Trust, London.

The Vincent Wildlife Trust, 2003. *The Bats of Britain and Ireland*. The Vincent Wildlife Trust, Ledbury.

ML-Ecology Surveys & Solutions

**Matt Liston BSc (Hons), MCIEEM
2, Nethermoor Cottages, Doe Hill Lane, Tibshelf, Derbyshire,
DE55 5LZ**

Tel: 01773 590153/07803 147957

info@ml-ecology.co.uk

Rowlands Pharmacy, Cleckheaton – Bat Activity Survey Report

To: AK Innovative Design Solutions Ltd

Report Number: 2312/10-MLE-02

Version: 01

Date: 19th June 2024