



FLOOD RISK ASSESSMENT

LOCATION:

Storthes Hall, Kickburton

CLIENT:


Ubrique Investments

DOCUMENT REF:

23146-FRA-001

DATE:

21st September 2023



DART
ENGINEERS LTD
CIVIL AND STRUCTURAL
ENGINEERING

CONTENTS & AMENDMENT HISTORY

1.0 INTRODUCTION	3
1.1 SOURCES OF DATA	3
1.2 EXISTING SITE	3
1.3 PROPOSED DEVELOPMENT	4
1.4 FLOOD RISK PLANNING POLICY	4
1.5 OTHER RELEVANT POLICY AND GUIDANCE	6
2.0 POTENTIAL SOURCES OF FLOOD RISK	7
2.1 FLUVIAL FLOOD RISK	7
2.2 GROUNDWATER FLOOD RISK	8
2.3 FLOOD RISK FROM RESERVOIRS & LARGE WATERBODIES	8
2.4 FLOOD RISK FROM SEWERS	8
2.5 PLUVIAL FLOOD RISK	9
2.6 EFFECT OF DEVELOPMENT ON WIDER CATCHMENT	9
2.6.1 Development Drainage	9
3.0 FLOOD RISK MITIGATION	10
3.1 SITE ARRANGEMENTS	10
3.1.1 Sequential Arrangement	10
3.1.2 Finished Levels	10
4.0 CONCLUSIONS AND RECOMMENDATIONS	11
5.0 APPENDICES	12
Appendix A – Existing Flood Routing Layout	12

Revision	Description	Date	Author	Checked
A	First Issue	September 2023	E Craig	A Dyson
B	Revised to include existing layout	March 2025	E Craig	A Dyson

1.0 INTRODUCTION

This Flood Risk Assessment (FRA) is compliant with the requirements set out in the National Planning Policy Framework (NPPF) and the associated Planning Practice Guidance. The FRA has been produced on behalf of the Ubrique Investments in respect of a planning application for the proposed residential development off Storthes Hall Lane, Kirkburton.

Site Name	Storthes Hall
Location	Storthes Hall Lane, Kirkburton, HD8 0PT
NGR (approx.)	418042, 412781
Application Site Area (ha)	10.2 ha
Development Type	Residential
NPPF Vulnerability	More
EA Flood Zone	Flood Zone 1
EA Office	Yorkshire
Local Planning Authority	Kirklees Council

Table 1.1 - Site Summary

1.1 SOURCES OF DATA

The report is based on the following information:

- i. Proposed Site Layout (Appendix A)
- ii. Environment Agency information
- iii. Kirklees Council Strategic Flood Risk Assessment

1.2 EXISTING SITE

The site in question is located in the far south of Huddersfield Town in the village of Kirkburton. The site is approximately 5km away from the town centre. The main road that is connected to the site is the A629 Penistone Road.

From Appendix A section 3.0 it can be considered that the development area falls from south to north with an overall fall of 24m. the fall from west to east is 5m.

There is only one watercourse that is located near the site, however this poses no threat the development.



Figure 1.1 - Site Location

1.3 PROPOSED DEVELOPMENT

The proposed development is set to be residential development with associated access and infrastructure.

1.4 FLOOD RISK PLANNING POLICY

National Planning Policy Framework

The NPPF sets out the Government's national policies on different aspects of land use planning in England in relation to flood risk. Planning Practice Guidance is also available online.

The Planning Practice Guidance sets out the vulnerability to flooding of different land uses. It encourages development to be located in areas of lower flood risk where possible and stresses the importance of preventing increases in flood risk off site to the wider catchment area.

The Planning Practice Guidance also states that alternative sources of flooding, other than fluvial (river flooding), should also be considered when preparing a Flood Risk Assessment.

This Flood Risk Assessment is written in accordance with the NPPF and the Planning Practice Guidance.

Flood Zones

The Flood Zone Map for Planning has been prepared by the Environment Agency. This identifies areas potentially at risk of flooding from fluvial or tidal sources. An extract from the mapping is included as Figure 1.2.




Figure 1.2 - Environment Agency Flood Zone Mapping

The site is shown to be located entirely within Flood Zone 1 (Low Probability) therefore the site is considered to be low risk of flooding. Flood Zone 1 is defined as land assessed as having less than a 0.1% annual probability of flooding from fluvial and tidal sources.

Table 2 of the Planning Practice Guidance classifies land use. Under these classifications the proposed residential development is considered to be 'More Vulnerable' to the potential impacts of flooding.

Table 3 of the Planning Practice Guidance identifies that any development is considered appropriate within Flood Zone 1.

Flood Risk Vulnerability Classification	Essential Infrastructure	Water Compatible	Highly Vulnerable	More Vulnerable
Flood Zone 1	✓	✓	✓	✓
Flood Zone 2	✓	✓	Exception test required	✓
Flood Zone 3a	Exception test required	✓	x	Exception test required
Flood Zone 3b	Exception test required	✓	x	x

1.5 OTHER RELEVANT POLICY AND GUIDANCE

Strategic Flood Risk Assessment

The Kirklees Council Strategic Flood Risk Assessment (SFRA) was prepared to review flood risks on a much wider scale to assess the potential for new development within the study area. The SFRA was used as an evidence base for Local Development Frameworks for each Local Planning Authority.

The SFRA therefore aims to bring together all available flood risk information for a variety of sources to provide a robust assessment. The SFRA therefore is useful for this site-specific FRA by highlighting available data and instances of known flooding in the area. Although written under the guidance of Planning Policy Statement 25, the SFRA is still considered to include relevant information.

2.0 POTENTIAL SOURCES OF FLOOD RISK

The table below identifies the potential sources of flood risk to the site, and the impacts which the development could have in the wider catchment prior to mitigation. These are discussed in greater detail in the forthcoming section. The mitigation measures proposed to address flood risk issues and ensure the development is appropriate for its location are discussed within Section 3.0.

Flood Source	Potential Risk				Description
	High	Medium	Low	None	
Fluvial			X		The site is located in flood zone 1.
Tidal				X	There are no tidal influences effecting the site.
Canals				X	None present.
Groundwater			X		Ground conditions are not conducive to fluctuating groundwater levels.
Reservoirs and waterbodies				X	The site is shown to fall outside of the catchment for reservoir and waterbodies flooding.
Sewers			X		The site in question is higher than the surrounding sewers therefore there is a very low risk.
Pluvial runoff		X			An area of the site is within a medium-risk area of surface water flooding.
Effect of Development on Wider Catchment				X	The impermeable area of the site is not being altered.

Table 2.1 - Pre-Mitigation Sources of Flood Risk

2.1 FLUVIAL FLOOD RISK

As previously mentioned, the site is shown to be within Flood Zone 1 and therefore poses a low risk to the proposed development.

There is a small watercourse located to the north of the site, however this does not pose a threat to the sites flood risk.

Mitigation measures to address the residual risk posed by the watercourses surrounding the site are discussed within Section 3.0 of this report.

2.2 GROUNDWATER FLOOD RISK

Subject to completion of site investigation to confirm we would assume that natural ground water level is located well below the site surface and the nature of the strata means it is unlikely that there will be perched water above this level.

We therefore do not consider there is a risk of groundwater flooding affecting the development subject to final confirmation upon completion of suitable site investigation.

2.3 FLOOD RISK FROM RESERVOIRS & LARGE WATERBODIES

Reservoir failure flood risk mapping has been prepared by the Environment Agency, this shows the largest area that might be flooded if a reservoir were to fail and release the water it holds. The map displays a worst-case scenario and is only intended as a guide. An extract from the mapping is included as Figure 2.1.




Figure 2.1 - Environment Agency Reservoir Failure Flood Risk Map

Mapping demonstrates the site and possible access routes are far removed from the flood extent associated with flooding from large reservoirs. A review of Ordnance Survey mapping shows that no areas or reservoir flooding encroach the site.

As such, there is considered to be no risk from reservoir flooding.

2.4 FLOOD RISK FROM SEWERS


The site in question lies above any main roads which is potentially where any Yorkshire Water sewers will lie.

As such, it is considered that there is no risk of flooding from sewers.

2.5 PLUVIAL FLOOD RISK

Risk of flooding from surface water mapping has been prepared by the Environment Agency, this shows the potential flooding which could occur when rainwater does not drain away through the normal drainage systems or soak into the ground but lies on or flows over the ground instead. An extract from the mapping is included as Figure 2.2

Appendix A Contains a map of the existing flood routing plan which indicate where low spots are situated throughout the development given the nature of the existing carriageway and levels as they stand currently, it also indicated overland flood route paths where embankments are present on site



Extent of flooding from surface water

● High ● Medium ● Low ○ Very low ⊕ Location you selected

Figure 2.2 - Risk of Flooding from Surface Water Mapping

The mapping produced by the Environment Agency shows that there are several small areas of the site that are at risk of surface water flooding.

Therefore, the risk posed will be mitigated with a suitable drainage system.

2.6 EFFECT OF DEVELOPMENT ON WIDER CATCHMENT

2.6.1 Development Drainage

The current site is considered to be brownfield. The amount of impermeable area will not be altered.

3.0 FLOOD RISK MITIGATION

Section 2.0 has identified the sources of flooding which could potentially pose a risk to the site and the proposed development. This section of the FRA sets out the mitigation measures which are to be considered within the proposed development detail design to address and reduce the risk of flooding to within acceptable levels.

3.1 SITE ARRANGEMENTS

3.1.1 Sequential Arrangement

The Flood Zone mapping shows the site to be located within flood zone 1.

3.1.2 Finished Levels

Given the site's location within Flood Zone 1, there are no specific requirements for finished floor levels with regard to flood risk. The existing ground level of the building is suitable and will remain.

4.0 CONCLUSIONS AND RECOMMENDATIONS

This Flood Risk Assessment (FRA) is compliant with the requirements set out in the National Planning Policy Framework (NPPF) and the associated Planning Practice Guidance. The FRA has been produced on behalf of Ubrique Investments.

This report demonstrates that the proposed development is not at significant flood risk, and simple mitigation measures have been recommended to address any residual risks that may remain. The identified risks and mitigation measures are summarised within Table 4.1.

Flood Source	Proposed Mitigation Measure
Fluvial	Site is shown to be in Flood Zone 1.
Impact of the Development	Strategic surface water drainage strategy prepared for wider development will ensure a sustainable approach to surface water management.

Table 4.1 - Summary of Flood Risk Assessment

In compliance with the requirements of National Planning Policy Framework, and subject to the mitigation measures proposed, the development could proceed without being subject to significant flood risk. Moreover, the development will not increase flood risk to the wider catchment area as a result of suitable management of surface water runoff discharging from the site.

5.0 APPENDICES

Appendix A – Existing Flood Routing

Appendix A

Existing Flood Routing Plan



This drawing is copyright of DART Engineers Ltd and must not be copied or reproduced in any way without written consent.

DO NOT SCALE OFF THIS DRAWING

Status			
No.	Revision	Date	Drwn

-  EXISTING ROAD FLOOD ROUTING
-  EXISTING OVERLAND FLOOD ROUTING
-  LOW SPOT IN CARRIAGEWAY





DART ENGINEERS LTD
CIVIL AND STRUCTURAL ENGINEERING

CONTACT
e: andy@dart-engineers.com
e: robt@dart-engineers.com
m: 07725281902
w: www.dart-engineers.com

CLIENT
UBRIQUE INVESTMENTS LTD

PROJECT
STORTHES HALL

DRAWING TITLE
EXISTING FLOOD EXCEEDANCE

Drawn	AD	Chkd	RT	Date	FEB 24	Scale	1:1000
Sheet Size	A1	Drawing No.	23146- DR-C-0111	Revision	P1		