



KIRKLEES LIGHT RAILWAY

LAUREL BANK

POS

POS

MARSDEN ST

Garage

150.9m

SAVILLE ROAD

144.8m

DO NOT SCALE

DESIGNERS HAZARD IDENTIFICATION
IT IS ASSUMED THAT ALL WORKS WILL BE UNDERTAKEN BY A COMPETENT CONTRACTOR WORKING WHERE APPROPRIATE TO AN APPROVED METHOD STATEMENT IN ADDITION TO THE HAZARDS TYPICALLY ASSOCIATED WITH THE TYPES OF CONSTRUCTION DETAILED ON THIS DRAWING. ANY KNOWN ABNORMAL HAZARDS SPECIFIC TO THIS DRAWING HAVE BEEN IDENTIFIED.



- NOTES:
- THIS DRAWING IS BASED FROM:
 - 1.1. TOPO SURVEY - 2456/001 (MAR 21)
 - 1.2. ARCHITECT LAYOUT - 2156.01 K (12/01/23)
 - DO NOT SCALE FROM THIS DRAWING AS IT MAY NOT BE REPRODUCED TO SCALE.
 - THIS DRAWING IS TO BE REPRODUCED IN COLOUR.
 - PLEASE REPORT ANY DISCREPANCIES TO DUDLEYS CONSULTING ENGINEERS PRIOR TO CONSTRUCTION.
 - ASSUME A 50mm EDGING KERB UNLESS SPECIFIED OTHERWISE.

KEY

K1-125 x 255 HALF BATTERED KERB (100mm US)

PRIVATE ASPHALT DRIVEWAY	
LAYER	MATERIAL / SPECIFICATION
SURFACE COURSE	25mm THICK AC6 CLOSE SURF 100/150 TO BS EN 13108-1
BASE COURSE	60mm THICK AC20 DENSE BIN 40/60 BASE COURSE TO BS EN 13108-1
SUB-BASE	150mm TYPE 1 WITH TENSAR S520 GEOGRID (OSA), 1x LAYER
SHARED PRIVATE ASPHALT DRIVEWAY / ROAD	
LAYER	MATERIAL / SPECIFICATION
SURFACE COURSE	30mm THICK SMA10 CLOSE SURF 100/150 TO BS EN 13108-1
BINDER COURSE	60mm THICK AC20 DENSE BIN 40/60 BASE COURSE TO BS EN 13108-1
BASE COURSE	100mm THICK AC32 DENSE BIN 40/60 BASE COURSE TO BS EN 13108-1
SUB-BASE	150mm TYPE 1 WITH TENSAR S520 GEOGRID (OSA), 1x LAYER

27.01.23	PRELIMINARY ISSUE	SM	MDJ	P1
Date	Revision	By	Chkd	Ref

dudleys
Structural & Civil Consultants

The House
35 Town Street
Leeds
LS18 5LJ
T:0113 258 3611
E:info@dudleys.co.uk

Project
LOVELL HOMES
SAVILLE ROAD
SKELMANTHORPE

Title
PRIVATE SURFACING & KERBING
LAYOUT

Scale	1:250	Paper	A0	Drawn	SM	Check	MDJ
Date	JAN'23	Status	PRELIMINARY				
Job No.	21374	Dwg. No.	171	Rev.	P1		