

Consultation Response from: KC Environmental Health (Pollution & Noise Control)

2024/90223 - Netherfield Mills, Calder Road, Ravensthorpe, Dewsbury, WF13 3JS

Change of use from car recycling workshop to skip hire and waste transfer station

Responding Date:
20 March 2024

Responding Officer:
Mohammed Nasim

Responding Ref:
WK202406149

Comments

Noise

The applicant has submitted a Noise Impact Assessment authored by ENS dated 24 January 2024 Ref NIA-11283-24-11493-v1 Netherfield Road, Dewsbury. Para 1.2 details the proposal for a skip hire and waste transfer station on land previously used for car breaking and recycling. The process on site would consist of an LGV dropping off small skips which have been collected from residential and commercial premises, the contents of these small skips are then placed into large skips which are periodically taken away for recycling at a separate site. The large 14-yard skips are to be removed once per week, whereas the smaller skips will usually be immediately taken out to the next customer once emptied. It identifies the nearest existing noise sensitive receptors (NSRs) to the site are dwellings on Netherfield Road to the north of the site, set back approx. 10m from the northern boundary of the proposed site.

Baseline noise measurements were undertaken on Tuesday the 9th of January and Wednesday the 10th of January 2024 from a single noise monitoring position (MP1) in the vicinity of existing dwellings on Netherfield Road as shown in Appendix 2. A summary of the findings is shown in table 3.1 with comment made that the existing noise climate in the vicinity of the site was characterised by road traffic on Calder Road and the surrounding road network.

Using library data for a similar site, the assessment considers the daily vehicle and skip movements, recommending a 2.4m high solid timber fence be installed along the northern boundary of the site as shown in Appendix 3. A BS4142 assessment has been conducted, applying a +3dB correction for impulsivity and the results indicate a low impact.

The findings of the report are accepted. However, no detail is given on the use of any fixed mechanical plant. A condition is recommended for the installation of the acoustic barrier and a compliance condition for the use of any fixed mechanical plant to not exceed the measured background levels.

Hours of Use

The application form states the proposed hours of use will be 0800hrs to 1800hrs Monday to Friday ONLY. A condition is recommended to control this in the interests of protecting the amenity of neighbouring properties.

Contaminated Land

This site has been identified on our mapping system as potentially contaminated land due to its previous use as a Mill/Works (our map ref 493/5). Contaminated land conditions are therefore necessary.

External Artificial Lighting

It would appear that external artificial lighting will be required on the site and a condition is recommended for a lighting scheme to be submitted in the interests of protecting the amenity of neighbouring properties.

Electric Vehicle Charging Points (EVCPs)

In an application of this nature, it is expected that facilities for charging electric vehicles and other ultra-low emission vehicles are provided in accordance with the National Planning Policy Framework and *Air Quality & Emissions Technical Planning Guidance* from the West Yorkshire Low Emissions Strategy Group. A condition requiring charging points is therefore necessary.

Construction Activity

A condition is recommended to control the hours of any construction activity in the interests of protecting the amenity of neighbouring properties.

Recommended Conditions

BC1 Acoustic Barrier - Condition

Before the development is brought into use, details of an acoustic barrier as recommended in the Noise Impact Assessment authored by ENS dated 24 January 2024 Ref NIA-11283-24-11493-v1 Netherfield Road, Dewsbury shall be submitted to and approved in writing by the Local Planning Authority. The details shall include:

- A plan showing the location of the barrier
- The minimum height of the barrier relative to the adjacent ground level
- The construction specification of the barrier including the barrier support structure, the barrier material, the minimum barrier thickness, the minimum density of the barrier material and the details where the barrier meets the ground.

The use hereby approved shall not commence until the construction of the acoustic barrier has been completed and the barrier shall be retained thereafter.

Reason: To protect the amenity of occupiers of the proposed development from noise or disturbance from nearby noise generating premises to accord with the aims of Policies LP24 and LP52 of the Kirklees Local Plan and Chapters 12 and 15 of the National Planning Policy Framework.

NC10 Noise from Fixed Plant & Equipment - Condition

The combined noise from any fixed mechanical services and external plant and equipment shall be effectively controlled so that the combined rating level of noise from all such equipment does not exceed the background sound level at any time. "Rating level" and "background sound level" are as defined in BS 4142:2014+A1:2019.

Reason: To ensure the proposed development does not cause harmful noise pollution within neighbouring noise sensitive locations, in the interest of amenity, to comply with the aims and objectives of Policies LP24 and LP52 of the Kirklees Local Plan and Chapters 12 and 15 of the National Planning Policy Framework.

HUC2 Hours of Use for Deliveries and/or Dispatches– Condition

There shall be no deliveries to or dispatches from the premises outside the hours of:

- 0800hrs to 1800hrs Monday to Friday ONLY

No deliveries/dispatches shall take place on Bank Holidays.

Reason: To ensure that the proposed use(s) does not give rise to the loss of amenity to nearby residential properties, by reason of noise or disturbance at unsociable hours, to accord with the aims of Policies LP24 and LP52 of the Kirklees Local Plan and Chapters 12 and 15 of the National Planning Policy Framework.

CLC1 Submission of a Phase 1 Preliminary Risk Assessment Report - Condition

Groundworks shall not commence until actual or potential land contamination at the site has been investigated and a Preliminary Risk Assessment (Phase I Desk Study Report) by a suitably competent person has been submitted to and approved in writing by the Local Planning Authority.

Reason: To ensure the safe occupation of the site in accordance with Policy LP53 of the Kirklees Local Plan and paragraph nos. 189 and 190 of the National Planning Policy Framework

CLC2 Submission of a Phase 2 Intrusive Site Investigation Report - Condition

Where further intrusive investigation is recommended in the Preliminary Risk Assessment approved pursuant to condition (CLC1) groundworks (other than those required for a site investigation report) shall not commence until a Phase II Intrusive Site Investigation Report by a suitably competent person has been submitted to and approved in writing by the Local Planning Authority.

Reason: To ensure the safe occupation of the site in accordance with Policy LP53 of the Kirklees Local Plan and paragraph nos. 189 and 190 of the National Planning Policy Framework

CLC3 Submission of Remediation Strategy - Condition

Where site remediation is recommended in the Phase II Intrusive Site Investigation Report approved pursuant to condition (CLC2) further groundworks shall not commence until a Remediation Strategy by a suitably competent person has been submitted to and approved in writing by the Local Planning Authority. The Remediation Strategy shall include a timetable for the implementation and completion of the approved remediation measures.

Reason: To ensure the safe occupation of the site in accordance with Policy LP53 of the Kirklees Local Plan and paragraph nos. 189 and 190 of the National Planning Policy Framework

CLC4 Implementation of the Remediation Strategy - Condition

Remediation of the site shall be carried out and completed in accordance with the Remediation Strategy approved pursuant to condition (CLC3). In the event that remediation is unable to proceed in accordance with the approved Remediation Strategy or contamination not previously considered in either the Preliminary Risk Assessment or the Phase II Intrusive Site Investigation Report is identified or encountered on site, all groundworks in the affected area (except for site investigation works) shall cease immediately and the Local Planning Authority shall be notified in writing within 2 working days. Works shall not recommence until proposed revisions to the Remediation Strategy have been submitted to and approved in writing by the Local Planning Authority. Remediation of the site shall thereafter be carried out in accordance with the approved revised Remediation Strategy.

Reason: To ensure the safe occupation of the site in accordance with Policy LP53 of the Kirklees Local Plan and paragraph nos. 189 and 190 of the National Planning Policy Framework

CLC5 Submission of Verification Report - Condition

Following completion of any measures identified in the approved Remediation Strategy or any approved revised Remediation Strategy a Verification Report by a suitably competent person shall be submitted to the Local Planning Authority. No part of the site shall be brought into use until such time as the remediation measures have been completed for (that part of) the site in accordance with the approved Remediation Strategy or the approved revised Remediation Strategy and a Verification Report in respect of those remediation measures has been approved in writing by the Local Planning Authority. Where verification has been submitted and approved in stages for different areas of the whole site, a Final Verification Summary Report shall be submitted to and approved in writing by the Local Planning Authority.

Reason: To ensure the safe occupation of the site in accordance with Policy LP53 of the Kirklees Local Plan and paragraph nos. 189 and 190 of the National Planning Policy Framework

CLC7 Contaminated land - Footnote

All contamination reports shall be prepared by a suitably competent person, as defined in Annex 2 of the National Planning Policy Framework 2021. Reports must be prepared in accordance with the following guidance:

- *Land Contamination Risk Management (LCRM)*
- *BS 10175:2011+ A2:2017 Investigation of Potentially Contaminated Sites. Code of Practice*
- *Development on Land Affected by Contamination - Technical Guidance for Developers, Landowners & Consultants - (v11.2) June 2020 by the Yorkshire and Lincolnshire Pollution Advisory Group.*

The conditions relate to Planning Control only. Approval under the Building Regulations may also be required, and the applicant should contact their Building Control Provider for further information. Any other necessary consent must be obtained from the appropriate authority. If the applicant commences work without discharging conditions, they will be at risk of enforcement action and invalidating the permission if the planning condition is a pre commencement condition.

LC1 External Artificial Lighting - Condition

Before the installation of external artificial lighting commences, a lighting scheme shall be submitted to and approved in writing by the Local Planning Authority. The scheme should include the following information:

- a) The proposed hours of operation of the lighting
- b) The location of all the luminaires
- c) The proposed design level of maintained average horizontal illuminance for the areas that needs to be illuminated.
- d) The measures that will be taken to minimise or eliminate glare and stray light arising from the use of the lighting that is caused beyond the boundary of the site

- e) The methods of switching and controlling the lighting so that it is only operated at the permitted times and at times when it is required.

No external artificial lighting shall be used unless the lighting has been installed and operated in accordance with the approved scheme.

Reason: To safeguard the amenities of the occupiers of nearby properties and promote sustainable development in accordance with part 2 and 15 of the NPPF and LP52 of the Local Plan.

LF1 Artificial lighting - Footnote

The proposed design levels of illuminance should be shown to be appropriate for the intended use by reference to appropriate guidance. Generally, to minimise problems of glare and stray light from external artificial lighting it should be installed and maintained in accordance with *the "Guidance Note 01/21 for the Reduction of Obtrusive Light"* by the Institution of Lighting Professionals: 2021 www.theilp.org.uk. The predicted levels of stray light must not exceed the recommended maximum levels given in Table 2 of this guidance for the corresponding Environmental Zone (i.e. E0 to E4).

EVC1 Electric Vehicle Charging Points – Condition

Before first occupation, a scheme outlining the specific facilities for charging electric vehicles and other ultra-low emission vehicles for 10% of the total number of parking spaces at the premises must be submitted to and approved in writing by the Local Planning Authority. This scheme must meet the minimum requirements in the current West Yorkshire Low Emission Strategy (WYLES) document. The approved facilities for charging electric vehicles must be installed before occupation and retained for use thereafter.

Reason: In the interest of supporting and encouraging low emission vehicles, in the interest of air quality enhancement, to comply with the aims and objectives of Policies LP20, LP24 and LP47 of the Kirklees Local Plan, Chapters 2, 9 and 15 of the National Planning Policy Framework and the West Yorkshire Low Emission Strategy (WYLES).

EVF1 Electric Vehicle Charging Points – Footnote

- The electrical supply of the final installation should allow the charging equipment to operate at full rated capacity and the installation must comply with all applicable electrical requirements in force at the time of installation.
- The conditions relate to Planning Control only. Approval under the Building Regulations may also be required, and the applicant should contact their Building Control Provider for further information in relation to Approved Document S.

CSC1 Construction Site Working Times - Condition

No construction related noise shall be audible beyond the site boundary outside the hours of:

- 07.30 to 18.30 hours Mondays to Fridays
- 08.00 to 13.00 hours Saturdays

With no construction related noise audible beyond the site boundary on Sundays or Bank/Public Holidays.

Reason: To safeguard the amenities of the occupiers of nearby properties in accordance with part 15 of the NPPF and LP52 of the Local Plan

CSF1 Construction Sites working times – Footnote

Kirklees Council has powers under Section 60 of the Control of Pollution Act 1974 to control noise from construction sites and may serve a notice imposing requirements on the way in which construction works are to be carried out. It has additional powers under Sections 80 of the Environmental Protection Act 1990 to prevent statutory nuisance including noise, dust, smoke and artificial light and must serve an abatement notice when it is satisfied that a statutory nuisance exists or is likely to occur or recur. Failure to comply with a notice served using the above-mentioned legislation would be an offence for which the maximum fine on summary conviction is unlimited.