

The image contains two architectural drawings of a building. The top drawing is an elevation of a long, single-story building with a flat roof. It features several windows of different sizes and a central arched entrance. The bottom drawing is a cross-section of a smaller building with a gabled roof. It shows the internal structure, including the roof, walls, and floor. Various construction details and materials are labeled with text and leader lines.

Labels in the elevation drawing include:

- sedum green roof to lean-to store constructed as a timber framed structure with vertically boarded sides and gates, as shown, with sawn stone ashlar bases to timber posts
- reclaimed natural dry stone wall, to side of driveway, partially retaining a small area of existing driveway area, constructed using stone from existing walls to be removed

Labels in the section drawing include:

- reclaimed natural stone walls, with thinly coursed hammer dressed stone, to match that of the existing dwelling, with flush pointing using 1 part tonic NHL5 lime: 1 1/2 parts Leighton Buzzard Sand and 1 part Nosterfield Sand mix
- natural stone slate roof, laid in a traditional manner to spec.
- lead abutment flashing & cavity tray dpc at wall/roof junctions to spec.
- floor level

Architectural elevation drawing of a barn extension. The drawing shows a side elevation with a large garage door and a stone wall. Key features include:

- reclaimed natural stone walls, with narrow courses laid to match that of the existing dwelling, sawn stone ashlar heads to garage doors all to spec.
- natural stone slate roof, laid in a traditional manner
- sedum green roof to lean-to store, store constructed as a timber framed structure with vertically boarded sides and gates as shown, with sawn stone ashlar bases to timber posts.
- UV-resistant synthetic foil coated exterior, steel panelled sectional shutter garage door, with timber grain effect, in Anthracite
- cast aluminium gutters, profile to match that of main house/barn
- new dry stone wall

Dimensions shown: 3000 (height of stone wall), 2250 (height of garage door). Garage floor level 211 R62.

Labels: ELEVATION, SECTION.

[illegible]

area of proposed PV panels on rear roof slope of garage - 12x 375W panels - black - to be laid integral to the stone slate roof with minimal (if any) projection from roof finish

oak frame forming store to spec.

garage floor level 211.852

datum: 211.000

Diagram illustrating a building elevation. The structure features a sloped roof and a vertical wall. A dashed line indicates the 'line of existing building adjacent'. The ground level is marked 'floor level'.

single ply lean-to roof with sedum blanket

22.7° pitch

cast aluminium gutter screwed through back-face to each rafter

150 x 75 oak rafters

175 x 175 oak post sat on asphalt base as shown, refer to detail 1 for further information

garage floor to top of wallplate

garage floor level 211 852

datum: 211 000

P02	Drawing updated to remove porch proposals	20.05.24	NG	NG
P01	Drawing originated	16.02.24	NG	NG
rev	description	date	drawn	approved



project Porch extension and detached garage
(modified design)
at
259 Gillroyd Lane
Linthwaite, Huddersfield, HD7 5SS
for
Stephen Caton & Lucia Ainsworth

title GA as Proposed

number 23033D-01-P02

scale 1:50

size A1

The Old Police Station 16 Bridge Lane Holmfirth HD19 7AN

ARCHITECTURE AND DESIGN

W: www.adp-architects.com

RIBA 

Chartered Practice