

System Overview



Your system comprises **10 Trina Vertex S 415W All Black Mono solar panels** to collect sunlight and turn it into DC electricity.

The panels will be connected to **1 SolaX X1 G4 3.7D hybrid inverter**, which converts the DC electricity into mains (AC) electricity.

A SolaX Triple 5.8kWh LFP Battery storage system will allow you to store excess energy from sunny days, so that you can use your generated electricity at night too.

We include all the isolators, wiring and meters needed to connect the system safely to your electrical system. Your system will be installed and certified by our trained installation team.

Satellite Image



Solar Panels: Trina Vertex S 415W All Black Mono x 10

The Trina Vertex S provides a great balance of power, size and weight, offering 21.3% efficiency

Model	TSM-DE09R.05
Power	415 watts
Dimensions	1134 x 1762mm



Inverter: SolaX X1 G4 3.7D hybrid

Developed using the very latest solar technology, the SolaX X1-Hybrid G4 has an in-built EPS changeover switch and internet connectivity.

AC Power	3680 watts
Trackers	2


System components



Battery: SolaX Triple 5.8kWh LFP Battery

With a 10-year warranty and 90% depth of discharge, the new Triple Power battery is a flexible, practical, high-performance energy storage.

Capacity	5.800 kWh
Quantity	1



Mounting: Fastensol pitched roof mounting system

Fastensol are an excellent value, fully MCS accredited choice for pitched roof mounting systems, suitable for the majority of roof types.

Designed for	Natural Slate roofs
Colour	Not specified

System Performance

We have made an estimate of the annual energy generation of your system. This takes into account the following factors that affect the output of a solar array.

The location of the system

Sunlight is weaker near the poles than near the equator. We use data from a meteorological model of the intensity of sunlight over the course of the year in different locations all over the world.

The orientation of the system

Solar panels that face south receive a little more sunlight than panels that face east or west. However, in diffuse light the orientation of the panels makes little difference, so the effect is less marked than many people imagine.

The degree of shading

If you have trees, neighbouring buildings or nearby high ground that will shade your PV array, the output of the system will be reduced. We have used a 'sunpath diagram' that estimates how often sunlight will be blocked from reaching the panels.

**We expect your system to generate
2,591 kWh per year**


Installation data

Installation capacity of PV system - kWp (stc)	4 kWp
Orientation of the PV system - degrees from South	See roof diagrams
Inclination of system (pitch) - degrees from horizontal	See roof diagrams
Postcode region	Zone 11


Performance Calculations

kWh/kWp (Kk)	See sunpath diagrams
Shade Factor (SF)	See sunpath diagrams
Estimated output (kWp x Kk x SF)	2591 kWh

Roof diagrams




Roof 1 Orientation: 72° Pitch: 30°




Roof 2 Orientation: -98° Pitch: 30°

Sunpath diagrams



Shade factor: 0.85 Kk: 779



Shade factor: 0.85 Kk: 690

Important note: The performance of solar PV systems is impossible to predict with certainty due to the variability in the amount of sunlight from location to location and from year to year. This estimate is based upon a model that takes account of meteorological data at your location and makes an allowance for losses due to shading of the panels. This is a complex calculation however, and no model can be 100% accurate. It should not be considered a guarantee of performance. If shading is present on your system that will reduce its output to the factor stated. This factor was calculated using industry standard shading methodology and we believe that this will yield results within 10% of the actual energy estimate stated for most systems.

Your energy explained


In addition to the MCS calculation of system output we have run a more detailed model of your system to estimate how much of the electricity generated by the system you are likely to use yourself and how much will go to the grid.

Smart Export Guarantee (SEG) information


The Smart Export Guarantee (SEG) enables Generators to receive payments from electricity suppliers for the electricity they export back to the National Grid, providing specific criteria are met. Your installation will be MCS accredited, which means that you should be able to apply for SEG payments from your electricity supplier. Further details on the SEG and its eligibility requirements, including how to apply, can be found online at ofgem.gov.uk

Where your electricity will come from in a typical year


Based on an electricity usage of 4,636 kWh per year, the graph below shows how much electricity used in the property is expected to come directly from the solar panels (blue), how much is expected to come from battery storage (green), and how much is expected to be imported from the grid (red).




Annual Generation



Annual Consumption



Annual Import/Export




Financial Benefits

Based on our model we expect you to self consume 2,113 kWh of the 2,591 kWh of electricity the system should generate - providing 46% of the annual electricity consumption of 4,636 kWh in the property.

At an electricity tariff of £0.43/kWh, that's a saving of **£915** on your electricity bill - down from £2,009 at present! Your new bill could be just **£1,093** per year.

478 kWh of excess solar energy will be exported to the grid. If you are paid by your supplier at £0.04 per kWh, you will receive an additional **£20** in income from them.

Overall, your savings and benefits are expected to be around £935 in the first year after the system is installed.




Payback

In cash terms we expect the system to pay for itself in 11 years (exc VAT). We can also provide a Net Present Value (NPV) calculation of payback, if you would like this please let us know. However it is based on a series of assumptions about what will happen to a range of factors in the future including inflation. In reality the future is uncertain so this calculation cannot be relied on.

Disclaimer

Nothing in life is certain. Cloudy periods, growing trees, and even pigeon droppings can affect the output of your array. No-one really knows how electricity tariffs will change in the future, or what inflation will be in 10 years time. Returns are not guaranteed.



Environmental Benefits

Your new PV system will supply your property with clean, green electricity - and in sunny periods some will also be exported back to the grid.

Overall you'll be making a big contribution to reducing CO₂ not just by lowering the carbon intensity of your own electricity, but by putting low-carbon electricity back in the grid for others to use too.

Your current electricity supply produces

984 kg CO₂
each year

46% will be supplied by solar, saving

449 kg CO₂
each year

478 kWh will be exported, saving

102 kg CO₂
each year

Total savings

550 kg CO₂
each year

**Your yearly CO₂
reduction of 550 kg
is equal to...**



**a car ride of 1,965
miles**



**CO₂ absorbed
by 25 trees**

Disclaimer: We calculate and compare the likely annual CO₂ emissions for your home based on your generation and usage with the solar PV system detailed in this document versus estimates for a property like yours using energy from the grid. Your actual CO₂ emissions will depend on lots of factors, like how much energy your solar panels generate, how much of this energy you use directly and how much energy you continue to use from the grid. To calculate what these savings equate to in miles driven, we base this on the CO₂ emissions of an average sized diesel car as outlined in the UK government's 'Greenhouse gas reporting: conversion factors 2022' (<https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2022>). To calculate what these savings equate to as the average amount of CO₂ absorbed by trees, we base this on a rate of 25kg per tree per year. Trees absorb anywhere between 10 and 40kg of CO₂ per year on average, depending on a whole host of factors including the species, location, planting density, and age.