



GENERAL

Do not scale from this drawing.

All dimensions are in millimetres unless noted otherwise.

All setting out to architects drawings.

Drawing to be read in conjunction with all other SEA drawings and architects drawings.

This scheme has been designed using the survey information provided by others. It shall be the responsibility of the contractor to verify levels, boundaries etc prior to commencing any works on site. SEA Structural Engineers Ltd. shall not accept any responsibility for errors resulting from the survey.

All setting to be in accordance with the Architect's drawings, the Contractor is to check all dimensions and levels prior to commencement of work and report any discrepancies to the Engineer, including any encountered during construction works.

All dimensions should be checked on site prior to construction. Please notify the Engineer of any discrepancies before commencing or continuing any work.

HEALTH, SAFETY & THE ENVIRONMENT

In accordance with the Health and Safety at Work etc Act 1973 and the Construction (Design and Management) Regulations 2015, design and details on this drawing have been the subject of a Designers Risk Assessment. It identifies risks in construction, use, or demolition of the scheme.

It is not considered necessary for Designers to highlight obvious and/or common risks (such as deep excavations, manual handling and working around heavy plant) which Contractors should be familiar with.

So far as is reasonably practicable, risks inherent in the design have been eliminated. Where it has been considered that elimination of a risk (or part of a risk) is not reasonably practicable, it has been reduced.

Significant unusual residual risks are identified below, beside the measures which have been adopted to eliminate and/or reduce them:

- Existing services unknown. All services to be identified prior to start on site
- Outfall to ditch via slope area. Route and working methods to be carefully considered on site to minimise risk.

- DRAWING KEY**
- Proposed storm drainage
 - Proposed storm proprietary geo-modular attenuation tanks. To be designed by supplier and installed in strict accordance with their details.
 - Proposed permeable subbase extends beneath 3G pitch. Depth as indicated.
 - Proposed check dam beneath pitches
 - Proposed permeable subbase extends beneath handstandings. Depth as indicated.

**MULTI PURPOSE PITC
43M X 26M**

**EXISTING GRASS RUGBY PITCH
RE-POSITIONED
OVERALL PITCH 92M X 60M**

Rev	Date	Description
1	26.05.2024	PROPOSED DRAINAGE LAYOUT SHEET 2 OF 2

SEA
CONSULTING ENGINEERS
[CONSULTING CIVIL & STRUCTURAL ENGINEERS]
E: warren@seae.co.uk
T: 07976310054

PROJECT
EAST BERLEY COMMUNITY SPORTS ASSOCIATION

DRAWING
PROPOSED DRAINAGE LAYOUT SHEET 2 OF 2

SCALE: 1:250@A0 DATE: 26.05.2024
DRAWN BY: WRA REV: -
STATUS: FOR APPROVAL

DWG No: 00176/E03