



1800 BRICK WALL & FENCE




1800 TIMBER FENCE




Close Boarded Fence (PLAN)


1800 STONE WALL & FENCE



450 TIMBER KNEE RAIL




Angled Joint Elevation



NOTES:

1. All notch cuts to tops of posts are to be made prior to preservative treatment being applied.
2. All timber is to be treated with an approved pressure-impregnated preservative.
3. All timber to be sawn softwood.
4. All fixings to be galvanised.
5. Posts are to be positioned at 1200-1500mm centres, at all changes in direction and at all intersections.

900 STEEL BOW TOP FENCE



NOTES:

1. Posts are to be located at all changes of direction, steps and every 2m or set midway on runs of 2-4m long.
2. All railings are to be purpose made to fit individual situations.
3. All metalwork is to be supplied ready primed and is to receive one undercoat and two top coats of gloss, on site, colour to be approved.
4. All welds are to be filled down prior to undercoat application.

Rev	Date	Description	Drawn	Check



CLIENT:
CREST NICHOLSON

PROJECT:
CROSSLEY LANE,
HUDDERSFIELD

DRAWING:
BOUNDARY TREATMENT
DETAILS

DRAWING NUMBER:
23-5666-05

SCALE @ A1:
1:20

DRAWN: JP
CHECKED: LM

DATE: SEP 24
DATE: SEP 24



Do not scale off this drawing - Only figured dimensions to be taken from this drawing. Drawings based on Ordnance Survey and/or existing record drawings. Design and Drawing content subject to Site Survey, Structural Survey, Site Investigations, Planning and Statutory Requirements and Approvals. Authorised reproduction from Ordnance Survey Map with permission of the Controller of Her Majesty's Stationery Office. Crown Copyright reserved.

JRP Associates
14 Mariner Court,
Calder Park, Wakefield, WF4 3FL

T 01924 383322
E info@jrpassoc.co.uk
W jrpassoc.co.uk