

**Consultation Response from Mike Hibbert,
KC Waste Strategy(Refuse & Recycling)**

2024/93077 Dunkirk Inn, 231, Barnsley Road, Lower Denby, Huddersfield, HD8 8TX

Discharge details reserved by conditions 15 (waste/recycling facilities), 16 (charging electric vehicles), 17 (landscaping), 18 (residential amenity) on previous permission 2020/91601 for change of use from agricultural land to Sui generis Drinking Establishment (previously A4) and erection of extensions and alterations

Date Responded:18/12/2024.

Responding Officer: Mike Hibbert

Responding Ref: WPN 24-048.

The following comments are made without prejudice and purely from the point of view of the Waste Collection Authority.

The application is for Discharge of Condition 15 that states: - "Details of waste/recycling facilities shall be submitted to and approved in writing by the Local Planning Authority before the extension is first brought into use. Thereafter the development shall be undertaken in accordance with the approved details."


The applicant has submitted a covering statement that details waste storage and collection arrangements at the location.

General Waste Kirklees collect and dispose of the waste generated by the business. There are four bins that are in the 'bin store' area to the side of the building, which is the original location for these bins prior to the application. The waste is collected once a week. Every week, when the bins are emptied, the bin store area and the bins are jet washed and sanitised to keep them clean and prevent any unpleasant odours as well as reducing the possibility of vermin.


Cardboard We have implemented cardboard recycling, where the cardboard generated by the business is baled and removed by a third party for recycling. The baled cardboard is stored in the bin store area.

Glass All the Dunkirk's glass waste is recycled using glass waste using the glass recycling bins located in the Dunkirk car park.

The application also includes Plan DC01 that shows the location of the Glass bank on the carpark



Plan DC02 shows the waste storage area for general wastes adjacent to the public house



The Waste Collection Authority can confirm that the proposals are acceptable and that Condition 15 can be discharged.