



Twitter, Twitter, Twitter and the Twitter logo are trademarks of Twitter, Inc. or its affiliates.
LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries.

Bryan G Hall Ltd. Registered in England & Wales Co No. 4104802

This drawing is copyright and shall not be reproduced nor used for any other purpose without the written permission of the Bryan G Hall Ltd. This drawing must be read in conjunction with all other related drawings and documentation.

It is the contractors responsibility to ensure full compliance with the Building Regulations. Do not scale from this drawing, use figured dimensions only. It is the contractors responsibility to check and verify all dimensions on site. Any discrepancies to be reported immediately.
IF IN DOUBT ASK.

Materials not in conformity with relevant British or European Standards/Codes of practice or materials known to be deleterious to health & safety must not be used or specified on this project.

Bryan G Hall Limited has not checked or verified, and shall therefore not be liable for any inaccuracies which may be attributable to any base plan(s) reports, data or information provided by the client, or purchased by the consultant on the clients behalf, that may have been utilised within this drawing.

Bryan G Hall Limited shall not be liable for the use of this or any associated document, for any purpose, by any person other than that for which they were provided.

It remains the clients and/or its appointed contractor's responsibility to check for any discrepancies. Any anomalies discovered must be reported immediately to Bryan G Hall Limited for verification.

The locations of utilities apparatus, if shown, have been reproduced from plans supplied to Bryan G Hall Limited. Although care has been taken when duplicating this information, these locations are approximate only. No guarantees can be given by Bryan G Hall Limited for their accuracy. It is the clients or its appointed agent/contractor's responsibility to verify the exact locations on site by appropriate means prior to mechanical excavation.

ROAD MARKING KEY:

- | | |
|----------|---|
| 1003A - | 600mm long 300mm gap 200mm wide give way white lining |
| 1004 - | 4000mm long 2000mm gap 100mm wide centre white lining |
| 1009A - | 600mm long 300mm gap 100mm wide give way white lining |
| 1018.1 - | Double Yellow road markings 100mm wide 75mm gap (150mm wide at ends) |
| 1026 - | Keep Clear Marking 75mm wide continuous line Line 500mm from kerb line and Bar Marking 375mm long |

NOTES

- All road signs and road markings to be in accordance with "The Traffic Signs Regulations and General Directions 2016".
- All proposed road markings are to be thermoplastic screed with glass beads and laid in accordance with clause 1212 of the Specification for Highway Works.
- All road markings removed due to resurfacing that are to remain are to be reinstated.

A	28.10.24	Double yellow lines removed at ped crossing and Keep Clear Bar Marking added	IE		
Rev:	Date:	Amendment:	DRN	CHK	APR

BRYAN G HALL
CONSULTING CIVIL & TRANSPORTATION PLANNING ENGINEERS
LEEDS T 0113 246 1555
LONDON T 0203 5532336
Suite E15 | Josephs Well
Hanover Walk | LEEDS | LS3 1AB
W www.bryanghall.co.uk
E transportleeds@bryanghall.co.uk

Client: Jones Homes (Yorkshire) Limited

Status:

Scale: 1:250
Size: A1 - 841 x 594
Drawn: IE
Chkd: NB
Appvd: IE

Project: Residential Development
Swallow Lane, Golcar,
Phase 2

Title: Work on Swallow Lane

Drawing No: 22/278/1200/001
Job No: 22-278
Revision: A
Date: 07.10.24