



- FIXING SPECIFICATION**
- 5.5mm x 25mm S/S Screw With Washer
 - Ø6.3 x 36 Lg S/Steel Self Drill Screws Inc. Washer
 - Ø5.5 x 36 Lg S/Steel Self Drill Screws Inc. Washer
 - M8x60 Teflon Coated A4 S/S Bolt Assembly (See System Details For Info)
 - Bracket Anchor In Accordance With Structural Calculations
 - S/Steel Tapcon 6.3x57mm
 - 4.8mm x 20mm Large Flange Aluminium Rivet
 - To Be Confirmed By System Supplier

Key Plan

NOTES

- ANY DISSIMILAR METALS TO BE ISOLATED WITH BARRIER TAPE
- ANY DOUBT OF THE CONTENTS OF THIS DRAWING PLEASE CONTACT THE DESIGN OFFICE
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER CONTRACT DRAWINGS
- ENSURE THAT ALL STEELWORK AND ANY TIMBERWORK IS CHECKED PRIOR TO THE COMMENCEMENT OF OUR WORKS
- UNLESS OTHERWISE STATED, ALL FIXINGS TO BE AT 450mm CENTRES
- THIS DRAWING MUST NOT BE COPIED OR REPLICATED WITHOUT WRITTEN PERMISSION FROM PRECISION FACADES
- ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO PRECISION FACADES PRIOR TO COMMENCEMENT OF WORKS
- ALL FLASHINGS TO BE FIXED USING OVERSIZED HOLES TO ALLOW FOR THERMAL MOVEMENT

KEY TO DETAIL LABEL **FIXERS NOTE**

⊖ DETAIL REF. No.
⊖ DRAWING No.

P02	JMA	CONCRETE REMOVED AND REPLACED WITH SFS AS CLOUDED	26.11.2024	PFL
P01	JMA	FIRST ISSUE	30.10.2024	PFL
REV	BY	DESCRIPTION	DATE	CHKD

APPROVAL ISSUE

DRAWING STATUS

Precision Facades Ltd
Unit 2 The Oaks, Stanney Mill Lane,
Ellesmere Port, Cheshire, CH2 4HY
Email: admin@precisionfacades.co.uk

CLIENT
KIER

PROJECT
UNIVERSITY OF HUDDERSFIELD

DRAWING TITLE
SAMPLE AREA

DATE	31.10.2024	SCALE	1:5 @ A1
DRAWN	JMA	CHECKED	PFL
CONTRACT	JMA	AREA CODE	DRAWING No.
PF107	DE	00050	P02
DRAWING REF	SG2-PFL-B2-XX-DR-Z-00050		