



Qty	Code	Name	Girth	Height	Specification
50	Ac	Acer campestre	10-12	300-350	RB 2x; Heavy Standard; clear stem minimum 175-200cm; 4 breaks
20	Bp	Betula pendula	10-12	300-350	RB 2x; Heavy Standard; clear stem minimum 175-200cm; 4 breaks
4	Cb	Carpinus betulus	10-12	300-350	RB 2x; Heavy Standard; clear stem minimum 175-200cm; 4 breaks
4	Qr	Quercus robur	10-12	300-350	RB 2x; Heavy Standard; clear stem minimum 175-200cm; 4 breaks
9	Sa	Sorbus aucuparia	10-12	300-350	RB 2x; Heavy Standard; clear stem minimum 175-200cm; 4 breaks
19	Pa	Prunus avium 'Plena'	10-12	300-350	RB 2x; Heavy Standard; clear stem minimum 175-200cm; 4 breaks
106		Total			

Length (Lin M)	No. of Plants	Code/Species	Size in cm	Root / Pot size	Final Height	Density / Spacing
555	2775	H1 / Photinia 'Red Robin'	60-80	5L Pot	3m	Sno. Linear m

No. of Plants	% Mix	Species	Size in cm	Root Cond.	Density / Spacing	Specification
305	MNH	Mixed Native Hedge				
107	35	Crataegus monogyna	60-90	B	5/m	Transplant (seed-raised), 1+1
31	10	Corulus avellana	60-90	B	5/m	Transplant (seed-raised), 1+1
31	10	Ilex aquifolium	40-60	2L	5/m	Leader with laterals
107	35	Prunus spinosa	60-90	B	5/m	Transplant (seed-raised), 1+1
31	10	Sorbus torminalis	60-90	B	5/m	Transplant (seed-raised), 1+1

Qty	Abbrev.	Name	Rate / m <sup>2</sup>	Height	Container Size	Specification
75	ABE GRA	Abelia grandiflora	5	30-40	3L	Bushy; 3 breaks
35	BUX SEM	Buxus sempervirens	5	30-40	3L	Bushy; 6 breaks
25	CHO AZT	Choisya Aztec Pearl	5	30-40	3L	Bushy; 5 breaks
25	CHO TER	Choisya ternata	5	30-40	3L	Bushy; 4 breaks
40	HEB ORM	Hebe 'Great Orme'	5	30-40	3L	Bushy; 5 breaks
40	HEB RAK	Hebe rakaiensis	5	20-30D	3L	Bushy; 5 breaks
75	HYD ANA	Hydrangea arborescens 'Annabelle'	5	40-60	3L	Branches; 3 breaks
75	PHI MAN	Philadelphus 'Manseau d'hermine'	5	30-40	3L	Branches; 4 breaks
70	PHO ROB	Photinia 'Red Robin'	5	40-60	3L	Branches; 4 breaks
40	ROS PUR	Rosmarinus officinalis 'Purpurascens'	5	30-40	3L	Bushy; 4 breaks
50	SAR CON	Sarcococca confusa	5	20-30	3L	Bushy; 6 breaks
50	SKI KEW	Skimmia x confusa 'Kew Green'	5	30-40	3L	Bushy; 3 breaks
50	VIB DAV	Viburnum davidii	5	20-30	3L	Bushy; 3 brks

Qty	Abbrev.	Name	Rate / m <sup>2</sup>	Container Size	Specification
50	ALC MOL	Alchemilla mollis	5	2L	Full Pot
50	BER BRE	Bergenia 'Bressingham White'	5	2L	Full Pot
75	BIS AFF	Bistorta affinis 'Darjeeling Red'	5	2L	Full Pot
150	CAR MDR	Carex morrowii 'Irish Green'	5	2L	Full Pot
75	GER MAC	Geranium macrorrhizum 'Spessart'	5	2L	Full Pot
150	LIR MUS	Liriodendron muscari 'Monroe white'	5	2L	Full Pot

Code	Area (m <sup>2</sup> )	Seed Mix Specification	Sowing Rate (g/m <sup>2</sup> )
POS	2,070	E1 Flowering Lawn Mixture - Emsgate	Suppliers recommendations - 4g/m <sup>2</sup>
Plots/POS	2,008	Amenity Grade Grass - Seed or Turf	Suppliers recommendations - 1.5g/m <sup>2</sup>

Code	Area (m <sup>2</sup> )	Bulb species Specification	Density
B1	14	Narcissus pseudonarcissus - Grade 4/5	20/m <sup>2</sup>
B2	69	Mixed Crocus and tulip bulbs - various colours	25/m <sup>2</sup>
B3	22	Galanthus nivalis - Grade 4/5	30/m <sup>2</sup>

No. of Plants	% Mix	Species	Size in cm	Root Cond.	Density / Spacing	Specification
630	MNH	Mixed Native Hedge				
221	35	Crataegus monogyna	60-90	B	1/m <sup>2</sup>	Transplant (seed-raised), 1+1
63	10	Corulus avellana	60-90	B	1/m <sup>2</sup>	Transplant (seed-raised), 1+1
63	10	Ilex aquifolium	40-60	2L	1/m <sup>2</sup>	Leader with laterals
221	35	Prunus spinosa	60-90	B	1/m <sup>2</sup>	Transplant (seed-raised), 1+1
63	10	Sorbus torminalis	60-90	B	1/m <sup>2</sup>	Transplant (seed-raised), 1+1

**SPECIFICATION NOTES**

- General**  
This plan to be read in conjunction with the following documents:  
  - PGLA Planting Plan Drawings PP01 SERIES
  - Arbicultural Assessment by Tree Care Consultancy
- General Landscaping**  
Existing levels to be preserved around retained existing trees and vegetation. Existing trees and vegetation to be retained are to be protected in accordance with BS5837:2012 during construction. Proposed planting under existing trees subject to sufficient space in root areas.
- Preparation of Planting Beds**
  - Rubbish, concrete, metal, glass, decayed vegetation are to be removed and disposed of off site.
  - Stones with the largest dimension exceeding 40mm are to be removed from planting beds and disposed of off site.
  - Substances injurious to plant growth including subsoil, rubble, fuel and lubricants should be removed and disposed of off site.
  - Remove any existing weed growth.
  - Areas of large root are to be grubbed up without undue disturbance of surrounding soil and adjacent areas.
  - All site preparation, planting and maintenance to comply with BS 4429
- Topsoil**  
Imported topsoil to be a good quality loam to BS 3882:2015. All topsoil areas shall be thoroughly cultivated by hand or suitable machinery to the full depth of the topsoil layer, incorporating ameliorant's as specified and/or as indicated by analysis and/or as directed by the Landscape Architect. Hand cultivation shall be carried out to achieve the required finish on areas where machine cultivation is impossible i.e adjacent to kerbs, manholes and footpath junctions etc. Surplus plant matter, rubbish and surface stones having any dimension greater than 25 mm shall be collected and removed from the site. Existing topsoil to be stripped and re-used if suitable as per specification. All work to be carried out in line with BS 3882:2015 and DEFRA Construction Code of Practice for the Sustainable Use of Soils on Construction Sites (2009).
- Plants**  
General plant stock to conform to BS 3936, advanced nursery stock and planting to BS 4428. Plants shall be first class examples of their species or variety, free from all pests and diseases, with good fibrous root systems and materially undamaged (refer to relevant sections of BS3936 to 1.4 'Specification of Nursery Stock'). All planting operations to be in general compliance with BS4428: 1989 'Code of Practice for general landscape operations (excluding hard surfaces)'.  
Carry out all planting while soil and weather conditions are suitable:  
Do not plant during periods of frost or strong winds. Plant only during the following periods:  
  - Container grown and root ball plants: At any time if ground and weather conditions are favourable. Ensure that adequate watering and weed control is provided
  - Bare Root stock to be planted November to March.
All plants to be planted in cultivated planting beds at densities shown in plant schedule, in pits of min. size 0.3m x 0.3m x 0.3m deep so as to accommodate full root spread, backfilled with 80% clean topsoil and 20% compost and 20g granular fertilizer. All shrub beds to be in min. 450mm good quality, well prepared topsoil.  
See Plant Schedule for species palette. Bed composition, arrangement and setting-out to be approved by Landscape Architect before work commences. Topsoil depth to be 450mm for shrub planting and 150mm for grass.  
Shrubs, grasses and herbaceous to be distributed in groups of 3, 5, & 7 in allocated shrub beds. Refer to Landscape Architect for Setting Out. The beds will be set out to create a tiered effect with taller species at the back and lower to the front.  
Native Hedgerow - Stock to be planted in double rows, 4 - 6 per linear metre. Trees to be protected with a 600mm spiral rabbit guard and staked. To be kept free of weeds during establishment using secured mulch matting.  
Bare root plants to be notch planted to depth of root collar in accordance with BS4428.
- Trees**  
Trees shown on plan to be planted with species as labelled or similar approved. Do not substitute species, variety and form or reduce the specified number/density of plants without prior agreement. Note sizes shown are minimum. All trees to be planted in pits 2m x 2m x 1m deep, backfilled with 80% clean topsoil with 15% peat free tree and shrub planting compost and 5% Tree Growth Enhancer 'GroChar', including 100g granular fertilizer. Base of pit to be filled with a Terram Geotextile layer on 150mm drainage layer consisting of 20mm nominal size free draining pea gravel. Water-in heavily after planting and surface bark chippings 75mm depth. All trees to be triple staked with timber cross bar and soft ties. Any necessary tree works are to be carried out by an approved tree surgeon to BS 3998. All trees to be protected with 600mm spiral rabbit guard.  
Trees planted in grass lawn to be set in bare earth squares 1m diameter around tree trunk with bark mulch to 75mm depth after planting. All work to be carried out in line with BS 3882:2015 and DEFRA Construction Code of Practice for the Sustainable Use of Soils on Construction Sites (2009).
- Grass**  
Turfing and seeding shall be carried out during appropriate seasons and while soil and weather conditions are suitable for the relevant operations. Hand tools shall be used around trees, plants and in confined spaces where it is impractical to use machinery. The soil shall be weed free prior to turfing. Turf shall be laid on prepared, levelled soil (minimum 150mm depth) in the areas indicated on the drawings and laid in accordance with BS 3969:1998+A1:2013.
- Replacement of trees and Boundary vegetation**  
The contractor shall replace all plants/trees that have failed to thrive (show growth or display foliage) during the growing season after planting (including plants damaged during maintenance operations). Replacements to match original specification or similar size/species approved by the Landscape Architect. In particular, if any of the boundary vegetation, including those marked for retention, are to be replaced with similar size and species if they die within 5 years.

Rev	Date	Description	Initials
P5	04.04.25	Minor POS updates	PGG
P4	25.03.25	General landscape updates	PGG
P3	10.02.25	Minor Plot updates	PGG
P2	08.01.25	Minor Boundary updates	PGG
P1	17.12.24	Planning issue	PGG

**pglalandscape**  
architects

PGLA Ltd  
Landscape Architects  
Station Hop Offices  
815 Stockport Road  
Manchester  
M19 3BS

t: 0161 238 9138  
e: info@ppla.co.uk  
w: www.ppla.co.uk

Client  
**VIVLY LIVING**

Project  
**GYNN LANE, HONLEY**

Description  
**PLANTING PLAN, SCHEDULE AND SPECIFICATION NOTES**

Status  
**FOR PLANNING**

Scale	Drawn	Checked	Date
1:500@A1	KLJ	PGG	SEPT 24
Job number	Drawing number	Revision	
HON2406	PP01.00	P5	

Original size 100mm @ A1