



The Coal
Authority

200 Lichfield Lane
Mansfield
Nottinghamshire
NG18 4RG

T: 01623 637 119 (Planning Enquiries)

E: planningconsultation@coal.gov.uk

W: www.gov.uk/coalauthority

For the attention of: Nina Sayers – Case Officer

Kirklees Council

[By email: DC.Admin@kirklees.gov.uk]

26 August 2025

Dear Ms Sayers

Re: 2025/62/91588/E

Erection of side extension to form additional accommodation to existing house in multiple occupation; 55 Bradford Road, Cleckheaton, BD19 3LB

Thank you for your notification of 6 August 2025 seeking the views of the Coal Authority on the above.

The Coal Authority is a non-departmental public body sponsored by the Department for Energy Security and Net Zero. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority response: **Material Consideration**

I have reviewed the site location plans and the proposals and supporting information submitted and available to view on the LPA website and can confirm that the site falls within the defined Development High Risk Area.

The Coal Authority records indicate that the application site lies in an area of probable historic unrecorded shallow coal mining.

As you will be aware, the Coal Authority's general approach in cases where development is proposed within the Development High Risk Area is to recommend that the applicant obtains coal mining information for the application site and submits a Coal Mining Risk Assessment to support the planning application.

However, when considering the nature of this particular development proposal, it would appear that the applicant is only seeking approval for a first floor extension and therefore no foundations or earthworks would be required to facilitate the development. On this basis we do not consider that requiring a Coal Mining Risk Assessment would be proportionate to the scale and nature of the development proposed in this particular case and **do not object** to this planning application.

We do however recommend that, should planning permission be granted for this proposal, the following wording is included as an Informative Note on any planning permission granted:

The proposed development lies within an area that has been defined by the Mining Remediation Authority as containing coal mining features at surface or shallow depth. These features may include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and former surface mining sites. Although such features are seldom readily visible, they can often be present and problems can occur, particularly as a result of new development taking place.

Any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) requires a Mining Remediation Authority Permit. Such activities could include site investigation boreholes, excavations for foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Application forms for Mining Remediation Authority permission and further guidance can be obtained from The Mining Remediation Authority's website at:www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property

[What is a permit and how to get one? - GOV.UK \(www.gov.uk\)](http://www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property)

In areas where shallow coal seams are present caution should be taken when carrying out any on site burning or heat focused activities.

If any future development has the potential to encounter coal seams which require excavating, for example excavation of building foundations, service trenches, development platforms, earthworks, non-coal mineral operations, an Incidental Coal Agreement will be required. Further information regarding Incidental Coal Agreements can be found here - <https://www.gov.uk/government/publications/incidental-coal-agreement/guidance-notes-for-applicants-for-incidental-coal-agreements>

If any coal mining features are unexpectedly encountered during development, this should be reported immediately to the Mining Remediation Authority on 0800 288 4242. Further information is available on the Mining Remediation Authority website at: [Mining Remediation Authority - GOV.UK](https://www.mra.gov.uk/)

It is noted that the planning application is accompanied by a Coal Mining Risk Assessment Report (4425, November 2024) prepared for the proposed extension by Michael D Joyce Associates LLP (Geotechnical and Geoenvironmental Consultants), who, having carried out a review of historical, geological and coal mining information conclude that based on the nature of the development (small first floor extension) the risk of shallow mineworkings affecting surface stability at the site is very low and no further investigation is considered to be proportionate or necessary.

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

Deb Roberts *M.Sc. MRTPI*
Planning & Development Manager

Disclaimer

The above consultation response is provided by the Coal Authority as a Statutory Consultee and is based upon the latest available coal mining data on the date of the response, and electronic consultation records held by the Coal Authority since 1 April 2013. The

comments made are also based upon only the information provided to the Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.

In formulating this response the Coal Authority has taken full account of the professional conclusions reached by the competent person who has prepared the Coal Mining Risk Assessment or other similar report. In the event that any future claim for liability arises in relation to this development the Coal Authority will take full account of the views, conclusions and mitigation previously expressed by the professional advisors for this development in relation to ground conditions and the acceptability of development.