

Environmental  
Geotechnical  
Specialists



# PHASE 1 ENVIRONMENTAL DESK STUDY REPORT

< ENVIRONMENTAL > < GEOTECHNICAL >

job number	date
site address	
written by	checked by
issued by	

 Please consider the environment before printing this report.



**Rogers Geotechnical Services Ltd**  
Offices 1 & 2 Barncliffe Business Park, Near Bank, Shelley, Huddersfield, HD8 8LU  
☎ 01484 604354      Company No. 5130864

## Contents

		Page
1.	Introduction	1
2.	Review and Summary of Published Data	2
2.1	Historical Land Use	3
2.2	Published Geology and Geological Hazards	3
2.3	Construction Issues	4
2.3.1	Foundation Construction	4
2.3.2	Site Won Materials	4
2.3.3	Disposal of Site Materials	5
2.4	Mining and Natural Cavities	5
2.4.1	Coal Mining	5
2.4.2	Non-Coal Mining	6
2.5	Waste Management and Gas Monitoring	6
2.6	Hydrogeology, Hydrology	7
2.7	Sensitive Land Use	8
2.8	Industrial Land Use and Potential Sources of Contamination	8
3.	Preliminary Qualitative Risk Assessment	9
3.1	Conceptual Ground Model & Preliminary Qualitative Risk Assessment	9
4.	Intrusive Investigation	13
4.1	Site Investigation Philosophy	13
4.2	Site Specific Investigation	13
4.2.1	Contamination Assessment	14
4.2.2	Geotechnical Assessment	15
4.2.3	Reporting	16
5.	References	17

## Appendices

1.	Site Plans
2.	Historical Maps
3.	Groundsure Reports
4.	Photographs
5.	Coal Authority Report



# Report on a Phase One Desk Study

Location:	<b>Victoria Works</b> Holmefield Road, Longwood, Huddersfield, West Yorkshire. HD3 4TY		
For:	Simeon Beaumont		
Report No.	C4923/25/E/7503_Rev1	Report date:	August 2025

For and on behalf of **Rogers Geotechnical Services Ltd**

**Steven Hale** BSc FGS  
Geo-environmental Technician

**Tobias Merry** MSci (Hons), FGS  
Geo-environmental Engineer

## 1. Introduction

The site comprises an area of brownfield land located off Holmefield Road, Longwood, Huddersfield, West Yorkshire, HD3 4TY. The site is approximately 0.18 hectares in size and its National Grid reference is centred around 409812 416930.

It is understood that the development proposals currently comprise the change in use to the existing structure to form 1no. residential dwelling with garden areas and car parking. In order to assist with this decision-making process, and any planning and construction aspects of the development, a phase one environmental desk study has been commissioned and is the subject of this report.

In accordance with issued guidance, a site walkover was conducted on the 17<sup>th</sup> July 2025 and the following observations were made:

### **General site description/current site use**

The site comprises an area of overgrown brownfield land. An existing structure and separate shipping container were also noted to be present.

### **Site boundaries/access**

The site is accessible via a lane off Holmefield Road.

### **Topography**

The site itself is relatively flat.

### **Surface cover of site**

Rough ground and vegetation cover the surface of the site.

### Visible evidence of contamination/ contaminative sources

There were no visible signs of contamination present to the external areas during the time of the walkover. A burnt-out car and significant amount of other burnt material were noted to be present to internal areas.

### Presence of vegetation and wildlife

A number of mature trees and thick vegetation were noted to be present to the site. Some of this may need to be cleared prior to any site investigation. Vegetation seems to be healthy with no evidence of degradation. There were no obvious signs of invasive flora, fauna, nesting birds, burrowing animals or edible plants observed during the time of the site walkover.

### Services

The status of underground services is unknown. There were no overhead services present within the site at the time of the walkover.

### Site neighbours

The site is located within a mostly rural area with commercial properties present to the south east and south west. The Longwood Reservoirs are present adjacent to the western boundary of the site.

In order to ensure that the site is fully characterised and to comply with the Environment Act 1995<sup>1</sup>, a Phase One Desk Study has been commissioned by the client. The desk study is intended to assess the environmental impact of historical, current and future factors on the development. This report will present the data obtained and provide a conceptual ground model and preliminary risk assessment as well as discussing the scope of any intrusive investigation that may be required. This report does not consider ecological impacts (e.g. bats) or botanical risks (e.g. Japanese Knotweed).

## 2. Review and Summary of Published Data

---

As a part of this desk study the following data has been considered.

- Site Plan - Appendix 1
- Historical maps - Appendix 2
- Groundsure Reports - Appendix 3
- Photographs - Appendix 4
- Consultants Mining Report - Appendix 5

The data obtained from the above-mentioned sources has been summarised below<sup>2</sup>.

---

<sup>1</sup>S57 of the Environment Act 1995 inserted the contaminated land regime into the Environmental Protection Act 1990 (Part 2A). The regime **'provides a risk-based approach to the identification and remediation of land where contamination poses an unacceptable risk to human health or the environment'** See <http://www.environment-agency.gov.uk/research/planning/40405.aspx>. This places a duty on local authorities to inspect their areas for contaminated land and require its remediation using the 'suitable for use' approach. Much of this duty is discharged via the planning regime under the Town and Country Planning Act 1990 as historical land contamination is a 'material planning consideration.' The local authorities are required to secure the removal of unacceptable risks via remediation of the land, to therefore ensure the site is suitable for its new use. This is fulfilled via completion of a Phase One Environmental Desk Study, Phase Two Intrusive Investigation, Phase Three Remediation Strategy and Phase Four Validation Report. Therefore, as a minimum, once a site has been developed it should not be capable of being designated as 'contaminated land' under Part 2A of the Environmental Protection Act 1990, as inserted by the Environment Act 1995 (see also PPS 23 Planning and Pollution Control Section 8)

<sup>2</sup> This report is a summary only and reference must be made in full to the information provided in the Groundsure Report.

## 2.1 Historical Land Use

**Table 1: Historical Land Use<sup>3</sup>**

HISTORICAL MAPPING SUMMARY		
Map Dates	On site	Within 250m
1854	The site appears to be an undeveloped area of land; however, it should be appreciated that mad ground is likely present due to the reservoirs being adjacent to the west and north.	Longwood Reservoirs – Adjacent N & W Claywood Brook – 130m S
1890 – 1893	The site remains unchanged.	Reservoirs – 200m SE Newhouse Dye Works – 230m SE
1905 – 1907	The site remains unchanged.	The surrounding areas remain relatively unchanged.
1919	A Filter House and an above ground Tank are now indicated to be present on the site.	The surrounding areas remain relatively unchanged.
1930 – 1967	The site remains unchanged.	The surrounding areas remain relatively unchanged.
1975 – 1978	The Tank is no longer present to the site.	The Reservoir adjacent to the N of the site is now partially covered. Works – 60m SW
1993	The site remains unchanged.	The Reservoir adjacent to the N of the site is now no longer indicated to be present.
2001 – 2025	The site remains unchanged.	The surrounding areas remain relatively unchanged.

NB. All distances given are approximate only.

## 2.2 Published Geology and Geological Hazards

**Table 2: Geological Data for the Site**

BGS MAPPING DATA			
Strata Type	Strata Name <sup>4</sup>	Previous Name <sup>4</sup>	Description <sup>5</sup>
Artificial Ground	Made Ground	N/A	An area where the pre-existing (natural or artificial) land surface is raised by artificial deposits.
Superficial Geology	N/A	N/A	Not indicated to underlie the site.
Solid Geology	Huddersfield White Rock	N/A	The Huddersfield White Rock is a medium- to coarse-grained, massive to flaggy, cross-bedded, micaceous sandstone.
GEOLOGICAL FEATURES			
Type	Location	Features	Comments
Mining Activity	On site	Coal mining	The study site is located within a coal mining area as defined by the Coal Authority.
		Non-coal Mining	Localised small-scale underground mining may have occurred. Potential for difficult ground conditions are unlikely or localised and are at a level where they need not be considered.
Linear Features	119m W	Coal seam	Upper Meltham Coal – Not anticipated to affect the site.

<sup>3</sup> See Appendix 3

<sup>4</sup> Sources: British Geological Survey (NERC) Map Sheets 77; Huddersfield; Solid and Drift Edition, and GeoIndex Onshore Viewer [*online resource from www.bgs.ac.uk*]

<sup>5</sup> Sources: British Geological Survey (NERC) Lexicon of Named Rock Units [*online resource from www.bgs.ac.uk*]

	218m W	Fossil Horizon	Marine Band – Cancelloceras cancellatum. Not anticipated to affect the site.
Landslip Deposits	175m W	Landslip	Landslide deposits – Unknown/Unclassified entry.
BGS BOREHOLE DATA			
Reference <sup>6</sup>	Location	Strata Description	Depth
SE01NE101	970m S	Topsoil	0.55m
		Brown, silty, sandy CLAY	1.52m
		SANDSTONE	2.13m
NATURAL GROUND SUBSIDENCE & HAZARDS <sup>7</sup>			
Type		Risk Rating	
Potential for shrinking or swelling clay ground stability		Negligible.	
Potential for running sand ground stability		Very Low.	
Potential for compressible ground stability		Very Low.	
Potential for collapsible ground stability hazards		Very Low.	
Potential for landslide ground stability		Very Low.	
Potential for ground dissolution stability		Negligible.	
Radon		The property is in a Radon Affected Area, as between 1 and 3% of properties are above the Action Level. No radon protective measures are necessary.	

## 2.3 Construction Issues

### 2.3.1 Foundation Construction

On the basis of the prevailing geology and assuming that there are no areas of significantly filled ground, it is anticipated that shallow strip or spread foundations could be utilised at this site. It should be appreciated that an intrusive investigation will be required to validate this opinion. Moreover, it is possible that undifferentiated strata within the Woolley Edge Rock Formation may include very fine-grained rocks which are likely to have weathered to cohesive soils at or near the surface. Such soils could be sensitive to soil moisture variations and thus be susceptible to desiccation as result of tree root action. In light of this, it is possible that footings within the zone of influence of trees (existing or previously removed), may need to be founded at extended depths in excess of 1m.

### 2.3.2 Site Won Materials

Where sandstone outcrops, it is possible that the resulting soil may provide a suitable bulk granular fill and may prove suitable for re-compaction.

Should any residual mudstone be encountered at shallow depth over much of the site, this material is likely to be relatively difficult to re-engineer as a construction material. Therefore, depending on

<sup>6</sup> <https://mapapps2.bgs.ac.uk/geoindex/home.html>

<sup>7</sup> See Groundsure report

the results of laboratory testing, it may possible to modify/stabilise the soil using lime and/or cement to form a suitable sub-base replacement for pavements and hard standings.

### 2.3.3 Disposal of Site Materials

If made ground is present, then contamination/WAC testing will be required to establish the nature of the underlying soil before disposal to a licensed landfill site. However, it is anticipated that the naturally occurring soils would not be significantly contaminated, thus would probably be accepted by a waste disposal site catering for inert material.

## 2.4 Mining and Natural Cavities

### 2.4.1 Coal Mining

The Groundsure Report states that the site is within an area that may be affected by coal mining. A Consultant's Coal Mining Report has therefore been obtained that is included in appendix 5 of this report and may be summarised as follows:

<b>Table 3: Summary of the Consultant's Coal Mining Report</b>			
<b>Has the report highlighted evidence or potential of:</b>			
<b>Ref</b>	<b>Mining Feature</b>	<b>Yes/No</b>	<b>Comments</b>
1	Underground Coal Mining	No	No past mining recorded.
2	Probable Unrecorded Shallow Workings	No	None.
3	Spine Roadways at Shallow Depth	No	No spine roadway recorded at shallow depth.
4	Mine Entries	No	None recorded within 100 metres of the site boundary.
5	Abandoned mine plans	No	None recorded.
6	Outcrops	No	No outcrops recorded.
7	Geological Faults	No	No faults, fissures or breaklines recorded.
8	Opencast Mines	No	None recorded within 500 metres of the enquiry boundary.
9	Coal Authority Managed Tips	No	None recorded within 500 metres of the enquiry boundary.
10	Site Investigations	No	None recorded within 50 metres of the enquiry boundary.
11	Remediated Sites	No	None recorded within 50 metres of the enquiry boundary.
12	Coal Mining Subsidence	No	<p>The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31st October 1994.</p> <p>There is no current Stop Notice delaying the start of remedial works or repairs to the property.</p> <p>The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.</p>
13	Mine Gas	No	None recorded within 500 metres of the enquiry boundary.
14	Mine Water Treatment Schemes	No	None recorded within 500 metres of the enquiry boundary.
15	Future Underground Mining	No	None recorded.

16	Coal Mining Licensing	No	None recorded within 200 metres of the enquiry boundary.
17	Court Orders	No	None recorded.
18	Section 46 Notices	No	No notices have been given, under section 46 of the Coal Mining Subsidence Act 1991, stating that the land is at risk of subsidence.
19	Withdrawal of Support Notices	No	The property is not in an area where a notice to withdraw support has been given.  The property is not in an area where a notice has been given under section 41 of the Coal Industry Act 1994, cancelling the entitlement to withdraw support.
20	Payments to Owners of Former Copyhold Land	No	The property is not in an area where a relevant notice has been published under the Coal Industry Act 1975/Coal Industry Act 1994.

## 2.4.2 Non-Coal Mining

Localised small-scale underground mining may have occurred. Potential for difficult ground conditions are unlikely or localised and are at a level where they need not be considered.

## 2.5 Waste Management and Gas Monitoring

<b>Table 4: Landfill Data and Artificial Ground, Recorded and Anticipated</b>			
<b>ENVIRONMENT AGENCY, LOCAL AUTHORITY, BGS &amp; HISTORIC LANDFILLS</b>			
<b>Waste Type</b>	<b>Location</b>	<b>Comments</b>	<b>Monitoring Requirement</b>
Active Landfill	Within 250m	None recorded within 250m	N
Historic Landfill	150m SE & 171m SE	Refuse Tip (1961)	Y
	207m SE	Waste Type: Inert, Industrial & Commercial	N
Historic waste sites	195m E	Type: Metal Recycling Site (mixed MRS's) Size: < 25000 tonnes	N
Licensed waste sites	Within 250m	None recorded within 250m	-
Waste Exemptions	Within 250m	None recorded within 250m	-
<b>MADE GROUND &amp; INFILLED GROUNDWORKINGS</b>			
<b>Description</b>	<b>Location</b>	<b>Comments</b>	<b>Monitoring Requirement</b>
Records of Potentially Infilled Features	Adjacent N and W	Longwood Reservoirs (1854)	Y
	200m SE	Reservoirs (1890-1893)	N

## 2.6 Hydrogeology, Hydrology

<b>Table 5: Ground/Controlled Water Sensitivity and Flooding</b>			
<b>ENVIRONMENT AGENCY AQUIFER DESIGNATION<sup>8</sup></b>			
<b>Strata</b>	<b>Designation</b>	<b>Description</b>	
Solid Geology On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers.	
<b>GROUNDWATER SENSITIVITY<sup>9</sup></b>			
<b>Description</b>	<b>Location</b>	<b>Details</b>	
Source Protection Zone	Within 250m	None recorded within 250m.	
Abstraction Licences	44m N	Surface Water & Potable Abstractions – Longwood Upper and Lower Reservoirs. Status: Historical.	
	199m SE	Surface Water Abstractions – Claywood Brook. Status: Historical.	
Records of Part A(2) and Part B Activities and Enforcements	Within 250m	None recorded within 250m.	
Records of Licensed Discharge Consents	104m NW	Effluent Type: Trade Discharges. Receiving Waters: Tributary of Long Brook.	
High Soil Leaching Potential	On Site	Leaching Class: High.	
<b>CONTROLLED WATERS<sup>10</sup></b>			
<b>Description</b>	<b>Location</b>	<b>Details</b>	
River Network Entries	130m S	Clay Wood Brook	
Surface Water Features	Within 250m	3 surface water records present within 250m. Unknown type.	
<b>POLLUTION INCIDENTS<sup>11</sup></b>			
<b>Pollutant</b>	<b>Receptor</b>	<b>Location</b>	<b>Date</b>
-	-	None recorded within 250m	-
<b>ENVIRONMENT AGENCY FLOOD RISK<sup>12</sup></b>			
<b>Description</b>	<b>Location</b>	<b>Details</b>	
Zone 2	Within 250m	The site is not situated within a Zone 2 flood plain.	
Zone 3	Within 250m	The site is not situated within a Zone 3 flood plain.	
Flood Defences	Within 250m	None recorded within 250m.	
Groundwater Flooding Area	Within 250m	Negligible potential for groundwater flooding to occur.	

<sup>8</sup> See Appendix 2<sup>9</sup> See Appendix 2<sup>10</sup> See Appendix 2<sup>11</sup> See Appendix 2<sup>12</sup> See Appendix 2

## 2.7 Sensitive Land Use

**Table 6: Sensitive Land Uses within 250m**

REGISTERED SENSITIVE LAND USES <sup>13</sup>		
Description	Location	Details
Nitrate Vulnerable Zone	Within 250m	None recorded within 250m.
Green Belt Land	On site	South and West Yorkshire Green Belt – Kirklees.

## 2.8 Industrial Land Use and Potential Sources of Contamination

In order for a conceptual site model and preliminary risk assessment to be completed the historical maps and Groundsure data requires analysis to identify any past or present activities on the site and in the area that may have the potential to cause contamination on the site. Guidance has been issued by the Environment Agency, NHBC and Chartered Institute of Environmental Health.<sup>14</sup> Within this document, annex 3 provides examples of important contaminants that are associated with individual uses of land. This data assists in the formulation of any chemical testing regime.

Those that we consider potentially contaminative according to the guidance are given below:

**Table 7: Potentially Contaminative Sources**

HISTORICAL		
Land Use	Location	Classification
Historical construction	On site	Artificial/made ground.
Reservoirs	Adjacent N & W, 200m SE	
Pumping Station	On site	Unspecified works/factories/features.
Works	60m SW	
Newhouse Dye Works	230m SE	
CURRENT		
Land Use	Location	Classification
Electricity Sub Station	46m E	Unspecified works/factories/features.
TANKS		
Land Use	Location	Classification
Above Ground Storage Tank	On site	A tank of unknown use was noted to be present when reviewing the historical maps, however, this tank was then noted to have been removed.

<sup>13</sup> See Appendix 2

<sup>14</sup> Guidance for the Safe Development of Housing on Land Affected by Contamination, R&D Publication 66: 2008 Volume 1 and 2.

### 3. Preliminary Qualitative Risk Assessment

The potential of contamination hazards on the land has been identified and the risks associated with them are assessed in the following preliminary risk assessment in accordance with industry practice and the 'suitable for use' approach. This has been conducted using the source-pathway-receptor approach. This method dictates that there must be a risk contaminant produced at a 'source' in sufficient concentration to cause harm and there must be a 'pathway' for the contaminant to reach an identifiable 'receptor' for the linkage to be proved and a contamination hazard to be considered present. Not all substances are contaminants and not all contaminants are considered to be a risk. Indeed, DEFRA and The Environment Agency state that **'a contaminant is a substance which has the potential to cause harm, while a risk itself is considered to exist if such a substance is present in sufficient concentration to cause harm and a pathway exists for a receptor to be exposed to the substance.'**

R&D Publication 66: 2008 states that the groups at risk of harm (receptors) can be identified by the following categorisation:

1. Humans: site personnel, end users, visitors and adjacent land users.
2. The water environment – receptors: groundwater, surface water, coastal waters and artificial drainage.
3. Ecosystems: plants and animals.
4. Construction/building materials/services

In order to complete a conceptual site model and therefore a preliminary risk assessment, an appraisal of the sources of contamination, potential and actual, on and in the area of the site has therefore been completed with reference to this pollution linkage.<sup>15</sup>

#### 3.1 Conceptual Ground Model & Preliminary Qualitative Risk Assessment

It is understood that the development proposals currently comprise the change in use to the existing structure to form 1no. residential dwelling with garden areas and car parking. In view of the sensitivity of the end users it is considered that the soil screening values (SSVs) for a residential with plant uptake end use should be employed.

The preliminary risk assessment has been evaluated with reference to the following ratings and definitions:

- |                   |   |
|-------------------|---|
| <b>N/A -</b>      | A source-pathway-receptor linkage is not considered to exist and therefore a risk assessment is not required.   |
| <b>Low -</b>      | A pollution linkage is unlikely and/or the likelihood of harm occurring is low and of minor consequence.  |
| <b>Moderate -</b> | The linkage exists but further field or laboratory data is required to confirm that the contaminant has reached the receptor and the levels of contaminant are harmful. |
| <b>High -</b>     | The linkage exists and the available data indicates that significant harm may be caused and remedial action could be necessary.   |

<sup>15</sup> This assessment has been based on the information as to the proposed development that has been provided by the client. If the plans should change, the assessment should be re-evaluated.



**Table 8: Conceptual Site Model and Preliminary Qualitative Risk Assessment**

CONCEPTUAL SITE MODEL			PRELIMINARY RISK ASSESSMENT	
Pathways	Receptor	Linkage Present?	Risk Rating	Notes
Direct contact/dermal absorption/soil ingestion	Operative	Yes – operatives are likely to come in contact with the soil.	Moderate	There are potential on and off-site sources of contamination that may have caused contamination of the site.
	End User	Yes – end users are likely to come in contact with the soil.	Moderate	Any on site sources of contamination could migrate to neighbouring properties.
	Neighbours	Yes – possible source on site and immediate neighbours are present.	Moderate	Further testing required to reach a firm conclusion.
Inhalation of Dust/Vapours	Operative	Yes – contact with soil likely during works and vapours may accumulate in enclosed spaces.	Moderate	There are potential on and off-site sources of contamination that may have caused contamination of the site.
	End User	Yes – end users may produce dust.	Moderate	Any on site sources of contamination could migrate to neighbouring properties.
	Neighbours	Yes – neighbouring properties present and possible inhalation of dust during the works.	Moderate	Construction activities may create dust on and off site, which, if contaminated, could adversely affect operatives, end users and neighbours. Further testing required to reach a firm conclusion.
Ingestion of fruit/vegetables and/or waters	Operative	No – no edible plants or contained water sources in the area of the proposed new works.	N/A	
	End User	Yes – soft landscaping proposed as part of the new development.	Moderate	There are potential on and off-site sources of contamination that may have caused contamination of the site. Further testing required to reach a firm conclusion.
	Neighbours	No – there are no residential developments within 250m of the site.	N/A	



Migration of hazardous gases via permeable strata	Operative	Yes – possible off-site sources and potential source on site associated with historical construction.	Moderate	Possible source on site and within 250m. A programme of monitoring is recommended but is suggested to be limited to 4 readings over one month in the first instance. If significant made ground considered capable of producing harmful gases is revealed during the investigation works, the monitoring regime may require reassessment to consider a higher potential risk.
	End User		Moderate	
	Neighbours	Yes – possible source on site due to historical construction.	Low to Moderate	It is unlikely that significant thicknesses of made ground will have been brought on to site for previous construction. Therefore, a generative source has unlikely been produced on site. This should be re-assessed during any intrusive works should this be proven to the contrary.
Spillage/loss/run off direct to receiving water	Controlled Waters	Yes – possible source on site and controlled waters within 250m.	Moderate	There are potential on and off-site sources of contamination that may have caused contamination of the site.
Migration via permeable unsaturated strata	Controlled Waters	Yes – possible source on site and Secondary A aquifer beneath the site.	Moderate	Controlled waters within 250m. Secondary A aquifer underlies the site. Permeability of underlying geology should be assessed.
Run off via drainage/sewers etc	Controlled Waters	Yes – possible source on site.	Moderate	Further testing required to reach a firm conclusion.
Direct contact with contaminated soils	Plants	Yes – soft landscaping areas are present as part of the proposed development.	Moderate	There are potential on and off-site sources of contamination that may have caused contamination of the site.
Uptake via root system			Moderate	Any on site sources of contamination could migrate to neighbouring properties. Further testing required to reach a firm conclusion.
Direct contact with contaminated soils/ Direct contact with contaminated groundwater	Building Materials	Yes – possible source on and off site and foundation and service installation materials may be affected by the site soil.	Moderate	There are potential on and off-site sources of contamination that may have caused contamination of the site. Further testing required to reach a firm conclusion.

Migration of mine gas via permeable strata	Operative	Yes – in an area affected by coal mining activity, however, there is no evidence or records of past mining within 250m of the site.	Low	Further knowledge required to reach a firm conclusion.
	End User			
Exposure to Radon	Operative	Yes – site currently indicated to be present in a low risk radon affected area <sup>16</sup> .	Low	Between 1% and 3% of properties are affected. The publication BR211 states that no protection measures are necessary.
	End User			
Mining Instability	End User	Yes – in an area affected by coal mining activity, however, there is no evidence or records of past mining within 250m of the site.	Low	No further action required.
Unexploded Ordnance (UXO) Risk	Operative	Yes – the Zetica <sup>17</sup> online maps indicate that the site is at low risk from UXO.	Low	Unlikely to be affected by UXO.

Notes:

1. The above data and table is a qualitative assessment of the probable risks identified at this site, based on the information made available to us from the client, third party professional data and walkover survey.
2. Should any additional or new data come to light, the risk assessment should be revisited and any necessary changes made to any recommendations resulting from this study.
3. Where further testing is recommended as part of the risk assessment, this is in order to provide a quantitative assessment of any contamination issues. It should at all times be considered that uncertainties may remain, and therefore any testing regime and ground investigation philosophy should be ready to accommodate any necessary alterations should any data come to light or it become evident that it has not been previously considered.

<sup>16</sup> Radon interactive map [online resource <https://www.ukradon.org/radonmaps/>] It should be appreciated that radon maps are subject to change and are updated regularly.

<sup>17</sup> Pre-desk study assessment [online resource from [www.zeticauxo.com](http://www.zeticauxo.com)].

## 4. Intrusive Investigation

---

### 4.1 Site Investigation Philosophy

The information from the Phase 1 Desk Study shows there are potential sources of contamination on the site and in the surrounding area. In view of the above, any intrusive investigation should be undertaken in accordance with the sampling strategies given in BS10175: 2011 +A2:2017 and CLR4:1994. These two sampling strategies may be classified as:

- Non-Targeted – using a defined sampling pattern (BS10175)
- Targeted – based on prior knowledge and professional judgement (CLR4)

These sampling strategies are considered in more detail below. However, it is emphasised that they can be used individually or in combination depending on the depth of site knowledge.

#### **Non-Targeted Sampling**

If no obvious 'hot spots' of contamination have been identified on a site, it would be recommended that a stratified random pattern of sampling points be considered. This work should be undertaken with reference to BS10175: 2011 +A2: 2017 *Investigation of potentially contaminated sites – Code of practice: 7.6*, and BS5930 2015 + A1:2020, *Code of practice for ground investigations*.

#### **Targeted Sampling**

If a possible 'hot spot' of contamination has been identified on a site, it is recommended that a herringbone pattern of sampling points be considered in the immediate vicinity. If strong evidence of contamination has then been identified, it is recommended that sampling be highly focused to reflect that evidence and the investigator's experience. This work should be undertaken with reference to CLR4, *Sampling Strategies for Contaminated Land, 1994*.

The density of sampling required is defined in BS10175: 2011: +A2: 2017: 7.7.2.2.3, which indicates that an *exploratory* investigation usually requires a lower density sample spacing than does a *main* investigation. The BS goes on to state that *the actual density should depend upon the confidence and robustness required of decisions that will be based on the information obtained. Thus, the area and depth of interest will be related to the contaminants present, the pathways and the receptors. Typical densities of sampling grids can vary from 25m to 50m centres for exploratory investigations, and 10m to 25m centres for main investigations.*

### 4.2 Site Specific Investigation

In view of the information provided above it is considered that an investigation of the site should include the following main elements.

#### 4.2.1 Contamination Assessment

It may be appreciated that BS 10175 clause 7.7.2.2.3 suggests that the number of sampling points at the site should be based on a minimum of three testing locations or the size of the site with respect to the appropriate grid spacing, whichever the greater. On the basis of the site area being 0.18ha, the number of sampling points at the site should be considered with respect to the table below.

Table 9: Summary of Sampling Strategy					
NUMBER OF SAMPLING POINTS					
	Soil	Water	Asbestos	Standpipes	Standpipe Readings
Exploratory Investigation 50m x 50m grid	3	-	3	3	A minimum of 4 readings over 1 month would be required as per risk assessment, however any regime must take into account the guidance detailed below.
Target Areas	Should be assessed during any investigation.				

Chemical testing should be undertaken on the above grid spacing and the following standard testing regime should be undertaken:

- **Metals** – Cd, Cr, Cu, Hg, Ni, Pb, Zn, V.
- **Semi Metals and Non-Metals** – As, Se, Free Cyanide and Phenols.
- **Hydrocarbons** – Polycyclic aromatic hydrocarbons (PAH EPA16), Total petroleum hydrocarbons (TPH CWG).
- **Others** – pH, Organic Content.
- **Asbestos**

#### Sampling Method

Investigation should include the installation of three gas monitoring standpipes for subsequent monitoring. Furthermore, soils should be obtained for chemical sampling. The sampling strategy should employ the non-targeted strategy given above in the first instance, i.e. at least three sampling points, if it is anticipated that made ground is significant across the site. However, if the made ground at the site is thought to be localised to specific areas, then the targeted strategy should be used.

It should be possible to carry out the above work with a windowless sampling drilling rig, however, it may be more pragmatic to employ hand-held digging tools for a targeted strategy.

#### Gas Monitoring

The final gas monitoring regime should be undertaken in accordance with Table 4.2 of CIRIA C665: 2007: *Assessing risks posed by hazardous ground gasses to buildings*. In that document guidance for the frequency of monitoring is provided on tables 5.5a and 5.5b *Typical/idealised frequency and period of monitoring* on page 60. For convenience, these tables have been combined and reproduced below.

**Table 10: Typical/idealised Frequency and Period of Monitoring.**

Sensitivity of development	Generation potential of source				
	Very low	Low	Moderate	High	Very High
Low (commercial)	4/1	6/2	6/3	12/6	12/12
Moderate (flats)	6/2	6/3	9/6	12/12	24/24
<b>High (residential + gardens)</b>	<b>6/3</b>	<b>9/6</b>	<b>12/6</b>	<b>24/12</b>	<b>24/24</b>

## Notes:

- a) The first number is the minimum number of readings and the second number is the minimum period in months, for example 4/1 – four sets of readings over 1 month.
- b) At least two sets of readings must be at low and falling atmospheric pressure (but not restricted to periods below 1000mb) known as worst case conditions.
- c) The frequency and period stated are considered to represent typical minimum requirements. Depending on specific circumstances fewer or additional readings may be required (e.g. any such variation subject to site specific justification). The NHBC guidance is also recommending these periods/frequencies of monitoring.
- d) Historical data can be used as part of the data set.
- e) Not all sites will require gas monitoring. However, this would need to be confirmed with demonstrable evidence.
- f) Placing high sensitivity end use on a high hazard site is not normally acceptable unless the source is removed or treated to reduce its gassing potential. Under such circumstances long-term monitoring may not be appropriate or required.
- g) This guidance should be read in conjunction with BS 8576:2013 figure 6 which may justify fewer readings in the first instance, where the generation potential is considered to be very low to low. However, this should be undertaken pragmatically, and further readings obtained according to the above table, where a potentially significant source is identified and initial readings suggest that remedial measures are not necessary.

#### 4.2.2 Geotechnical Assessment

In addition to the above contamination assessment which is likely to be required by planning authorities and insurance providers, the following investigation strategy could be considered:

## **Sampling Method**

It is anticipated that a windowless sampling drilling rig will be able to gain sufficient data in regard to the near surface soils. Moreover, such equipment should be able to undertake Standard Penetration Testing (SPT) and/or Dynamic Probing.

## **Soakaway Design**

Should soakaway data be required for drainage design, trialpits could be excavated and infiltration tests conducted. Alternatively, these tests could be undertaken within boreholes.

## **Geotechnical Testing**

An allowance for geotechnical testing of the soils should be included in any ground investigation.

### **4.2.3 Reporting**

The above data will need to be formulated into a formal assessment that should include the following:

- Geotechnical recommendations.
- Contamination assessment.
- Contamination remediation strategy.
- Any recommendations for further work, if required and including validation reports where site remediation is necessary.

As soon as is practicable, and prior to the above, this Phase 1 report should be forwarded to the relevant authorities, in order to ensure they have sufficient time to review and discuss any issues.

## 5. References

---


- British Standards Institution (2015), BS5930 2015 + A1:2020: *Code of practice for site investigations*, B.S.I., London.
- British Standards Institution (2007), Amendment No 1 to BS5930: *Code of practice for ground investigations*, B.S.I., London.
- British Standards Institution (2011) +A2:2017, BS 10175: *Investigation of potentially contaminated sites – Code of Practice*, British Standards Institute.
- British Standards Institution (2013), BS 8576 *Guidance on Investigations for Ground Gas – Permanent Gases and Volatile Organic Compounds*.
- Department for Environment, Food and Rural Affairs and the Environment Agency, DEFRA R&D Publications, Environment Agency, Bristol.
- CLR 2, 1994, *Guidance on preliminary site inspection of contaminated land*, Volume 1.
- CLR 4, 1994, *Sampling Strategies for contaminated land*.
- R&D Publication 66: 2008 *Guidance for the Safe Development of Housing on Land Affected by Contamination*.
- CIRIA Report C665 (2007), *Assessing risks posed by ground gasses in buildings*.
- The Environment Agency: *Groundwater source protection*.

---

## Appendix 1

### Site Plans

---



Notes:  
 Sketch schemes may be based on plan information of banking or cut and is subject to verification and survey.  
 Contractors must verify all dimensions on site before commencing work or shop drawings.  
 This drawing is not to be scaled. Use figured dimensions only.  
 Where digital versions are plotted at 'Actual Size'.  
 Building areas are liable to adjustment over the course of the design process due to ongoing construction detailing developments.  
 Subject to statutory approvals and survey.  
 The bar below is to check that the drawing has been printed to scale.

- C Red line boundary revised to NLP 18/01/16 AH
- B OS Map outline colour changed 06/11/15 YA
- A Boundary Revised to solid red line 03/11/15 AH

Status **PLANNING**

Project

**Longwood**

Client

**Keyland**

Drawing

**Site Location Plan**


Date	Project No	Drawing Number
01.09.15	0506	PL-01 C

Scale (A4 Sheet)

**1:2500**

Drawn By  
**WCC**

Checked By  
**GE**



w [www.eas-limited.co.uk](http://www.eas-limited.co.uk) e [admin@eas-limited.co.uk](mailto:admin@eas-limited.co.uk)

2 Riverside Way, Whitehall Waterfront, Whitehall Road LEEDS, LS1 4EH | 0113 819 8041  
 78-80 St John Street, Clerkenwell, LONDON, EC1M 4EG | 020 7549 8074

---

## Appendix 2

### Historical Maps

---

**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series


**Map date:** 1893

**Scale:** 1:2,500

**Printed at:** 1:2,500



Surveyed 1893  
Revised 1893  
Edition N/A  
Copyright N/A  
Levelled N/A



Surveyed 1893  
Revised 1893  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series  
**Map date:** 1907  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed 1907  
 Revised 1907  
 Edition N/A  
 Copyright N/A  
 Levelled N/A

Surveyed 1907  
 Revised 1907  
 Edition N/A  
 Copyright N/A  
 Levelled N/A


**Powered by**  


Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)




**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series  
**Map date:** 1919  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed 1919  
 Revised 1919  
 Edition N/A  
 Copyright N/A  
 Levelled N/A



Surveyed 1919  
 Revised 1919  
 Edition N/A  
 Copyright N/A  
 Levelled N/A

**Powered by**




Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series  
**Map date:** 1932-1933  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed 1933  
 Revised 1933  
 Edition N/A  
 Copyright N/A  
 Levelled N/A


Surveyed 1932  
 Revised 1932  
 Edition N/A  
 Copyright N/A  
 Levelled N/A

Powered by  Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid  
**Map date:** 1962-1963  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed 1961 Revised 1961 Edition N/A Copyright 1963 Levelled 1959	Surveyed 1961 Revised 1961 Edition 1962 Copyright 1962 Levelled 1959
Surveyed N/A Revised N/A Edition N/A Copyright N/A Levelled N/A	Surveyed 1961 Revised 1961 Edition 1962 Copyright 1962 Levelled 1959

**Powered by**




Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid  
**Map date:** 1963  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed 1961  
 Revised 1961  
 Edition 1963  
 Copyright 1963  
 Levelled 1959


**Powered by**  


Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid


**Map date:** 1975

**Scale:** 1:2,500

**Printed at:** 1:2,500



Surveyed N/A  
Revised N/A  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid


**Map date:** 1975-1978

**Scale:** 1:2,500

**Printed at:** 1:2,500



Surveyed 1974  
Revised 1974  
Edition N/A  
Copyright 1975  
Levelled 1959



Surveyed N/A  
Revised N/A  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid  
**Map date:** 1982  
**Scale:** 1:2,500  
**Printed at:** 1:2,500




Surveyed 1961  
 Revised 1980  
 Edition N/A  
 Copyright 1982  
 Levelled 1959

Powered by  Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid

**Map date:** 1993

**Scale:** 1:1,250

**Printed at:** 1:2,000



	<p>Surveyed 1993 Revised N/A Edition N/A Copyright 1993 Levelled N/A</p>
<p>Surveyed N/A Revised N/A Edition N/A Copyright 1993 Levelled N/A</p>	<p>Surveyed 1993 Revised N/A Edition N/A Copyright 1993 Levelled N/A</p>



Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)


**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid  
**Map date:** 1993  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed N/A  
 Revised N/A  
 Edition N/A  
 Copyright 1993  
 Levelled N/A




Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)






**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid  
**Map date:** 1995  
**Scale:** 1:2,500  
**Printed at:** 1:2,500



Surveyed N/A  
 Revised N/A  
 Edition N/A  
 Copyright N/A  
 Levelled N/A




Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025


Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfild Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** LandLine  
**Map date:** 2003  
**Scale:** 1:1,250  
**Printed at:** 1:1,250




**Powered by**  
 Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series


**Map date:** 1854

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1850  
Revised N/A  
Edition 1854  
Copyright N/A  
Levelled 1853



Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)

**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series

**Map date:** 1890

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1890  
Revised 1890  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



0 500m

**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series

**Map date:** 1905

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1890  
Revised 1905  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series

**Map date:** 1930

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1849  
Revised 1930  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series

**Map date:** 1938

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1849  
Revised 1938  
Edition 1938  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** County Series

**Map date:** 1948

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1849  
Revised 1948  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** Provisional

**Map date:** 1955-1956

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1951  
Revised 1955  
Edition N/A  
Copyright N/A  
Levelled N/A

Surveyed 1951  
Revised 1951  
Edition N/A  
Copyright 1956  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** Provisional

**Map date:** 1966-1967

**Scale:** 1:10,560

**Printed at:** 1:10,560



Surveyed 1967  
Revised 1967  
Edition N/A  
Copyright N/A  
Levelled N/A

Surveyed 1966  
Revised 1966  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid

**Map date:** 1975-1978

**Scale:** 1:10,000

**Printed at:** 1:10,000



Surveyed 1977  
Revised 1978  
Edition N/A  
Copyright N/A  
Levelled N/A

Surveyed 1974  
Revised 1975  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid

**Map date:** 1985

**Scale:** 1:10,000

**Printed at:** 1:10,000



Surveyed 1984  
Revised 1985  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid

**Map date:** 1993

**Scale:** 1:10,000

**Printed at:** 1:10,000



Surveyed 1977  
Revised 1993  
Edition N/A  
Copyright N/A  
Levelled N/A




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB


**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid

**Map date:** 2001

**Scale:** 1:10,000

**Printed at:** 1:10,000




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025


Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**  
 Victoria Works, Holmfield Road,  
 LONGWOOD, HUDDERSFIELD,  
 KIRKLEES, HD3 4UB

**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid  
**Map date:** 2010  
**Scale:** 1:10,000  
**Printed at:** 1:10,000




**Powered by**  


Produced by  
 Groundsure Insights  
 T: 08444 159000  
 E: [info@groundsure.com](mailto:info@groundsure.com)  
 W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



**Site Details:**

Victoria Works, Holmfield Road,  
LONGWOOD, HUDDERSFIELD,  
KIRKLEES, HD3 4UB


**Client Ref:** C/4923/25/E/7503 - PO-3474  
**Report Ref:** GS-645-LYF-3NS-YPB  
**Grid Ref:** 409813, 416930

**Map Name:** National Grid

**Map date:** 2025

**Scale:** 1:10,000

**Printed at:** 1:10,000




Produced by  
Groundsure Insights  
T: 08444 159000  
E: [info@groundsure.com](mailto:info@groundsure.com)  
W: [www.groundsure.com](http://www.groundsure.com)

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 July 2025

Map legend available at:  
[www.groundsure.com/sites/default/files/groundsure\\_legend.pdf](http://www.groundsure.com/sites/default/files/groundsure_legend.pdf)



---

## Appendix 3

### Groundsure Reports

---

Victoria Works, Holmfield Road, LONGWOOD, HUDDERSFIELD, KIRKLEES, HD3 4UB

## Order Details

**Date:** 28/07/2025  
**Your ref:** C/4923/25/E/7503 - PO-3474  
**Our Ref:** GS-W5Y-5LV-A2H-WV1

## Site Details

**Location:** 409812 416930  
**Area:** 0.18 ha  
**Authority:** [Kirklees Council](#) ↗



[Summary of findings](#)

[p. 2 >](#)

[Aerial image](#)

[p. 9 >](#)

[OS MasterMap site plan](#)

[p.13 >](#)

[Insight User Guide](#) ↗

## Summary of findings

Page	Section	<a href="#">Past land use &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">14 &gt;</a>	<a href="#">1.1 &gt;</a>	<a href="#">Historical industrial land uses &gt;</a>	3	0	13	12	-
<a href="#">16 &gt;</a>	<a href="#">1.2 &gt;</a>	<a href="#">Historical tanks &gt;</a>	2	1	5	4	-
<a href="#">16 &gt;</a>	<a href="#">1.3 &gt;</a>	<a href="#">Historical energy features &gt;</a>	0	0	0	3	-
17	1.4	Historical petrol stations	0	0	0	0	-
17	1.5	Historical garages	0	0	0	0	-
17	1.6	Historical military land	0	0	0	0	-
Page	Section	<a href="#">Past land use - un-grouped &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">18 &gt;</a>	<a href="#">2.1 &gt;</a>	<a href="#">Historical industrial land uses &gt;</a>	4	0	18	14	-
<a href="#">20 &gt;</a>	<a href="#">2.2 &gt;</a>	<a href="#">Historical tanks &gt;</a>	3	1	7	6	-
<a href="#">21 &gt;</a>	<a href="#">2.3 &gt;</a>	<a href="#">Historical energy features &gt;</a>	0	0	0	6	-
21	2.4	Historical petrol stations	0	0	0	0	-
22	2.5	Historical garages	0	0	0	0	-
Page	Section	<a href="#">Waste and landfill &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
23	3.1	Active or recent landfill	0	0	0	0	-
23	3.2	Historical landfill (BGS records)	0	0	0	0	-
<a href="#">24 &gt;</a>	<a href="#">3.3 &gt;</a>	<a href="#">Historical landfill (LA/mapping records) &gt;</a>	0	0	2	0	-
<a href="#">24 &gt;</a>	<a href="#">3.4 &gt;</a>	<a href="#">Historical landfill (EA/NRW records) &gt;</a>	0	0	1	0	-
24	3.5	Historical waste sites	0	0	0	0	-
25	3.6	Licensed waste sites	0	0	0	0	-
<a href="#">25 &gt;</a>	<a href="#">3.7 &gt;</a>	<a href="#">Waste exemptions &gt;</a>	0	0	0	1	-
Page	Section	<a href="#">Current industrial land use &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">26 &gt;</a>	<a href="#">4.1 &gt;</a>	<a href="#">Recent industrial land uses &gt;</a>	0	1	1	-	-
<a href="#">27 &gt;</a>	<a href="#">4.2 &gt;</a>	<a href="#">National Geographic Database (NGD) - Current or recent tanks &gt;</a>	0	0	2	-	-
27	4.3	Current or recent petrol stations	0	0	0	0	-
27	4.4	Electricity cables	0	0	0	0	-
27	4.5	Gas pipelines	0	0	0	0	-



27	4.6	Sites determined as Contaminated Land	0	0	0	0	-			
28	4.7	Control of Major Accident Hazards (COMAH)	0	0	0	0	-			
28	4.8	Regulated explosive sites	0	0	0	0	-			
28	4.9	Hazardous substance storage/usage	0	0	0	0	-			
28	4.10	Historical licensed industrial activities (IPC)	0	0	0	0	-			
28	4.11	Licensed industrial activities (Part A(1))	0	0	0	0	-			
29	4.12	Licensed pollutant release (Part A(2)/B)	0	0	0	0	-			
29	4.13	Radioactive Substance Authorisations	0	0	0	0	-			
<b>29</b>	<b>&gt;</b>	<b><u>4.14</u></b>	<b>&gt;</b>	<b><u>Licensed Discharges to controlled waters</u></b>	<b>&gt;</b>	0	0	1	5	-
30	4.15	Pollutant release to surface waters (Red List)	0	0	0	0	-			
30	4.16	Pollutant release to public sewer	0	0	0	0	-			
30	4.17	List 1 Dangerous Substances	0	0	0	0	-			
31	4.18	List 2 Dangerous Substances	0	0	0	0	-			
31	4.19	Pollution Incidents (EA/NRW)	0	0	0	0	-			
31	4.20	Pollution inventory substances	0	0	0	0	-			
31	4.21	Pollution inventory waste transfers	0	0	0	0	-			
31	4.22	Pollution inventory radioactive waste	0	0	0	0	-			
Page	Section	Hydrogeology	On site	0-50m	50-250m	250-500m	500-2000m			
32	5.1	Superficial aquifer	None (within 500m)							
<b>33</b>	<b>&gt;</b>	<b><u>5.2</u></b>	<b>&gt;</b>	<b><u>Bedrock aquifer</u></b>	<b>&gt;</b>	Identified (within 500m)				
<b>35</b>	<b>&gt;</b>	<b><u>5.3</u></b>	<b>&gt;</b>	<b><u>Groundwater vulnerability</u></b>	<b>&gt;</b>	Identified (within 50m)				
36	5.4	Groundwater vulnerability- soluble rock risk	None (within 0m)							
36	5.5	Groundwater vulnerability- local information	None (within 0m)							
<b>37</b>	<b>&gt;</b>	<b><u>5.6</u></b>	<b>&gt;</b>	<b><u>Groundwater abstractions</u></b>	<b>&gt;</b>	0	0	0	2	11
<b>40</b>	<b>&gt;</b>	<b><u>5.7</u></b>	<b>&gt;</b>	<b><u>Surface water abstractions</u></b>	<b>&gt;</b>	0	1	1	1	10
<b>44</b>	<b>&gt;</b>	<b><u>5.8</u></b>	<b>&gt;</b>	<b><u>Potable abstractions</u></b>	<b>&gt;</b>	0	1	0	0	0
44	5.9	Source Protection Zones	0	0	0	0	-			
45	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-			
Page	Section	Hydrology	On site	0-50m	50-250m	250-500m	500-2000m			



<a href="#">46 &gt;</a>	<a href="#">6.1 &gt;</a>	<a href="#">Water Network (OS MasterMap) &gt;</a>	0	0	5	-	-
<a href="#">47 &gt;</a>	<a href="#">6.2 &gt;</a>	<a href="#">Surface water features &gt;</a>	0	1	2	-	-
<a href="#">47 &gt;</a>	<a href="#">6.3 &gt;</a>	<a href="#">WFD Surface water body catchments &gt;</a>	1	-	-	-	-
<a href="#">48 &gt;</a>	<a href="#">6.4 &gt;</a>	<a href="#">WFD Surface water bodies &gt;</a>	0	0	0	-	-
<a href="#">48 &gt;</a>	<a href="#">6.5 &gt;</a>	<a href="#">WFD Groundwater bodies &gt;</a>	1	-	-	-	-
Page	Section	<a href="#">River and coastal flooding &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
49	7.1	Risk of flooding from rivers and the sea	None (within 50m)				
<a href="#">50 &gt;</a>	<a href="#">7.2 &gt;</a>	<a href="#">Historical Flood Events &gt;</a>	0	1	0	-	-
50	7.3	Flood Defences	0	0	0	-	-
50	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
50	7.5	Flood Storage Areas	0	0	0	-	-
51	7.6	Flood Zone 2	None (within 50m)				
51	7.7	Flood Zone 3	None (within 50m)				
Page	Section	<a href="#">Surface water flooding</a>					
52	8.1	Surface water flooding	Negligible (within 50m)				
Page	Section	<a href="#">Groundwater flooding &gt;</a>					
<a href="#">53 &gt;</a>	<a href="#">9.1 &gt;</a>	<a href="#">Groundwater flooding &gt;</a>	Negligible (within 50m)				
Page	Section	<a href="#">Environmental designations &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
54	10.1	Sites of Special Scientific Interest (SSSI)	0	0	0	0	0
55	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
55	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
55	10.4	Special Protection Areas (SPA)	0	0	0	0	0
55	10.5	National Nature Reserves (NNR)	0	0	0	0	0
56	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
<a href="#">56 &gt;</a>	<a href="#">10.7 &gt;</a>	<a href="#">Designated Ancient Woodland &gt;</a>	0	0	0	0	2
56	10.8	Biosphere Reserves	0	0	0	0	0
56	10.9	Forest Parks	0	0	0	0	0
57	10.10	Marine Conservation Zones	0	0	0	0	0
<a href="#">57 &gt;</a>	<a href="#">10.11 &gt;</a>	<a href="#">Green Belt &gt;</a>	1	0	0	0	1



57	10.12	Proposed Ramsar sites	0	0	0	0	0
57	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
58	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
58	10.15	Nitrate Sensitive Areas	0	0	0	0	0
58	10.16	Nitrate Vulnerable Zones	0	0	0	0	0
<b>59 &gt;</b>	<b>10.17 &gt;</b>	<b><u>SSSI Impact Risk Zones</u> &gt;</b>	1	-	-	-	-
60	10.18	SSSI Units	0	0	0	0	0
Page	Section	Visual and cultural designations	On site	0-50m	50-250m	250-500m	500-2000m
61	11.1	World Heritage Sites	0	0	0	-	-
61	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
61	11.3	National Parks	0	0	0	-	-
61	11.4	Listed Buildings	0	0	0	-	-
62	11.5	Conservation Areas	0	0	0	-	-
62	11.6	Scheduled Ancient Monuments	0	0	0	-	-
62	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	<u>Agricultural designations</u> >	On site	0-50m	50-250m	250-500m	500-2000m
<b>63 &gt;</b>	<b>12.1 &gt;</b>	<b><u>Agricultural Land Classification</u> &gt;</b>	Urban (within 250m)				
64	12.2	Open Access Land	0	0	0	-	-
64	12.3	Tree Felling Licences	0	0	0	-	-
64	12.4	Environmental Stewardship Schemes	0	0	0	-	-
64	12.5	Countryside Stewardship Schemes	0	0	0	-	-
Page	Section	Habitat designations	On site	0-50m	50-250m	250-500m	500-2000m
65	13.1	Priority Habitat Inventory	0	0	0	-	-
65	13.2	Habitat Networks	0	0	0	-	-
65	13.3	Open Mosaic Habitat	0	0	0	-	-
65	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	<u>Geology 1:10,000 scale</u> >	On site	0-50m	50-250m	250-500m	500-2000m
<b>66 &gt;</b>	<b>14.1 &gt;</b>	<b><u>10k Availability</u> &gt;</b>	Identified (within 500m)				
<b>67 &gt;</b>	<b>14.2 &gt;</b>	<b><u>Artificial and made ground (10k)</u> &gt;</b>	1	0	1	3	-

69	14.3	Superficial geology (10k)	0	0	0	0	-
<a href="#">69 &gt;</a>	<a href="#">14.4 &gt;</a>	<a href="#">Landslip (10k) &gt;</a>	0	0	1	1	-
<a href="#">71 &gt;</a>	<a href="#">14.5 &gt;</a>	<a href="#">Bedrock geology (10k) &gt;</a>	1	0	2	4	-
<a href="#">72 &gt;</a>	<a href="#">14.6 &gt;</a>	<a href="#">Bedrock faults and other linear features (10k) &gt;</a>	0	0	2	3	-
Page	Section	<a href="#">Geology 1:50,000 scale &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">73 &gt;</a>	<a href="#">15.1 &gt;</a>	<a href="#">50k Availability &gt;</a>	Identified (within 500m)				
<a href="#">74 &gt;</a>	<a href="#">15.2 &gt;</a>	<a href="#">Artificial and made ground (50k) &gt;</a>	1	0	0	0	-
<a href="#">75 &gt;</a>	<a href="#">15.3 &gt;</a>	<a href="#">Artificial ground permeability (50k) &gt;</a>	1	0	-	-	-
76	15.4	Superficial geology (50k)	0	0	0	0	-
76	15.5	Superficial permeability (50k)	None (within 50m)				
<a href="#">77 &gt;</a>	<a href="#">15.6 &gt;</a>	<a href="#">Landslip (50k) &gt;</a>	0	0	1	1	-
77	15.7	Landslip permeability (50k)	None (within 50m)				
<a href="#">78 &gt;</a>	<a href="#">15.8 &gt;</a>	<a href="#">Bedrock geology (50k) &gt;</a>	1	0	2	2	-
<a href="#">79 &gt;</a>	<a href="#">15.9 &gt;</a>	<a href="#">Bedrock permeability (50k) &gt;</a>	Identified (within 50m)				
<a href="#">79 &gt;</a>	<a href="#">15.10 &gt;</a>	<a href="#">Bedrock faults and other linear features (50k) &gt;</a>	0	0	2	1	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
80	16.1	BGS Boreholes	0	0	0	-	-
Page	Section	<a href="#">Natural ground subsidence &gt;</a>					
<a href="#">81 &gt;</a>	<a href="#">17.1 &gt;</a>	<a href="#">Shrink swell clays &gt;</a>	Negligible (within 50m)				
<a href="#">82 &gt;</a>	<a href="#">17.2 &gt;</a>	<a href="#">Running sands &gt;</a>	Very low (within 50m)				
<a href="#">84 &gt;</a>	<a href="#">17.3 &gt;</a>	<a href="#">Compressible deposits &gt;</a>	Very low (within 50m)				
<a href="#">86 &gt;</a>	<a href="#">17.4 &gt;</a>	<a href="#">Collapsible deposits &gt;</a>	Very low (within 50m)				
<a href="#">87 &gt;</a>	<a href="#">17.5 &gt;</a>	<a href="#">Landslides &gt;</a>	Very low (within 50m)				
<a href="#">88 &gt;</a>	<a href="#">17.6 &gt;</a>	<a href="#">Ground dissolution of soluble rocks &gt;</a>	Negligible (within 50m)				
Page	Section	<a href="#">Mining and ground workings &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
90	18.1	BritPits	0	0	0	0	-
<a href="#">91 &gt;</a>	<a href="#">18.2 &gt;</a>	<a href="#">Surface ground workings &gt;</a>	0	11	13	-	-
92	18.3	Underground workings	0	0	0	0	0
92	18.4	Underground mining extents	0	0	0	0	-

92	18.5	Historical Mineral Planning Areas	0	0	0	0	-
<a href="#">92</a> >	<a href="#">18.6</a> >	<a href="#">Non-coal mining</a> >	1	0	1	0	0
93	18.7	JPB mining areas	None (within 0m)				
93	18.8	The Coal Authority non-coal mining	0	0	0	0	-
<a href="#">93</a> >	<a href="#">18.9</a> >	<a href="#">Researched mining</a> >	0	0	0	1	-
94	18.10	Mining record office plans	0	0	0	0	-
94	18.11	BGS mine plans	0	0	0	0	-
<a href="#">94</a> >	<a href="#">18.12</a> >	<a href="#">Coal mining</a> >	Identified (within 0m)				
94	18.13	Brine areas	None (within 0m)				
95	18.14	Gypsum areas	None (within 0m)				
95	18.15	Tin mining	None (within 0m)				
95	18.16	Clay mining	None (within 0m)				
Page	Section	Ground cavities and sinkholes	On site	0-50m	50-250m	250-500m	500-2000m
96	19.1	Natural cavities	0	0	0	0	-
96	19.2	Mining cavities	0	0	0	0	0
96	19.3	Reported recent incidents	0	0	0	0	-
96	19.4	Historical incidents	0	0	0	0	-
Page	Section	<a href="#">Radon</a> >					
<a href="#">98</a> >	<a href="#">20.1</a> >	<a href="#">Radon</a> >	Between 1% and 3% (within 0m)				
Page	Section	<a href="#">Soil chemistry</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">100</a> >	<a href="#">21.1</a> >	<a href="#">BGS Estimated Background Soil Chemistry</a> >	1	2	-	-	-
100	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
100	21.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
101	22.1	Underground railways (London)	0	0	0	-	-
101	22.2	Underground railways (Non-London)	0	0	0	-	-
101	22.3	Railway tunnels	0	0	0	-	-
101	22.4	Historical railway and tunnel features	0	0	0	-	-
101	22.5	Royal Mail tunnels	0	0	0	-	-



102	22.6	Historical railways	0	0	0	-	-
102	22.7	Railways	0	0	0	-	-
102	22.8	Crossrail 2	0	0	0	0	-
102	22.9	HS2	0	0	0	0	-



## Recent aerial photograph



Capture Date: 30/05/2021

Site Area: 0.18ha



## Recent site history - 2018 aerial photograph



Capture Date: 01/07/2018

Site Area: 0.18ha



## Recent site history - 2012 aerial photograph




Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2025. All Rights Reserved.

Capture Date: 26/03/2012

Site Area: 0.18ha



## Recent site history - 1999 aerial photograph




Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2025. All Rights Reserved.

Capture Date: 10/09/1999

Site Area: 0.18ha




## OS MasterMap site plan



Site Area: 0.18ha



# 1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features

## 1.1 Historical industrial land uses

**Records within 500m** **28**

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14](#) >

ID	Location	Land use	Dates present	Group ID
A	On site	Unspecified Tanks	1938 - 1948	1493661



ID	Location	Land use	Dates present	Group ID
<b>A</b>	<b>On site</b>	<b>Filter House</b>	<b>1948</b>	<b>1501369</b>
<b>A</b>	<b>On site</b>	<b>Filter House</b>	<b>1938</b>	<b>1514855</b>
C	88m N	Unspecified Tank	1938 - 1948	1561663
2	145m SE	Refuse Heap	1978 - 1993	1549162
D	153m SE	Mill Ponds	1955	1571210
D	198m SE	Dye Works	1890 - 1905	1540426
D	199m SE	Dye Works	1938	1522173
D	201m SE	Dye Works	1948	1492369
D	206m SE	Mill Ponds	1938 - 1948	1497766
D	207m SE	Mill Ponds	1905	1549334
D	208m E	Unspecified Works	1985	1484984
D	210m SE	Unspecified Commercial/Industrial	1975	1431637
D	210m SE	Unspecified Works	1966	1544123
D	240m E	Unspecified Tanks	1956	1572835
D	241m E	Unspecified Tanks	1938 - 1948	1527122
F	411m E	Unspecified Tanks	1948	1575392
3	419m SW	Unspecified Ground Workings	1948	1439192
4	434m S	Vine Yard	1955	1455204
F	455m E	Unspecified Mills	1905	1522135
F	455m E	Unspecified Mills	1948	1558866
F	460m E	Unspecified Mills	1956 - 1975	1489966
F	460m E	Unspecified Mills	1985	1571533
F	463m E	Unspecified Mills	1938	1560222
F	473m E	Mill Ponds	1890	1480509
F	482m E	Woollen Mills	1890	1446364
F	491m E	Unspecified Tanks	1956	1484777
F	493m E	Unspecified Tanks	1938	1535874

*This data is sourced from Ordnance Survey / Groundsure.*



## 1.2 Historical tanks

<b>Records within 500m</b>	<b>12</b>
----------------------------	-----------

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14 >](#)

ID	Location	Land use	Dates present	Group ID
<b>A</b>	<b>On site</b>	<b>Unspecified Tank</b>	<b>1982</b>	<b>243282</b>
<b>A</b>	<b>On site</b>	<b>Unspecified Tank</b>	<b>1919 - 1932</b>	<b>244628</b>
1	37m SE	Tanks	1982	236121
B	78m SW	Unspecified Tank	1982	243283
B	86m S	Tanks	1982	236122
C	89m N	Unspecified Tank	1919 - 1932	257299
D	222m E	Tanks	1932	236118
D	242m E	Tanks	1919 - 1932	253868
F	492m E	Tanks	1932	236117
F	498m E	Unspecified Tank	1977 - 1993	260877
F	498m E	Unspecified Tank	1966	254289
F	499m E	Unspecified Tank	1966	243286

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.3 Historical energy features

<b>Records within 500m</b>	<b>3</b>
----------------------------	----------

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 14 >](#)



ID	Location	Land use	Dates present	Group ID
D	292m E	Electricity Substation	1977 - 1993	158872
E	378m SE	Electricity Substation	1977	154737
E	378m SE	Electricity Substation	1993	157747

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.4 Historical petrol stations

**Records within 500m**

**0**

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.5 Historical garages

**Records within 500m**

**0**

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.6 Historical military land

**Records within 500m**



**0**

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

*This data is sourced from Ordnance Survey / Groundsure / other sources.*



## 2 Past land use - un-grouped



### 2.1 Historical industrial land uses

Records within 500m

36

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 18](#) >

ID	Location	Land Use	Date	Group ID
A	On site	Unspecified Tanks	1948	1493661
A	On site	Filter House	1948	1501369
A	On site	Unspecified Tanks	1938	1493661

ID	Location	Land Use	Date	Group ID
<b>A</b>	<b>On site</b>	<b>Filter House</b>	<b>1938</b>	<b>1514855</b>
C	88m N	Unspecified Tank	1948	1561663
C	89m N	Unspecified Tank	1938	1561663
D	145m SE	Refuse Heap	1993	1549162
D	145m SE	Refuse Heap	1978	1549162
E	153m SE	Mill Ponds	1955	1571210
E	198m SE	Dye Works	1890	1540426
E	199m SE	Dye Works	1905	1540426
E	199m SE	Dye Works	1938	1522173
E	201m SE	Dye Works	1948	1492369
E	206m SE	Mill Ponds	1938	1497766
E	207m SE	Mill Ponds	1948	1497766
E	207m SE	Mill Ponds	1905	1549334
E	208m E	Unspecified Works	1985	1484984
E	210m SE	Unspecified Commercial/Industrial	1975	1431637
E	210m SE	Unspecified Works	1966	1544123
E	240m E	Unspecified Tanks	1956	1572835
E	241m E	Unspecified Tanks	1938	1527122
E	241m E	Unspecified Tanks	1948	1527122
G	411m E	Unspecified Tanks	1948	1575392
2	419m SW	Unspecified Ground Workings	1948	1439192
3	434m S	Vine Yard	1955	1455204
G	455m E	Unspecified Mills	1948	1558866
G	455m E	Unspecified Mills	1905	1522135
G	460m E	Unspecified Mills	1975	1489966
G	460m E	Unspecified Mills	1956	1489966
G	460m E	Unspecified Mills	1985	1571533
G	460m E	Unspecified Mills	1966	1489966



ID	Location	Land Use	Date	Group ID
G	463m E	Unspecified Mills	1938	1560222
G	473m E	Mill Ponds	1890	1480509
G	482m E	Woollen Mills	1890	1446364
G	491m E	Unspecified Tanks	1956	1484777
G	493m E	Unspecified Tanks	1938	1535874

This data is sourced from Ordnance Survey / Groundsure.

## 2.2 Historical tanks

**Records within 500m**

**17**

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 18 >](#)

ID	Location	Land Use	Date	Group ID
<b>A</b>	<b>On site</b>	<b>Unspecified Tank</b>	<b>1919</b>	<b>244628</b>
<b>A</b>	<b>On site</b>	<b>Unspecified Tank</b>	<b>1932</b>	<b>244628</b>
<b>A</b>	<b>On site</b>	<b>Unspecified Tank</b>	<b>1982</b>	<b>243282</b>
1	37m SE	Tanks	1982	236121
B	78m SW	Unspecified Tank	1982	243283
B	86m S	Tanks	1982	236122
C	89m N	Unspecified Tank	1919	257299
C	89m N	Unspecified Tank	1932	257299
E	222m E	Tanks	1932	236118
E	242m E	Tanks	1919	253868
E	242m E	Tanks	1932	253868
G	492m E	Tanks	1932	236117
G	498m E	Unspecified Tank	1977	260877
G	498m E	Unspecified Tank	1966	254289
G	498m E	Unspecified Tank	1993	260877



ID	Location	Land Use	Date	Group ID
G	498m E	Unspecified Tank	1993	260877
G	499m E	Unspecified Tank	1966	243286

*This data is sourced from Ordnance Survey / Groundsure.*

## 2.3 Historical energy features

**Records within 500m**

**6**

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 18 >](#)

ID	Location	Land Use	Date	Group ID
E	292m E	Electricity Substation	1977	158872
E	293m E	Electricity Substation	1993	158872
E	293m E	Electricity Substation	1993	158872
F	378m SE	Electricity Substation	1977	154737
F	378m SE	Electricity Substation	1993	157747
F	378m SE	Electricity Substation	1993	157747

*This data is sourced from Ordnance Survey / Groundsure.*

## 2.4 Historical petrol stations

**Records within 500m**

**0**

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*



## 2.5 Historical garages

Records within 500m


0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*



## 3 Waste and landfill



### 3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

*This data is sourced from the British Geological Survey.*

### 3.3 Historical landfill (LA/mapping records)

Records within 500m

2

Landfill sites identified from Local Authority records and high detail historical mapping.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Site address	Source	Data type
A	150m SE	Refuse Tip	1961 mapping	Polygon
A	171m SE	Refuse Tip	1961 mapping	Polygon

*This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.*

### 3.4 Historical landfill (EA/NRW records)

Records within 500m

1

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Details		
1	207m SE	Site Address: Land at Leymoor Dyeworks, Parkwood Road, Leymoor, Huddersfield Licence Holder Address: Parkwood Mills, Longwood, Huddersfield	Waste Licence: Yes Site Reference: 4700/0122 Waste Type: Inert, Industrial, Commercial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 27/09/1979 Licence Surrender: 25/04/1994	Operator: - Licence Holder: The Parkwood Mills Company Limited First Recorded 01/01/1970 Last Recorded: 31/12/1992

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.5 Historical waste sites

Records within 500m

0

Waste site records derived from Local Authority planning records and high detail historical mapping.

*This data is sourced from Ordnance Survey/Groundsure and Local Authority records.*



### 3.6 Licensed waste sites

**Records within 500m****0**

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.7 Waste exemptions

**Records within 500m****1**



Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on [page 23](#) >

ID	Location	Site	Reference	Category	Sub-Category	Description
2	318m N	Leys Farm, Leys, Longwood, Huddersfield, Hd3 4tx	WEX143996	Using waste exemption	Not on a farm	Use of waste in construction

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4 Current industrial land use



### 4.1 Recent industrial land uses

**Records within 250m** **2**

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 26](#) >

ID	Location	Company	Address	Activity	Category
1	46m E	Electricity Sub Station	West Yorkshire, HD3	Electrical Features	Infrastructure and Facilities
2	78m S	Works	West Yorkshire, HD3	Unspecified Works Or Factories	Industrial Features

*This data is sourced from Ordnance Survey.*

## 4.2 National Geographic Database (NGD) - Current or recent tanks

Records within 250m

2

Current or recent tanks identified from the Ordnance Survey NGD.

Features are displayed on the Current industrial land use map on [page 26](#) >

ID	Location	Tank description	Activity	Date first identified
A	70m SW	Open Storage Tank	Commercial Activity: Distribution Or Storage	03/10/2005
A	70m SW	Open Storage Tank	Commercial Activity: Distribution Or Storage	03/10/2005

*This data is sourced from Ordnance Survey.*

## 4.3 Current or recent petrol stations

Records within 500m

0

Open, closed, under development and obsolete petrol stations.

*This data is sourced from Experian.*

## 4.4 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

*This data is sourced from National Grid.*

## 4.5 Gas pipelines

Records within 500m

0

High pressure underground gas transmission pipelines.

*This data is sourced from National Grid.*

## 4.6 Sites determined as Contaminated Land

Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

*This data is sourced from Local Authority records.*



## 4.7 Control of Major Accident Hazards (COMAH)

Records within 500m

0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

*This data is sourced from the Health and Safety Executive.*

## 4.8 Regulated explosive sites

Records within 500m

0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

*This data is sourced from the Health and Safety Executive.*

## 4.9 Hazardous substance storage/usage

Records within 500m

0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

*This data is sourced from Local Authority records.*

## 4.10 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.11 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 4.12 Licensed pollutant release (Part A(2)/B)

Records within 500m

0

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

*This data is sourced from Local Authority records.*

## 4.13 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.14 Licensed Discharges to controlled waters

Records within 500m

6

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on [page 26 >](#)

ID	Location	Address	Details	
3	104m NW	YORKSHIREWATERSERVICESL TDSCAPEG,OATHILLSVICER ESERVOIR(CON,6300	Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: WA6300 Permit Version: 1 Receiving Water: TRIB OF LONG BROOK	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 24/01/1991 Effective Date: 24/01/1991 Revocation Date: 24/03/2004
B	449m SW	HUDDERSFIELDAREACSOS,HU DDERSFIELD,NORTHYORKSHI RE	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: S/CB/51 Permit Version: 2 Receiving Water: VARIES WITH OUTLET	Status: REVISED BY NOTICE, AT DIRECTION OF SEC. OF STATE - 37(2) Issue date: 02/07/1993 Effective Date: 02/07/1993 Revocation Date: 24/01/1995
B	449m SW	HUDDERSFIELDAREACSOS,HU DDERSFIELD,NORTHYORKSHI RE	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: S/CB/51 Permit Version: 1 Receiving Water: VARIES WITH OUTLET	Status: TRANSFERRED FROM R(PP)A 1951-1961 Issue date: 27/05/1963 Effective Date: 27/05/1963 Revocation Date: 01/07/1993



ID	Location	Address	Details	
B	449m SW	HUDDERSFIELDAREACSOS,HUDDERSFIELD,NORTHYORKSHIRE	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: S/CB/51 Permit Version: 3 Receiving Water: VARIES WITH OUTLET	Status: REVISED BY NOTICE, AT DIRECTION OF SEC. OF STATE - 37(2) Issue date: 25/01/1995 Effective Date: 25/01/1995 Revocation Date: 05/03/1995
B	460m SW	NETTLETONHILLCSO,OFFHOLLINHALLROAD,GOLCAR,HUDDERSFIELD	Effluent Type: SEWAGE DISCHARGES - SEWER STORM OVERFLOW - WATER COMPANY Permit Number: WRA8609 Permit Version: 2 Receiving Water: CLAY WOOD BROOK	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 15/08/2005 Effective Date: 15/08/2005 Revocation Date: -
4	473m E	LONGWOODWTW, LONGWOODEDGE, LONGWOOD, HUDDERSFIELD, WESTYORKSHIRE	Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: WA6298 Permit Version: 1 Receiving Water: TRIBUTARY OF LONGWOOD BROOK	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 24/01/1991 Effective Date: 24/01/1991 Revocation Date: 24/03/2004

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.15 Pollutant release to surface waters (Red List)

**Records within 500m**

**0**

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.16 Pollutant release to public sewer

**Records within 500m**

**0**

Discharges of Special Category Effluents to the public sewer.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.17 List 1 Dangerous Substances

**Records within 500m**

**0**

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 4.18 List 2 Dangerous Substances

Records within 500m

0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.19 Pollution Incidents (EA/NRW)

Records within 500m

0

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.20 Pollution inventory substances

Records within 500m

0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

## 4.21 Pollution inventory waste transfers

Records within 500m

0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

## 4.22 Pollution inventory radioactive waste

Records within 500m

0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*



## 5 Hydrogeology - Superficial aquifer

### 5.1 Superficial aquifer

Records within 500m



0

Aquifer status of groundwater held within superficial geology.

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*



## Bedrock aquifer



### 5.2 Bedrock aquifer

Records within 500m

2

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on [page 33](#) >



ID	Location	Designation	Description
1	On site	Secondary A	<b>Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers</b>
2	167m E	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers



*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*



## Groundwater vulnerability



### 5.3 Groundwater vulnerability

Records within 50m

2

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on [page 35](#) >



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	<b>Summary Classification:</b> Secondary bedrock aquifer - High Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, No Superficial Aquifer	<b>Leaching class:</b> High <b>Infiltration value:</b> >70% <b>Dilution value:</b> >550mm/year	<b>Vulnerability:</b> - <b>Aquifer type:</b> - <b>Thickness:</b> <3m <b>Patchiness value:</b> <90% <b>Recharge potential:</b> No <b>Data</b>	<b>Vulnerability:</b> High <b>Aquifer type:</b> Secondary <b>Flow mechanism:</b> Well connected fractures
2	44m N	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: >550mm/year	Vulnerability: - Aquifer type: - Thickness: 3-10m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*

## 5.4 Groundwater vulnerability- soluble rock risk

Records on site

0

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

*This data is sourced from the British Geological Survey and the Environment Agency.*

## 5.5 Groundwater vulnerability- local information

Records on site


0

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on [enquiries@environment-agency.gov.uk](mailto:enquiries@environment-agency.gov.uk) ↗.

*This data is sourced from the British Geological Survey and the Environment Agency.*



## Abstractions and Source Protection Zones



### 5.6 Groundwater abstractions

Records within 2000m

13

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 37](#) >

ID	Location	Details	
B	267m E	Status: Historical Licence No: 2/27/11/117 Details: General Farming & Domestic Direct Source: GROUNDWATERS Point: SPRING Data Type: Point Name: SHEARD Easting: 410100 Northing: 416900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 28/04/1966 Version End Date: -
B	267m E	Status: Historical Licence No: 2/27/11/117 Details: General Farming & Domestic Direct Source: GROUNDWATERS Point: SPRING - LONGWOOD Data Type: Point Name: SHEARD Easting: 410100 Northing: 416900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 28/04/1966 Version End Date: -
-	1330m E	Status: Active Licence No: NE/027/0011/018 Details: Process Water Direct Source: GROUNDWATERS Point: BOREHOLE - COAL MEASURES - WOODLAND MILL Data Type: Point Name: Wooltex UK Ltd Easting: 411097 Northing: 416494	Annual Volume (m <sup>3</sup> ): 164250 Max Daily Volume (m <sup>3</sup> ): 450 Original Application No: NPS/WR/031345 Original Start Date: 24/10/2017 Expiry Date: 31/03/2027 Issue No: 3 Version Start Date: 16/07/2019 Version End Date: -
-	1474m W	Status: Active Licence No: NE/027/0011/003 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MILLSTONE GRIT - HUDDERSFIELD Data Type: Point Name: OUTLANE GOLF CLUB LTD Easting: 408421 Northing: 417494	Annual Volume (m <sup>3</sup> ): 6750 Max Daily Volume (m <sup>3</sup> ): 45 Original Application No: NPSWR004044 Original Start Date: 23/08/2010 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 23/08/2010 Version End Date: -
-	1496m W	Status: Historical Licence No: 2/27/11/185 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - OUTLANE GOLF CLUB - MILLSTONE GRIT Data Type: Point Name: OUTLANE GOLF CLUB LTD Easting: 408400 Northing: 417500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 03/04/2000 Expiry Date: 31/10/2009 Issue No: 1 Version Start Date: 03/04/2000 Version End Date: -



ID	Location	Details	
-	1496m W	Status: Historical Licence No: 2/27/11/185 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MILLSTONE GRIT - HUDDERSFIELD Data Type: Point Name: OUTLANE GOLF CLUB LTD Easting: 408400 Northing: 417500	Annual Volume (m <sup>3</sup> ): 6750 Max Daily Volume (m <sup>3</sup> ): 45 Original Application No: - Original Start Date: 03/04/2000 Expiry Date: 31/10/2009 Issue No: 1 Version Start Date: 03/04/2000 Version End Date: -
-	1833m NE	Status: Historical Licence No: 2/27/11/058 Details: General use relating to Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: SPRINGCATCHMENT AREA Data Type: Point Name: JOSEPH SYKES BROTHERS Easting: 411400 Northing: 417900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 20/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 20/01/1966 Version End Date: -
-	1833m NE	Status: Historical Licence No: 2/27/11/058 Details: Boiler Feed Direct Source: GROUNDWATERS Point: SPRINGCATCHMENT AREA Data Type: Point Name: JOSEPH SYKES BROTHERS Easting: 411400 Northing: 417900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 20/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 20/01/1966 Version End Date: -
-	1833m NE	Status: Historical Licence No: 2/27/11/058 Details: Boiler Feed Direct Source: GROUNDWATERS Point: SPRING - LINDLEY Data Type: Point Name: CALDERDALE & HUDDERSFIELD NHS TRUST Easting: 411400 Northing: 417900	Annual Volume (m <sup>3</sup> ): 24094 Max Daily Volume (m <sup>3</sup> ): 65.5 Original Application No: - Original Start Date: 20/01/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -
-	1833m NE	Status: Historical Licence No: 2/27/11/058 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: SPRING - LINDLEY Data Type: Point Name: CALDERDALE & HUDDERSFIELD NHS TRUST Easting: 411400 Northing: 417900	Annual Volume (m <sup>3</sup> ): 24094 Max Daily Volume (m <sup>3</sup> ): 65.5 Original Application No: - Original Start Date: 20/01/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -



ID	Location	Details	
-	1885m E	Status: Historical Licence No: 2/27/10/120 Details: General use relating to Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE Data Type: Point Name: JOHN GLADSTONE & COMPANY LIMITED Easting: 411600 Northing: 417600	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 21/01/1997 Expiry Date: 31/12/2001 Issue No: 100 Version Start Date: 21/01/1997 Version End Date: -
-	1961m N	Status: Historical Licence No: 2/27/12/191 Details: General Farming & Domestic Direct Source: GROUNDWATERS Point: SPRING - HOLYWELL GREEN Data Type: Point Name: BAIRSTOW Easting: 410250 Northing: 418870	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 28/04/1966 Version End Date: -
-	1961m N	Status: Historical Licence No: 2/27/12/191 Details: General Farming & Domestic Direct Source: GROUNDWATERS Point: SPRING Data Type: Point Name: BAIRSTOW Easting: 410250 Northing: 418870	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 100 Version Start Date: 28/04/1966 Version End Date: -

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.7 Surface water abstractions

**Records within 2000m**

**13**

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 37 >](#)



ID	Location	Details	
A	44m N	Status: Historical Licence No: 2/27/11/066 Details: Potable Water Supply - Direct Direct Source: SURFACE WATER Point: LONGWOOD UPPER AND LOWER RESERVOIRS Data Type: Line Name: YORKSHIRE WATER SERVICES LTD Easting: 409700 Northing: 417000	Annual Volume (m <sup>3</sup> ): 818297 Max Daily Volume (m <sup>3</sup> ): 2241.91 Original Application No: - Original Start Date: 27/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 27/01/1966 Version End Date: -
1	199m SE	Status: Historical Licence No: 2/27/11/123 Details: General use relating to Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: CLAYWOOD BROOK Data Type: Point Name: PARKWOOD MILLS CO LTD Easting: 410000 Northing: 416800	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 26/05/1966 Expiry Date: - Issue No: 100 Version Start Date: 26/05/1966 Version End Date: -
2	497m E	Status: Historical Licence No: 2/27/11/123 Details: General use relating to Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: CLAY WOOD BROOK-PARKWOOD ROAD-LONGWOOD Data Type: Point Name: PARKWOOD MILLS CO LTD Easting: 410330 Northing: 416910	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 26/05/1966 Expiry Date: - Issue No: 102 Version Start Date: 30/08/2002 Version End Date: -
3	567m E	Status: Historical Licence No: 2/27/11/115 Details: General use relating to Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: CLAY WOOD BROOK/OAKSCAR RESERVOIR Data Type: Point Name: PARKWOOD MILLS CO LTD Easting: 410400 Northing: 416900	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 101 Version Start Date: 22/04/2002 Version End Date: -



ID	Location	Details	
-	1516m SE	Status: Active Licence No: NE/027/0011/021 Details: Supply To A Canal For Throughflow Direct Source: SURFACE WATER Point: BRITANNIA BRIDGE, HOLME MILLS, HUDDERSFIELD Data Type: Point Name: Canal and River Trust Easting: 410621 Northing: 415613	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: NPS/WR/036287 Original Start Date: 26/03/2021 Expiry Date: 31/03/2027 Issue No: 2 Version Start Date: 15/10/2021 Version End Date: -
-	1681m E	Status: Historical Licence No: 2/27/11/169 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: TRIBUTARY OF LONGWOOD BROOK Data Type: Point Name: EDDIE & BESSIE E FIRTH & JACQUELINE M & JOHN G WALKER Easting: 411400 Northing: 416300	Annual Volume (m <sup>3</sup> ): 20000 Max Daily Volume (m <sup>3</sup> ): 350 Original Application No: - Original Start Date: 26/01/1983 Expiry Date: - Issue No: 100 Version Start Date: 20/04/1990 Version End Date: -
-	1705m S	Status: Active Licence No: 2/27/11/006 Details: Process Water Direct Source: SURFACE WATER Point: RIVER COLNE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410400 Northing: 415300	Annual Volume (m <sup>3</sup> ): 30117 Max Daily Volume (m <sup>3</sup> ): 146.38 Original Application No: 475 Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 17/03/1989 Version End Date: -
-	1705m S	Status: Active Licence No: 2/27/11/006 Details: Boiler Feed Direct Source: SURFACE WATER Point: RIVER COLNE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410400 Northing: 415300	Annual Volume (m <sup>3</sup> ): 30117 Max Daily Volume (m <sup>3</sup> ): 146.38 Original Application No: 475 Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 17/03/1989 Version End Date: -

ID	Location	Details	
-	1705m S	Status: Historical Licence No: 2/27/11/006 Details: General use relating to Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: RIVER COLNE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410400 Northing: 415300	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 17/03/1989 Version End Date: -
-	1705m S	Status: Historical Licence No: 2/27/11/006 Details: General use relating to Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: RIVER COLNE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410400 Northing: 415300	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 01/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 17/03/1989 Version End Date: -
-	1845m S	Status: Active Licence No: 2/27/11/042 Details: Process Water Direct Source: SURFACE WATER Point: RIVER COLNE - LINTHWAITE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410200 Northing: 415100	Annual Volume (m <sup>3</sup> ): 31822 Max Daily Volume (m <sup>3</sup> ): 159.11 Original Application No: 3842 Original Start Date: 20/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 17/05/1989 Version End Date: -
-	1845m S	Status: Historical Licence No: 2/27/11/042 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: RIVER COLNE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410200 Northing: 415100	Annual Volume (m <sup>3</sup> ): 31822 Max Daily Volume (m <sup>3</sup> ): 159.11 Original Application No: - Original Start Date: 20/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 17/05/1989 Version End Date: -



ID	Location	Details	
-	1845m S	Status: Historical Licence No: 2/27/11/042 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: SURFACE WATER Point: RIVER COLNE - LINTHWAITE Data Type: Point Name: HARTFORD HOLDINGS LTD Easting: 410200 Northing: 415100	Annual Volume (m <sup>3</sup> ): 31822 Max Daily Volume (m <sup>3</sup> ): 159.11 Original Application No: - Original Start Date: 20/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 17/05/1989 Version End Date: -

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.8 Potable abstractions

**Records within 2000m**

**1**

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 37 >](#)

ID	Location	Details	
A	44m N	Status: Historical Licence No: 2/27/11/066 Details: Potable Water Supply - Direct Direct Source: SURFACE WATER Point: LONGWOOD UPPER AND LOWER RESERVOIRS Data Type: Line Name: YORKSHIRE WATER SERVICES LTD Easting: 409700 Northing: 417000	Annual Volume (m <sup>3</sup> ): 818297 Max Daily Volume (m <sup>3</sup> ): 2241.91 Original Application No: - Original Start Date: 27/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 27/01/1966 Version End Date: -

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.9 Source Protection Zones

**Records within 500m**

**0**

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 5.10 Source Protection Zones (confined aquifer)

Records within 500m


0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 6 Hydrology



### 6.1 Water Network (OS MasterMap)

Records within 250m

5

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on [page 46 >](#)

ID	Location	Type of water feature	Ground level	Permanence	Name
B	133m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Clay Wood Brook

ID	Location	Type of water feature	Ground level	Permanence	Name
C	138m S	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	Clay Wood Brook
C	138m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Clay Wood Brook
C	138m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Clay Wood Brook
D	140m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Clay Wood Brook

This data is sourced from the Ordnance Survey.

## 6.2 Surface water features

**Records within 250m**

**3**

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on [page 46 >](#)

This data is sourced from the Ordnance Survey.

## 6.3 WFD Surface water body catchments

**Records on site**

**1**

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 46 >](#)

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
A	On site	River	Colne from Wessenden Brook to R Holme	GB104027063330	Colne and Holme	Aire and Calder

This data is sourced from the Environment Agency and Natural Resources Wales.



## 6.4 WFD Surface water bodies

**Records identified**

**1**

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 46 >](#)

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
7	384m NE	River	Colne from Wessenden Brook to R Holme	<a href="#">GB104027063330</a> ↗	Moderate	Fail	Moderate	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 6.5 WFD Groundwater bodies

**Records on site**

**1**

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.


Features are displayed on the Hydrology map on [page 46 >](#)

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
A	On site	Aire & Calder Carb Limestone / Millstone Grit / Coal Measures.	<a href="#">GB40402G700400</a> ↗	Poor	Poor	Good	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 7 River and coastal flooding



### 7.1 Risk of flooding from rivers and the sea

Records within 50m

0

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.2 Historical Flood Events

Records within 250m

1

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

Features are displayed on the River and coastal flooding map on [page 49 >](#)

ID	Location	Event name	Date of flood	Flood source	Flood cause	Type of flood
1	30m NW	Yorkshire	2015-12-29 2015-12-29	Unclassified	Unclassified	No data

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.3 Flood Defences

Records within 250m

0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.5 Flood Storage Areas

Records within 250m

0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## River and coastal flooding - Flood Zones

### 7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 7.7 Flood Zone 3

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 8 Surface water flooding

### 8.1 Surface water flooding

Highest risk on site

Negligible

Highest risk within 50m

Negligible

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site. The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

*This data is sourced from Ambiental Risk Analytics.*

## 9 Groundwater flooding



### 9.1 Groundwater flooding

**Highest risk on site**

**Negligible**

**Highest risk within 50m**


**Negligible**

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on [page 53](#) >

*This data is sourced from Ambiental Risk Analytics.*

## 10 Environmental designations



### 10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m

0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.3 Special Areas of Conservation (SAC)

Records within 2000m

0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.4 Special Protection Areas (SPA)

Records within 2000m

0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.5 National Nature Reserves (NNR)

Records within 2000m

0

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*



## 10.6 Local Nature Reserves (LNR)

Records within 2000m

0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.7 Designated Ancient Woodland

Records within 2000m

2

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on [page 54 >](#)

ID	Location	Name	Woodland Type
2	734m NW	Unknown	Ancient Replanted Woodland
-	1716m NW	Unknown	Ancient & Semi-Natural Woodland

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

*This data is sourced from the Forestry Commission.*



## 10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.11 Green Belt

Records within 2000m

2

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on [page 54 >](#)

ID	Location	Name	Local Authority name
1	On site	South and West Yorkshire Green Belt	Kirklees
3	1476m NW	South and West Yorkshire Green Belt	Calderdale

*This data is sourced from the Ministry of Housing, Communities and Local Government.*

## 10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

## 10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

*This data is sourced from Natural England and Natural Resources Wales.*



## 10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

## 10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

*This data is sourced from Natural England.*

## 10.16 Nitrate Vulnerable Zones

Records within 2000m



0

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

*This data is sourced from Natural England and Natural Resources Wales.*



## SSSI Impact Zones and Units



### 10.17 SSSI Impact Risk Zones

#### Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on [page 59](#) >

ID	Location	Type of developments requiring consultation
1	On site	<a href="https://irz.geodata.org.uk/IRZ/step2.html?irzcode=0303000630000&amp;notes=&amp;location=415498,413331%20(IRZ%20polygon%20centre)">https://irz.geodata.org.uk/IRZ/step2.html?irzcode=0303000630000&amp;notes=&amp;location=415498,413331%20(IRZ%20polygon%20centre)</a>

This data is sourced from Natural England.

## 10.18 SSSI Units

Records within 2000m

0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

*This data is sourced from Natural England and Natural Resources Wales.*



## 11 Visual and cultural designations

### 11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

### 11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

### 11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

*This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.*

### 11.4 Listed Buildings

Records within 250m

0

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.



*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.5 Conservation Areas

Records within 250m

0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.7 Registered Parks and Gardens

Records within 250m


0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*



## 12 Agricultural designations



### 12.1 Agricultural Land Classification

Records within 250m

2

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on [page 63](#) >

ID	Location	Classification	Description
1	On site	Grade 4	Poor quality agricultural land. Land with severe limitations which significantly restrict the range of crops and/or level of yields. It is mainly suited to grass with occasional arable crops (e.g. cereals and forage crops) the yields of which are variable. In moist climates, yields of grass may be moderate to high but there may be difficulties in utilisation. The grade also includes very droughty arable land.

ID	Location	Classification	Description
2	207m SE	Urban	Non-agricultural/no quality assigned

*This data is sourced from Natural England.*

## 12.2 Open Access Land

**Records within 250m**

**0**

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

*This data is sourced from Natural England and Natural Resources Wales.*

## 12.3 Tree Felling Licences

**Records within 250m**

**0**

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

*This data is sourced from the Forestry Commission.*

## 12.4 Environmental Stewardship Schemes

**Records within 250m**

**0**

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

*This data is sourced from Natural England.*

## 12.5 Countryside Stewardship Schemes

**Records within 250m**

**0**

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

*This data is sourced from Natural England.*



## 13 Habitat designations

### 13.1 Priority Habitat Inventory

Records within 250m

0

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

*This data is sourced from Natural England.*

### 13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

*This data is sourced from Natural England.*

### 13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

*This data is sourced from Natural England.*

### 13.4 Limestone Pavement Orders

Records within 250m


0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

*This data is sourced from Natural England.*



## 14 Geology 1:10,000 scale - Availability



— Site Outline  
 Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

### 14.1 10k Availability

Records within 500m

2

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.



Features are displayed on the Geology 1:10,000 scale - Availability map on [page 66 >](#)

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	SE01NE
2	167m E	Full	Full	Full	Full	SE11NW

This data is sourced from the British Geological Survey.



## Geology 1:10,000 scale - Artificial and made ground



### 14.2 Artificial and made ground (10k)

Records within 500m

5

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on [page 67 >](#)

ID	Location	LEX Code	Description	Rock description
1	On site	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
2	147m SE	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
3	321m NE	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
4	464m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit




ID	Location	LEX Code	Description	Rock description
5	472m E	WGR-VOID	Worked Ground (Undivided)	Void

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- ▣ Landslip (10k)
- Superficial geology (10k)  
Please see table for more details.

### 14.3 Superficial geology (10k)

Records within 500m

0

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

*This data is sourced from the British Geological Survey.*

### 14.4 Landslip (10k)

Records within 500m

2

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.




Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 69 >](#)

ID	Location	LEX Code	Description	Rock description
1	175m W	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry
2	484m S	SLIP-UNKNOWN	Landslide Deposits	Unknown/unclassified Entry

*This data is sourced from the British Geological Survey.*

## Geology 1:10,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- Bedrock faults and other linear features (10k)
- Bedrock geology (10k)  
Please see table for more details.

### 14.5 Bedrock geology (10k)

Records within 500m

7

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 71](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	HDW-SDST	Huddersfield White Rock - Sandstone	Marsdenian Sub-age
2	78m W	MG-MDSS	Millstone Grit Group [see Also Migr] - Mudstone, Siltstone And Sandstone	Namurian Age
4	167m E	HDW-SDST	Huddersfield White Rock - Sandstone	Marsdenian Sub-age



ID	Location	LEX Code	Description	Rock age
6	346m NE	MG-MDSS	Millstone Grit Group [see Also Migr] - Mudstone, Siltstone And Sandstone	Namurian Age
8	358m NE	MG-MDSS	Millstone Grit Group [see Also Migr] - Mudstone, Siltstone And Sandstone	Namurian Age
10	461m W	RF-SDST	Rough Rock Flags - Sandstone	Yeadonian Sub-age
11	498m W	RR-SDST	Rough Rock - Sandstone	Yeadonian Sub-age

This data is sourced from the British Geological Survey.

## 14.6 Bedrock faults and other linear features (10k)

<b>Records within 500m</b>	<b>5</b>
----------------------------	----------

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 71 >](#)

ID	Location	Category	Description
3	119m W	ROCK	Coal seam, inferred
5	218m W	FOSSIL_HORIZON	Fossil horizon, marine band
7	346m NE	FAULT	Normal fault, inferred; crossmarks on downthrow side
9	358m NE	FAULT	Normal fault, inferred; crossmarks on downthrow side
12	498m S	ROCK	Coal seam, inferred

This data is sourced from the British Geological Survey.

## 15 Geology 1:50,000 scale - Availability



— Site Outline  
 Search buffers in metres (m)

□ Geological map tile

### 15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:50,000 scale - Availability map on [page 73](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	EW077_huddersfield_v4

This data is sourced from the British Geological Survey.



## Geology 1:50,000 scale - Artificial and made ground



— Site Outline  
Search buffers in metres (m)

- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

### 15.2 Artificial and made ground (50k)

Records within 500m

1

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on [page 74 >](#)

ID	Location	LEX Code	Description	Rock description
1	On site	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT

This data is sourced from the British Geological Survey.



### 15.3 Artificial ground permeability (50k)


<b>Records within 50m</b>	<b>1</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
<b>On site</b>	<b>Mixed</b>	<b>Very High</b>	<b>Low</b>

*This data is sourced from the British Geological Survey.*

## Geology 1:50,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- Landslip (50k)
- Superficial geology (50k)  
Please see table for more details.

### 15.4 Superficial geology (50k)

Records within 500m

0

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

*This data is sourced from the British Geological Survey.*

### 15.5 Superficial permeability (50k)

Records within 50m

0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*



## 15.6 Landslip (50k)

Records within 500m

2

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 76 >](#)

ID	Location	LEX Code	Description	Rock description
1	175m W	SLIP-UNKNOWN	LANDSLIDE DEPOSITS	UNKNOWN/UNCLASSIFIED ENTRY
2	485m SW	SLIP-UNKNOWN	LANDSLIDE DEPOSITS	UNKNOWN/UNCLASSIFIED ENTRY

*This data is sourced from the British Geological Survey.*

## 15.7 Landslip permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*



## Geology 1:50,000 scale - Bedrock



- Site Outline
- ..... Search buffers in metres (m)
- - - - Bedrock faults and other linear features (50k)
- Bedrock geology (50k)  
Please see table for more details.

### 15.8 Bedrock geology (50k)

Records within 500m

5

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 78](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	HDW-SDST	HUDDERSFIELD WHITE ROCK - SANDSTONE	NAMURIAN
2	76m W	MARSD-MDSI	MARSDEN FORMATION - MUDSTONE AND SILTSTONE	NAMURIAN
4	219m W	ROSSE-MDSI	ROSSENDALE FORMATION - MUDSTONE AND SILTSTONE	NAMURIAN



ID	Location	LEX Code	Description	Rock age
6	345m NE	ROSSE-MDSI	ROSSENDALE FORMATION - MUDSTONE AND SILTSTONE	NAMURIAN
8	460m W	RF-SDST	ROUGH ROCK FLAGS - SANDSTONE	NAMURIAN

This data is sourced from the British Geological Survey.

## 15.9 Bedrock permeability (50k)

<b>Records within 50m</b>	<b>1</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
<b>On site</b>	<b>Fracture</b>	<b>High</b>	<b>Moderate</b>

This data is sourced from the British Geological Survey.

## 15.10 Bedrock faults and other linear features (50k)

<b>Records within 500m</b>	<b>3</b>
----------------------------	----------

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 78 >](#)

ID	Location	Category	Description
3	119m W	ROCK	Coal seam, inferred
5	220m W	FOSSIL_HORIZON	Marine band
7	345m NE	FAULT	Fault, inferred

This data is sourced from the British Geological Survey.

## 16 Boreholes

### 16.1 BGS Boreholes

Records within 250m



0

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

*This data is sourced from the British Geological Survey.*



## 17 Natural ground subsidence - Shrink swell clays



### 17.1 Shrink swell clays

Records within 50m

1



The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 81 >](#)

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Running sands



### 17.2 Running sands

#### Records within 50m

2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on [page 82](#) >


Location	Hazard rating	Details
On site	Negligible	Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Compressible deposits



### 17.3 Compressible deposits

Records within 50m

2

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.



Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 84](#) >

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.
On site	Very low	Compressibility and uneven settlement problems are not likely to be significant on the site for most land uses.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Collapsible deposits



### 17.4 Collapsible deposits

Records within 50m

1



The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 86 >](#)

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Landslides



### 17.5 Landslides

Records within 50m

1



The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on [page 87](#) >

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Ground dissolution of soluble rocks



### 17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.


Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 88](#)

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

*This data is sourced from the British Geological Survey.*



## 18 Mining and ground workings



- Site Outline
- Search buffers in metres (m)
- BritPits
- Surface ground workings
- Underground workings
- Underground mining extents
- Historical mineral planning areas
- TCA non-coal mining
- Non Coal Mining
- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

### 18.1 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

*This data is sourced from the British Geological Survey.*



## 18.2 Surface ground workings

Records within 250m

24

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on [page 90](#) >

ID	Location	Land Use	Year of mapping	Mapping scale
A	12m N	Reservoirs	1948	1:10560
A	12m N	Reservoirs	1905	1:10560
A	16m N	Reservoirs	1938	1:10560
A	17m N	Reservoirs	1890	1:10560
A	18m N	Reservoirs	1955	1:10560
A	18m N	Reservoirs	1967	1:10560
B	33m W	Reservoirs	1993	1:10000
B	33m W	Reservoirs	1978	1:10000
B	33m W	Reservoirs	1955	1:10560
B	33m W	Reservoirs	1967	1:10560
B	38m W	Reservoirs	1938	1:10560
B	52m W	Reservoirs	1890	1:10560
B	53m W	Reservoirs	1948	1:10560
B	53m W	Reservoirs	1905	1:10560
A	89m N	Covered Reservoir	1993	1:10000
A	89m N	Covered Reservoir	1978	1:10000
C	145m SE	Refuse Heap	1993	1:10000
C	145m SE	Refuse Heap	1978	1:10000
D	153m SE	Mill Ponds	1955	1:10560
D	206m SE	Ponds	1890	1:10560
D	206m SE	Mill Ponds	1938	1:10560
D	207m SE	Mill Ponds	1948	1:10560
D	207m SE	Mill Ponds	1905	1:10560



ID	Location	Land Use	Year of mapping	Mapping scale
D	212m SE	Ponds	1975	1:10000

*This is data is sourced from Ordnance Survey/Groundsure.*

### 18.3 Underground workings

<b>Records within 1000m</b>	<b>0</b>
-----------------------------	----------

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

*This is data is sourced from Ordnance Survey/Groundsure.*

### 18.4 Underground mining extents

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

*This data is sourced from Groundsure.*

### 18.5 Historical Mineral Planning Areas

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

*This data is sourced from the British Geological Survey.*

### 18.6 Non-coal mining

<b>Records within 1000m</b>	<b>2</b>
-----------------------------	----------

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining and ground workings map on [page 90 >](#)

ID	Location	Name	Commodity	Class	Likelihood
1	On site	Not available	Vein Mineral	A	<b>Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.</b>
2	167m E	Not available	Vein Mineral	A	Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.

*This data is sourced from the British Geological Survey.*

## 18.7 JPB mining areas

**Records on site**

**0**

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

*This data is sourced from Johnson Poole and Bloomer.*

## 18.8 The Coal Authority non-coal mining

**Records within 500m**

**0**

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

*This data is sourced from The Coal Authority.*

## 18.9 Researched mining

**Records within 500m**

**1**

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

Location	Mineral type
472m E	Unspecified



*This data is sourced from Groundsure.*

## 18.10 Mining record office plans

**Records within 500m**

**0**

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

*This data is sourced from Groundsure.*

## 18.11 BGS mine plans

**Records within 500m**

**0**

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

*This data is sourced from Groundsure.*

## 18.12 Coal mining

**Records on site**

**1**

Areas which could be affected by past, current or future coal mining.

Location	Details
On site	The site is located within a coal mining area as defined by the Coal Authority. A Consultants Coal Mining Report is recommended to further assess coal mining issues at the site. This can be ordered directly through Groundsure or your preferred search provider.

*This data is sourced from the Coal Authority.*

## 18.13 Brine areas

**Records on site**

**0**

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

*This data is sourced from the Cheshire Brine Subsidence Compensation Board.*



## 18.14 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

*This data is sourced from British Gypsum.*

## 18.15 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

*This data is sourced from Groundsure.*

## 18.16 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

*This data is sourced from the Kaolin and Ball Clay Association (UK).*

## 19 Ground cavities and sinkholes

### 19.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

*This data is sourced from Stantec UK Ltd.*

### 19.2 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

*This data is sourced from Stantec UK Ltd.*

### 19.3 Reported recent incidents

Records within 500m

0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

*This data is sourced from Groundsure.*

### 19.4 Historical incidents

Records within 500m

0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.


Not all 'holes' noted on Ordnance Survey mapping will necessarily be present within this dataset.



*This data is sourced from Groundsure.*



## 20 Radon



— Site Outline  
 Search buffers in metres (m)

- Greater than 30%
- Between 10% and 30%
- Between 5% and 10%
- Between 3% and 5%
- Between 1% and 3%
- Less than 1%

© Crown copyright and database rights 2025. Ordnance Survey licence 100035207

### 20.1 Radon

#### Records on site

1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 98 >](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Between 1% and 3%	None

*This data is sourced from the British Geological Survey and UK Health Security Agency.*



## 21 Soil chemistry

### 21.1 BGS Estimated Background Soil Chemistry

Records within 50m

3

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km<sup>2</sup>. In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km<sup>2</sup>; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
<b>On site</b>	<b>25 - 35 mg/kg</b>	<b>No data</b>	<b>300 - 600 mg/kg</b>	<b>240 - 360 mg/kg</b>	<b>1.8 mg/kg</b>	<b>60 - 90 mg/kg</b>	<b>15 - 30 mg/kg</b>
44m N	25 - 35 mg/kg	No data	300 - 600 mg/kg	240 - 360 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
44m N	25 - 35 mg/kg	No data	300 - 600 mg/kg	240 - 360 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg

*This data is sourced from the British Geological Survey.*

### 21.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km<sup>2</sup>).

*This data is sourced from the British Geological Survey.*

### 21.3 BGS Measured Urban Soil Chemistry

Records within 50m

0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km<sup>2</sup>.

*This data is sourced from the British Geological Survey.*



## 22 Railway infrastructure and projects

### 22.1 Underground railways (London)

Records within 250m 0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

*This data is sourced from publicly available information by Groundsure.*

### 22.2 Underground railways (Non-London)

Records within 250m 0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

*This data is sourced from publicly available information by Groundsure.*

### 22.3 Railway tunnels

Records within 250m 0

Railway tunnels taken from contemporary Ordnance Survey mapping.

*This data is sourced from the Ordnance Survey.*

### 22.4 Historical railway and tunnel features

Records within 250m 0

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

*This data is sourced from Ordnance Survey/Groundsure.*

### 22.5 Royal Mail tunnels

Records within 250m 0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.



*This data is sourced from Groundsure/the Postal Museum.*

## 22.6 Historical railways

Records within 250m

0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

*This data is sourced from OpenStreetMap.*

## 22.7 Railways

Records within 250m

0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

*This data is sourced from Ordnance Survey and OpenStreetMap.*

## 22.8 Crossrail 2

Records within 500m

0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

*This data is sourced from publicly available information by Groundsure.*

## 22.9 HS2

Records within 500m

0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

*This data is sourced from HS2 Ltd.*

---

## Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

---

## Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: [www.groundsure.com/terms-and-conditions-april-2023/](http://www.groundsure.com/terms-and-conditions-april-2023/) ↗.



---

## Appendix 4

### Photographs

---



Photo 1: Image shows site entrance.



Photo 2: Image shows vegetation present to the site.



Photo 3: Image shows existing structure present.



Photo 4: Image shows internal area of existing structure.



**Rogers Geotechnical Services Ltd**

Offices 1 & 2, Barncliffe Business Park,  
Near Bank, Shelley,  
Huddersfield,

**Job No:**


C4923/25/E/7503

**Site:**

Victoria Works,  
Holmefield Road,  
Longwood,  
Huddersfield,  
West Yorkshire, HD3 4TY

**Client:**

Simeon Beaumont



... delivered using our own drilling rigs / crews / soils lab / engineers

---

## Appendix 5

### Coal Authority Report

---




The Coal  
Authority

# Consultants Coal Mining Report

Street Record  
Access To Longwood Wastewater  
Treatment Works  
Longwood  
Huddersfield  
Kirklees  
HD3 4TY

Date of enquiry: 28 July 2025  
Date enquiry received: 28 July 2025  
Issue date: 28 July 2025

Our reference: 51003514462001  
Your reference: C/4923/25/E/7503 - PO-  
3475



# Consultants

# Coal Mining Report

This report is based on and limited to the records held by the Coal Authority at the time the report was produced.

## Client name

ROGERS GEOTECHNICAL SERVICES LTD

## Enquiry address

Street Record  
Access To Longwood Wastewater Treatment Works  
Longwood  
Huddersfield  
Kirklees  
HD3 4TY

## How to contact us

0345 762 6848 (UK)  
+44 (0)1623 637 000 (International)

200 Lichfield Lane  
Mansfield  
Nottinghamshire  
NG18 4RG


[www.groundstability.com](http://www.groundstability.com)

 @coalauthority

 /company/the-coal-authority

 /thecoalauthority

 /thecoalauthority



Approximate position of property



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2018. All rights reserved.

Ordnance Survey Licence number: AC0000820577

# Section 1 – Mining activity and geology

## **Past underground mining**

No past mining recorded.

## **Probable unrecorded shallow workings**

None.

## **Spine roadways at shallow depth**

No spine roadway recorded at shallow depth.

## **Mine entries**

None recorded within 100 metres of the enquiry boundary.

## **Abandoned mine plan catalogue numbers**

None available.

## **Outcrops**

No outcrops recorded.

## **Geological faults, fissures and breaklines**

No faults, fissures or breaklines recorded.

## **Opencast mines**

None recorded within 500 metres of the enquiry boundary.

## **Coal Authority managed tips**

None recorded within 500 metres of the enquiry boundary.

## Section 2 – Investigative or remedial activity

Please refer to the 'Summary of findings' map (on separate sheet) for details of any activity within the area of the site boundary.

### Site investigations

None recorded within 50 metres of the enquiry boundary.

### Remediated sites

None recorded within 50 metres of the enquiry boundary.

### Coal mining subsidence

The Coal Authority has not received a damage notice or claim for the subject property, or any property within 50 metres of the enquiry boundary, since 31 October 1994.

There is no current Stop Notice delaying the start of remedial works or repairs to the property.

The Coal Authority is not aware of any request having been made to carry out preventive works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991.

### Mine gas

None recorded within 500 metres of the enquiry boundary.

### Mine water treatment schemes

None recorded within 500 metres of the enquiry boundary.

## Section 3 – Licensing and future mining activity

### Future underground mining

None recorded.

### Coal mining licensing

None recorded within 200 metres of the enquiry boundary.

### Court orders

None recorded.

### Section 46 notices

No notices have been given, under section 46 of the Coal Mining Subsidence Act 1991, stating that the land is at risk of subsidence.

### Withdrawal of support notices

The property is not in an area where a notice to withdraw support has been given.

The property is not in an area where a notice has been given under section 41 of the Coal Industry Act 1994, cancelling the entitlement to withdraw support.

### Payments to owners of former copyhold land

The property is not in an area where a relevant notice has been published under the Coal Industry Act 1975/Coal Industry Act 1994.

## Section 4 – Further information

Based on the responses in this report, no further information has been highlighted.

### Future development

If development proposals are being considered, technical advice relating to both the investigation of coal and former coal mines and their treatment should be obtained before beginning work on site. All proposals should apply specialist engineering practice required for former mining areas. No development should be undertaken that intersects, disturbs or interferes with any coal or coal mines without first obtaining the permission of the Coal Authority.

**MINE GAS:** Please note, if there are no recorded instances of mine gas within 500m of the enquiry boundary, this does not mean that mine gas is not present within the vicinity. The Coal Authority Mine Gas data is limited to only those sites where a Mine Gas incident has been recorded. Developers should be aware that the investigation of coal seams, mine workings or mine entries may have the potential to generate and/or displace underground gases. Associated risks both to the development site and any neighbouring land or properties should be fully considered when undertaking any ground works. The need for effective measures to prevent gases migrating onto any land or into any properties, either during investigation or remediation work, or after development must also be assessed and properly addressed. In these instances, the Coal Authority recommends that a more detailed Gas Risk Assessment is undertaken by a competent assessor.

## Section 5 – Data definitions

The datasets used in this report have limitations and assumptions within their results. For more guidance on the data and the results specific to the enquiry boundary, please **call us on 0345 762 6848** or **email us at [groundstability@coal.gov.uk](mailto:groundstability@coal.gov.uk)**.

### **Past underground coal mining**

Details of all recorded underground mining relative to the enquiry boundary. Only past underground workings where the enquiry boundary is within 0.7 times the depth of the workings (zone of likely physical influence) allowing for seam inclination, will be included.

### **Probable unrecorded shallow workings**

Areas where the Coal Authority believes there to be unrecorded coal workings that exist at or close to the surface (less than 30 metres deep).

### **Spine roadways at shallow depth**

Connecting roadways either, working to working, or, surface to working, both in-seam and cross measures that exist at or close to the surface (less than 30 metres deep), either within or within 10 metres of the enquiry boundary.

### **Mine entries**

Details of any shaft or adit either within, or within 100 metres of the enquiry boundary including approximate location, brief treatment details where known, the mineral worked from the mine entry and conveyance details where the mine entry has previously been sold by the Authority or its predecessors British Coal or the National Coal Board.

### **Abandoned mine plan catalogue numbers**

Plan numbers extracted from the abandoned mines catalogue containing details of coal and other mineral abandonment plans deposited via the Mines Inspectorate in accordance with the Coal Mines Regulation Act and Metalliferous Mines Regulation Act 1872. A maximum of 9 plan extents that intersect with the enquiry boundary will be included. This does not infer that the workings and/or mine entries shown on the abandonment plan will be relevant to the site/property boundary.

### **Outcrops**

Details of seam outcrops will be included where the enquiry boundary intersects with a conjectured or actual seam outcrop location (derived by either the British Geological Survey or the Coal Authority) or intersects with a defined 50 metres buffer on the coal (dip) side of the outcrop. An indication of whether the Coal Authority believes the seam to be of sufficient thickness and/or quality to have been worked will also be included.

### **Geological faults, fissures and breaklines**

Geological disturbances or fractures in the bedrock. Surface fault lines (British Geological Survey derived data) and fissures and breaklines (Coal Authority derived data) intersecting with the enquiry boundary will be included. In some circumstances faults, fissures or breaklines have been known to contribute to surface subsidence damage as a consequence of underground coal mining.

### **Opencast mines**

Opencast coal sites from which coal has been removed in the past by opencast (surface) methods and where the enquiry boundary is within 500 metres of either the licence area, site boundary, excavation area (high wall) or coaling area.

### **Coal Authority managed tips**

Locations of disused colliery tip sites owned and managed by the Coal Authority, located within 500 metres of the enquiry boundary.

### **Site investigations**

Details of site investigations within 50 metres of the enquiry boundary where the Coal Authority has received information relating to coal mining risk investigation and/or remediation by third parties.

### **Remediated sites**

Sites where the Coal Authority has undertaken remedial works either within or within 50 metres of the enquiry boundary following report of a hazard relating to coal mining under the Coal Authority's Emergency Surface Hazard Call Out procedures.

### **Coal mining subsidence**

Details of alleged coal mining subsidence claims made since 31 October 1994 either within or within 50 metres of the enquiry boundary. Where the claim relates to the enquiry boundary confirmation of whether the claim was accepted, rejected or whether liability is still being determined will be given. Where the claim has been discharged, whether this was by repair, payment of compensation or a combination of both, the value of the claim, where known, will also be given.

Details of any current 'Stop Notice' deferring remedial works or repairs affecting the property/site, and if so the date of the notice.

Details of any request made to execute preventative works before coal is worked under section 33 of the Coal Mining Subsidence Act 1991. If yes, whether any person withheld consent or failed to comply with any request to execute preventative works.

### **Mine gas**

Reports of alleged mine gas emissions received by the Coal Authority, either within or within 500 metres of the enquiry boundary that subsequently required investigation and action by the Coal Authority to mitigate the effects of the mine gas emission. Please note, if there are no recorded instances of mine gas reported, this does not mean that mine gas is not present within the vicinity. The Coal Authority Mine Gas data is limited to only those sites where a Mine Gas incident has been recorded.

### **Mine water treatment schemes**

Locations where the Coal Authority has constructed or operates assets that remove pollutants from mine water prior to the treated mine water being discharged into the receiving water body.

These schemes are part of the UK's strategy to meet the requirements of the Water Framework Directive. Schemes fall into 2 basic categories: Remedial – mitigating the impact of existing pollution or Preventative – preventing a future pollution incident.

Mine water treatment schemes generally consist of one or more primary settlement lagoons and one or more reed beds for secondary treatment. A small number are more specialised process treatment plants.

### **Future underground mining**

Details of all planned underground mining relative to the enquiry boundary. Only those future workings where the enquiry boundary is within 0.7 times the depth of the workings (zone of likely physical influence) allowing for seam inclination will be included.

### **Coal mining licensing**

Details of all licenses issued by the Coal Authority either within or within 200 metres of the enquiry boundary in relation to the under taking of surface coal mining, underground coal mining or underground coal gasification.

### **Court orders**

Orders in respect of the working of coal under the Mines (Working Facilities and Support) Acts of 1923 and 1966 or any statutory modification or amendment thereof.

### **Section 46 notices**

Notice of proposals relating to underground coal mining operations that have been given under section 46 of the Coal Mining Subsidence Act 1991.

### **Withdrawal of support notices**

Published notices of entitlement to withdraw support and the date of the notice. Details of any revocation notice withdrawing the entitlement to withdraw support given under Section 41 of the Coal Industry Act 1994.

### **Payment to owners of former copyhold land**

Relevant notices which may affect the property and any subsequent notice of retained interests in coal and coal mines, acceptance or rejection notices and whether any compensation has been paid to a claimant.

The map highlights any specific surface or subsurface features within or near to the boundary of the site.

**Key**

Approximate position of the enquiry boundary shown 

**How to contact us**  
0345 762 6848 (UK)  
+44 (0)1623 637 000 (International)  
[www.groundstability.com](http://www.groundstability.com)

