



- NOTES:**
1. ALL TIMBER COMPONENTS SHALL HAVE TRACEABLE CERTIFIED ORIGIN, AUDITABLE TREATMENT AND A STATED UNDERWRITTEN WARRANTY AS INSTALLED; UC4 & 25 YEARS.
 2. ALTERNATIVE POST MATERIALS ALLOWABLE TO SAME DIMENSIONS AS SHOWN ON THE DRAWING AND SAME WARRANTY.
 3. UC4 END GRAIN PRESERVATIVE TO ALL TIMBER CUTS, NOTCHES, SCORING OR DAMAGE.
 4. Ø = MIN. DIAMETER ** - MACHINED ROUNDS +20mm AND CHAMFERED TOP EDGES.
 5. CONCRETE FOUNDATIONS ONLY IF AUTHORISED, SHALL BE IN ACCORDANCE WITH BS1722-2 AND DESIGNED TO SUIT SITE SPECIFIC ENVIRONMENTAL CONSTRAINTS, SOIL AND WEATHER CONDITIONS.
 6. FIXINGS DEPLOYED AS DETAILED.
 7. SPECIFICATION DRAWING OR COMPONENT DEVIATIONS REQUIRE PRE INSTALLATION APPROVAL (IN WRITING FROM THE EMPLOYERS REPRESENTATIVE).
 8. STAPLES SHALL BE OFFSET BETWEEN 33° AND 45° THEN DRIVEN INTO POST LEAVING A 3mm TO 5mm "RUNNING FIT" OVER WIRES.
 9. ALL WIRES RETURNED AND STAPLED AROUND END STRAINERS PER PLAN DETAIL. HIGH TENSILES HALF HITCH, HT SPIRAL CONNECT OR OR "GRIPPLE" T-CLIP TO THE OFF EACH LINE WIRE. ALL WIRES STRAINED TO 150kNf ±20%.
 10. STRAINER POST TO BE MACHINE DRIVEN OR HAND DUG AND INSTALLED PER BS1722-2.
 11. 3.15mm HT GALVANISED LINE WIRE 40 x 3mm MINIMUM GALVANISED BARBED.
 12. TO BE READ AND USED ALONGSIDE MANDATORY COMPONENT SPECIFICATION DOCUMENT (NR/OTK/SD/BM/101/SP/2) AND BOUNDARY MEASURE MANAGEMENT MANUAL (NR/OTK/5100). THESE DOCUMENTS OUTLINE REQUIREMENTS AND EXCLUSIONS FOR THE SPECIFIC FENCING TYPE.
 13. NUMBER, PLACEMENT AND LAYOUT OF STRAINING POSTS SHOULD BE IN ACCORDANCE WITH BS1722-2.

Rev	Date	Description of Revisions	Drawn	Chkd	Appr
B01	05/02/21	ISSUE FOR APPROVAL	AM	GM	KC
A02	16/12/20	AMENDMENTS FROM REVIEW	AM	GM	KC
A01	10/07/20	ISSUE FOR APPROVAL	AM	GM	KC
P04	18/03/19	AMENDMENTS FROM REVIEW	VK		

Status PUBLISHED



Contractor(s)

Project

BOUNDARY MEASURE STANDARD DRAWING

CLASS III - HIGH TENSILE NON-AGRICULTURAL TIMBER POST AND 7 WIRE FENCE

Designed	J.CALLIS / A. LOVETT	Signed	Date	05/02/21
Drawn	A.MORGAN	Signed	Date	05/02/21
Checked	G.MICHAS	Signed	Date	05/02/21
Approved	K.CHILES	Signed	Date	05/02/21
Scale(s)	1:10	ELR & M/ceage		
Sheet	1 of 1			
Drawing Number	NR/OTK/SD/BM/101			Revision
				B01