



- NOTES:
- SPECIFICATION DRAWING OR COMPONENT DEVIATIONS REQUIRE PREINSTALLATION APPROVAL (IN WRITING) FROM THE EMPLOYER'S REPRESENTATIVE.
 - ALL FENCE COMPONENTS SHALL HAVE STATED UNDERWRITTEN MINIMUM WARRANTY AS INSTALLED OF 25 YEARS.
 - ALL BOLTS WITH MUSHROOM HEAD AND CONE SHEAR NUTS, FINNAGE DEPLOYED AS DETAILED. ALL NUTS FULLY TIGHT AND SHEARED.
 - CONCRETE FOUNDATION DIMENSIONS SHOWN ARE MINIMUMS - 1.8m AND 2.4m HIGH FENCE SQUARE FOUNDATION 5 AND 5.5 BAGS RESPECTIVELY - 1.8m AND 2.4m HIGH FENCE CIRCULAR FOUNDATION 4 AND 4.5 BAGS RESPECTIVELY
 - MESH DIMENSION MAXIMUM LWD/SWD AND MINIMUM WIDTH/THICKNESS IN mm (EXCLUSIVE OF FINISH): - CLASS I: LWD 50.80, SWD 22.53, WIDTH 3.13, THICK 3.00 - CLASS II: LWD 101.60, SWD 22.50, WIDTH 4.20, THICK 3.00



Rev	Date	Description of Revisions	Drawn	Chkd	Appr	
B01	05/02/21	ISSUED FOR APPROVAL		AM	GM	KC
A02	06/12/21	AMENDMENTS FROM REVIEW		AM	GM	KC
A01	10/07/21	ISSUED FOR APPROVAL		AM	GM	KC
R04	08/02/19	AMENDMENTS FROM REVIEW		AM	GM	KC

Status

PUBLISHED



Contractor(s)

Project

BOUNDARY MEASURE STANDARD DRAWING

Drawing Title

CLASS I & II - EXPANDED MESH FENCE

Designed	J.CALLIS / A. LOVETT	Signe	Date	05/02/21
Drawn	A.MORGAN	Signe	Date	05/02/21
Checked	G.MICHAS	Signe	Date	05/02/21
Approved	K.CHILES	Signe	Date	05/02/21

Scale(s) 1:10 ELR 2

Sheet 1 of 1

Drawing Number	NR/OTK/SD/BM/108	Revision	B01
----------------	------------------	----------	-----