

Sent: 16 October 2025 11:06

Subject: 2025/92739 at location Old Biggin Farm, Cold Hill Lane, New Mill, Holmfirth, HD9 7DN

Please see ecological commentary below:

Designations

No issue

Onsite habitats and species

The Preliminary Ecological Appraisal (Habitat Works, September 2025) is reasonable and acceptable.

- There are recommendations for amphibians, , birds, invertebrates, reptiles.
- Additional surveys and pre-commencement checks will need to be conditioned for badgers as a sett was observed within 30m of the site.
- A PWMS will be conditioned for reptiles and amphibians.
- CEMP, lighting, tree protection, and enhancement conditions will also be added.
- There is a separate bat survey (Middleton Bell Ecology, September 2025) has confirmed that there are roosting bats in the buildings. The roosts are categorised as as summer day roosts.

BNG

The Biodiversity Net Gain Assessment (Habitats Works, September 2025) has been provided – **however, the statutory metric (in excel format) has not been provided and so it is not possible to validate the calculations.**

Once this is provided further commentary will be provided.

Suggested conditions

BNG Conditions will be provided once comments above are addressed.

Habitats / Species

A condition for a CEMP: Biodiversity (Construction Environment Management Plan) is advised, e.g.

No works shall take place until a Construction Environmental Management Plan (CEMP: Biodiversity) has been submitted to and approved in writing by the local planning authority. The CEMP (Biodiversity) shall include the following:

- a) Summary of potentially damaging activities
- b) Identification of "biodiversity protection zones"
- c) Practical measures (both physical measures and sensitive working practices) to avoid or reduce impacts during construction (these may be provided as a set of method statements)
- d) The location and timing of sensitive works to avoid harm to biodiversity features.
- e) The times during construction when specialist ecologists need to be present on site to oversee works.
- f) Responsible persons and lines of communication.
- g) The role and responsibilities on site of an ecological clerk of works (ECoW) or similarly competent person.
- h) Use of protective fences, exclusion barriers and warning signs.

The approved CEMP: Biodiversity shall be adhered to and implemented throughout the construction period strictly in accordance with the approved details, unless otherwise agreed in writing by the local planning authority.

The CEMP must also include the following specific plans / documents:

- Pollution Prevention Plan for the watercourse (using good practice guidance such as CIRIA C532)

Reason: In the interests of biodiversity and in accordance with LP30 and NPPF15

Lighting strategy

No works are to commence unless a detailed lighting scheme, developed in accordance with established guidance (e.g. Bat Conservation Trust and Institute of Lighting Professionals (2023) Bats and Artificial Lighting at Night), has been drafted and agreed with the council. The Sensitive Lighting Strategy will demonstrate that the proposed lighting will not impact upon ecological networks and/or sensitive features. Thereafter the agreed lighting scheme shall be implemented, subject to any variations approved in writing by the planning authority. All external lighting shall be installed strictly in accordance with the specifications and locations set out within the Lighting Strategy.

Reason: In the interests of biodiversity and in accordance with Policy LP30 and NPPF15

Tree protection

A Hedgerow and Tree Protection Plan detailing measures for the protection of trees and hedgerows during the works will be submitted to and approved by the LPA prior to the commencement of works on site, including site clearance and delivery of materials.

Hedgerow and tree protection measures will include temporary fencing for the protection of hedgerows in accordance with BS 5837:2012 Trees in relation to design, demolition and construction – Recommendations. Any alternative fencing type or position not in accordance with BS 5837:2012 will be agreed in writing by the LPA prior to the start of development.

The root protection fencing will define the works exclusion zone around hedgerows and trees. Activities liable to be harmful to hedgerows and trees are prohibited within this exclusion zone, unless agreed in writing with the LPA. The approved hedgerow and tree protection measures will remain in place until the completion of development or unless otherwise agreed in writing with the LPA.

Reason: In the interests of biodiversity and in accordance with Policy LP30 and NPPF15

PWMS

A condition for the provision of a detailed Precautionary Working Method Statement (PWMS) is advised, e.g. Prior to the commencement of development, a detailed Precautionary Working Method Statement (PWMS) in respect of reptiles and amphibians shall be submitted to and approved by the local planning authority. In order to minimise risk and avoid harm to reptiles and amphibians, the PWMS shall include (but not be limited to) toolbox talks provided by a suitably qualified ecologist, attendance of an ECoW (Ecological Clerk of Works) as required, and careful hand search around potential reptiles and amphibians features.

In the event of encountering a reptiles or amphibians, all work must cease until the ecological clerk of works and Natural England are contacted for advice on the best way to proceed lawfully. All contractors working on site should be made aware of this advice and provided with the contact details of the ecological clerk of works.

Reason: In order that the proposals are implemented in accordance with the Wildlife and Countryside Act 1981 (as amended).

Enhancements

A Biodiversity Enhancement Management Plan must be provided to the LPA prior to the commencement of works on-site. It must include the following items that will be installed post development:

- 2no bat boxes
- 2no bird boxes
- 1no bee box
- 1no log piles for reptiles, and planting areas of native shrubs, to provide sheltering opportunities
- Small holes within fences (and other mechanisms) for hedgehogs' mobility.

- A planting scheme should be implemented within the scheme to create a trees and hedgerows. Plantings should comprise native species of high biodiversity value

Reason: In the interests of biodiversity and in accordance with Policy LP30 and NPPF15

Bats – Buildings

No works are to commence without the council first receiving a copy of the European Protected Species (EPS) licence and mitigation method statement.

Bats and the places they use for shelter or protection (i.e. roosts) are protected under the Habitats Regulations 2017 (as amended). They receive further legal protection under the Wildlife and Countryside Act 1981 (as amended). Section 43 of the Habitats Regulations makes it an offence to: deliberately capture, injure, or kill a bat; deliberately disturb bats; or damage or destroy a bat roost. Where a licence is required to derogate from the Habitats Regulations, a grant of planning permission does not constitute consent to proceed with the works insofar as they affect the species in question. The licence must be applied for separately from Natural England, be granted and all licence conditions be complied with for the works to proceed lawfully.

Reason: For the LPA to discharge its duties as a competent authority under The Conservation of Habitats and Species Regulations 2017 (as amended) in relation to European Protected Species.

Reason: In order that the proposals are implemented in accordance with the Wildlife and Countryside Act 1981 (as amended).

Many thanks,
Katie

Ecology Team
Planning and Development Service
Place Directorate – Skills and Regeneration
PO Box 1720,
Huddersfield,
HD1 9EL