



Physical
Security
Systems

Operations & Maintenance

Manual

Produced by CLD



**BRITISH
MADE**



Secured by Design



Official Police Security Initiative



 cld-systems.com

 +44 1270 764751

Head Office
ModSec House, Moston Road, Sandbach
Cheshire, CW11 3HL, United Kingdom

Together,
We make safe

Operation and Maintenance Manual



Site Name

Date

Site
Address

Invoice
No.

Invoice
Date

System
Details

LockMaster Gates

Gates of various sizes to suit the above mesh systems, including single leaf pedestrian access. All Lockmaster gates should be carefully adjusted to ensure a minimum gap in the locking area. Any closing mechanism should be correctly installed exactly as manufacturer's instructions to ensure the best possible operation.

SlideMaster Gates

Correct installation is essential to the smooth operation of the gate - Electrical modification should never be considered, additional access peripherals should be checked with the manufacturer.

Maintenance

Cleaning to be carried out and recorded bi-annually (And additionally as necessary), using warm water and a very mild detergent or car shampoo. Periodic checking of fixings is advised and tighten as necessary. Gates require maintenance checks on a monthly basis or sooner, with hinges tightened and adjusted to keep gates hanging true. Locks to be checked and tightened where required. All moving parts to be lubricated on a regular basis. (Spare parts readily available from CLD)

Conformity

All systems are fully compliant with BS1722 Part 14.

Head Office

Modsec House
Moston Road
Sandbach
Cheshire
UK
CW11 3HL
Tel +44 (0)1270 764751

Offices in

Washington DC | Sandbach | London | Dubai | Jakarta | Sydney | Buenos Aires

cld-systems.com



Physical
Security
Systems