

GKO Holmfirth 59 Huddersfield Road HD9 4AJ

Simon Hall

HD5 8TU



Salesperson:  
Luisa Durber

Customer Work number: Customer Home number: Project:  
Simon Hall

Delivery address: Simon Hall

HD5 8TU

**QUOTATION Number: 3626/1/6**

Date:

Please Note: Responsibility of the customer to have all cupboards cleared.  
-105.04dm3

## NOBILIA - Kitchen

<b>Nobilias Kitchen</b>	<b>: 357 Senso</b>
<b>Front combination</b>	<b>: 494 Lacquer, premium honed jade</b>
<b>Carcase design</b>	<b>: KU Plastic</b>
<b>Carcase colour exterior</b>	<b>: 122 Sand</b>
<b>Carcase colour interior</b>	<b>: 036 White</b>
<b>Handle combination</b>	<b>: 002 Recessed handle stainless steel 014</b>
<b>Handle position</b>	<b>: 33 Handleless LineN</b>
<b>Fillers design</b>	<b>: * St Without Special Design</b>
<b>Sideboard design</b>	<b>: SB with plinth as sideboard</b>
<b>Profile design</b>	<b>: BL Fastening strip</b>
<b>Profile colours</b>	<b>: 010 Black</b>
<b>Deviating plinth heights</b>	<b>: ST Standard</b>
<b>Lighting Line N recessed handle</b>	<b>: ST without lighting</b>
<b>Anti-Slip Mats</b>	<b>: 0 Without Anti-Slip Mats</b>
<b>Opening support mechanism drawer/pull-out</b>	<b>: ST without opening support</b>
<b>Pull-out design</b>	<b>: ST Standard (railing)</b>
<b>Pull-out design version (side)</b>	<b>: ST without design equipment</b>
<b>Pull-out design colour (side)</b>	<b>: ST without design colour</b>
<b>Internal pull-out design</b>	<b>: ST Standard (railing)</b>
<b>Internal pull-out panel (front)</b>	<b>: ST Standard (wooden front piece)</b>

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:  
E-Mail:  
Website:  
VAT number: 407088988  
Co.Reg.no: 14003212

Bank A/c: HSBC  
Account Number 60890758  
Sort Code 40-41-57

Internal pull-out design version (side)	: ST without design equipment
Internal pull-out design colour (side)	: ST without design colour
Drawer design version (side)	: ST without design equipment
Drawer design colour (side)	: ST without design colour
Internal drawer panel (front)	: ST Standard (wooden front piece)
Internal drawer design version (side)	: ST without design equipment
Internal drawer design colour (side)	: ST without design colour
Worktops	: SL-X Slim Line Xtra
Worktop colour	: 363 Taupe grey basalt reproduction
Worktop edge design	: SL-X Slim Line Décor edge Xtra
Worktop edge colour	: 999 Colour same as worktop Décor
Plinth Finish	: MA Décor matt
Plinth colour	: 111 Jade
Panels	: MA Décor matt
Upright colour	: 122 Sand
Niche Cladding	: MA Décor matt
Niche colour	: 235 Venato Bianco marble reproduction
Shutter Units	: KU Plastic
Roll-up front colour	: 194 Slate grey
Shelves	: K Décor matt
Shelf colour	: 362 Como oak reproduction
Colour Accessories/Lighting	: 014 Stainless steel appearance
Electric appliances (net)	: Electric appliances (net)
Plinth Height	: 150.00 mm
Worktop Height	: 886.00 mm

### Furniture

Pos	Quantity	Code	Hinges	Description	Veneer
1	1.00	pce NUE100-60		Corner base unit 1 door, 1 shelf, 1 angle <i>Direction = Left, Offset = 215, Filler, thickness = 75</i>	
2	0.44	m <sup>2</sup> NV203		Niche cladding in carcass and worktop décors <i>Width = 1751, Height = 250</i>	
3	1.00	pce NGGSB60		Door front for fully integrated	
4	1.00	pce NSPU100		Sink base unit 2 internal panels,	
5	0.44	m <sup>2</sup> NV203		Niche cladding in carcass and worktop décors <i>Width = 1752, Height = 250</i>	
6	1.00	pce NKWSB60		Door front for fully integrated	
7	1.00	pce NUPD20		Front filler front material, <i>Width = 70</i>	
8	1.00	pce NUPD20		Front filler front material, <i>Plinth = Option 2, Width = 60</i>	

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:

E-Mail:

Website:

VAT number:

Co.Reg.no:

407088988

14003212

Bank A/c: HSBC  
Account number 60890758  
(IBAN):  
Bank ID 40-41-57  
(BIC/Swift):

Pos	Quantity	Code	Hinges	Description	Veneer
9	1.00	pce NUI2A60		Pull-out unit 1 drawer with pull-out panel, <i>Plinth = Option 2</i>	
10	1.00	pce NKM2A100		Hot plate unit for downdraft <i>Plinth = Option 2</i>	
11	1.00	pce NUI2A60		Pull-out unit 1 drawer with pull-out panel, <i>Plinth = Option 2</i>	
12	1.00	pce UWR10		Upright for room designs depth: 250 - 1166 <i>Depth = 1166</i>	
13	1.00	pce NU60	L	Base unit 1 door, <i>Plinth = Option 2</i>	
14	1.00	pce NU100		Base unit 2 doors, <i>Plinth = Option 2</i>	
15	1.00	pce NU60	R	Base unit 1 door, <i>Plinth = Option 2</i>	
16	1.00	pce NUPD20		Front filler front material, <i>Plinth = Option 2, Width = 60</i>	
17	1.00	pce UPD20		Front filler Continuous front material, <i>Height = 2242, Plinth = Option 3, Width = 75, Depth = 461</i>	
17.1	1.00	pce MP-SONDER		Surcharge for other special productionson	
18	1.00	pce NU60	L	Base unit 1 door, <i>Depth = 461, Plinth = Option 3</i>	
18.1	1.00	pce TK46		Depth reductions on base units	
19	1.00	pce HR60		Highboard open shelf unit 3 fixed shelves, <i>Depth = 482</i>	
19.1	1.00	pce TK		Depth reductions on units and shelf units	
19.2	3.00	pce MP-RLA		Surcharge for shelf	
20	1.00	pce HWK10-258		Upright at end of run <i>Plinth = Option 3, Height = 2240, Depth = 483</i>	
21	1.00	pce NUA100-36		Pull-out unit 1 pull-out <i>Depth = 461, Plinth = Option 3</i>	

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:

E-Mail:

Website:  
VAT number:  
Co.Reg.no:

407088988  
14003212

Bank A/c: HSBC  
Account number 60890758  
(IBAN):  
Bank ID 40-41-57  
(BIC/Swift):

Pos	Quantity	Code	Hinges	Description	Veneer
21.1	1.00	pce TK46		Depth reductions on base units	
21.2	1.00	pce MP-PSO		Surcharge for plinth for base units in	
22	1.00	pce NUA80-36		Pull-out unit 1 pull-out <i>Depth = 461, Plinth = Option 3</i>	
22.1	1.00	pce TK46		Depth reductions on base units	
22.2	1.00	pce MP-PSO		Surcharge for plinth for base units in	
23	1.00	pce NUA100-36		Pull-out unit 1 pull-out <i>Depth = 461, Plinth = Option 3</i>	
23.1	1.00	pce TK46		Depth reductions on base units	
23.2	1.00	pce MP-PSO		Surcharge for plinth for base units in	
24	1.00	pce HWK10-258		Upright at end of run <i>Plinth = Option 3, Height = 2240, Depth = 483</i>	
25	1.00	pce NU60	R	Base unit 1 door, <i>Depth = 461, Plinth = Option 3</i>	
25.1	1.00	pce TK46		Depth reductions on base units	
26	1.00	pce HR60		Highboard open shelf unit 3 fixed shelves, <i>Depth = 482</i>	
26.1	1.00	pce TK		Depth reductions on units and shelf units	
26.2	3.00	pce MP-RLA		Surcharge for shelf	
27	1.00	pce UPD20		Front filler Continuous front material, <i>Height = 2242, Plinth = Option 3, Width = 75, Depth = 461</i>	
27.1	1.00	pce MP-SONDER		Surcharge for other special productionson	
28	1.00	pce NGS194-1	L	Appliance housing integrated fridge	
29	1.00	pce NHSI60-1	R	Tall unit 1 lug connected door,	
30	1.00	pce NGMZ-1		Recessed handle between units for planning	
31	1.00	pce NGSDKOA-1	L	Appliance housing for oven and <i>Rebuilt front</i>	
32	1.00	pce NGMZ-1		Recessed handle between units for planning	

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:

E-Mail:

Website:  
VAT number:  
Co.Reg.no:

407088988  
14003212

Bank A/c: HSBC  
Account number 60890758  
(IBAN):  
Bank ID 40-41-57  
(BIC/Swift):

Pos	Quantity	Code	Hinges	Description	Veneer
33	1.00	pce HWAV10-1		Upright at end of run incl. floor seal for <i>Depth = 683</i>	
34	1.00	pce APD20-1		Front filler Continuous front material, <i>Height = 1279, Width = 51, Depth = 350</i>	
34.1	1.00	pce MP-SONDER		Surcharge for other special productionson	
35	0.07	m <sup>2</sup> NV203		Niche cladding in carcass and worktop décors <i>Width = 585, Height = 124</i>	
36	22.60	dm MP-NGML		Surcharge for LED light design for recessed <i>Width = 2260</i>	
37	22.60	dm MP-NGML		Surcharge for LED light design for recessed <i>Width = 2260</i>	
39	1.00	pce AJTT60-1		Tambour dresser unit 1 plastic roll-up <i>Height = 1279, Rebuilt front</i>	
39.1	1.00	pce MP-AJAH		Surcharge for deviating height	
39.2	1.00	pce ITAB-AJ60		Ripiano estraibile interno con blocco di	
40	1.00	pce NKWSB60		Door front for fully integrated	
505	93.36	dm SB15		Plinth panel with floor profile thickness:	
506	47.46	dm SB15		Plinth panel with floor profile thickness: Plinth: Option 2	
507	43.79	dm SB7		Plinth panel with floor profile thickness: Plinth: Option 3	

### Worktops

Pos	Quantity	Code	Hinges	Description	Veneer
500	35.05	dm APSLN60		Slim Line Worktop APSLN, 16 mm thick both <i>Length = 3505, Depth = 600</i>	
500.1	1.00	pce APSL-NF		Tongue and groove joint for Slim Line	

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:

E-Mail:

Website:  
VAT number:  
Co.Reg.no:

407088988  
14003212

Bank A/c: HSBC  
Account number 60890758  
(IBAN):  
Bank ID 40-41-57  
(BIC/Swift):

Pos	Quantity		Code	Hinges	Description	Veneer
501	6.51	dm	APSLN70		Slim Line Worktop APSLN, 16 mm thick both <i>Length = 651, Depth = 624</i>	
502	22.72	dm	APSLN117		Slim Line Worktop APSLN, 16 mm thick both <i>Length = 2272, Depth = 1170</i>	

### Sinks

Pos	Quantity		Code	Hinges	Description	Veneer
41	1.00	pce	SCH-PIND150UGC R/4363		Pinedo D-150 Croma <i>Direction = Right</i>	

### Taps

Pos	Quantity		Code	Hinges	Description	Veneer
41.1	1.00	pce	SPI-SPR/01/CH		SPIRALE SPRING CHROME	

### Electrical equipment

Pos	Quantity		Code	Hinges	Description	Veneer
3.1	1.00	pce	S175HTX06G		NEFF N 50 Fully Integrated 60cm Dishwasher,	
6.1	1.00	pce	W544BX2GB		NEFF Built in Washing Machine, Capacity 8kg,	
10.2	1.00	pce	NTESSENTIAL80U K		ELICA UK Ceramic glass downdraft extractor	
28.1	1.00	pce	KI7962FD0G	L	NEFF N 50 193.5x54 XL NoFrost bottom	
31.1	1.00	pce	B4ACF1AN3B	U	NEFF N 50 Slide & Hide Single Oven,	
31.2	1.00	pce	C1AMG84N1B	B	NEFF N 50 Compact 45cm Microwave Combination	

### Accessories

Pos	Quantity		Code	Hinges	Description	Veneer
4.1	1.00	pce	FB100		Moisture protection sheet aluminium sheet,	
4.2	1.00	pce	AS9430		Built-in waste collector "Solo" plastic,	

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:

E-Mail:

Website:  
VAT number:  
Co.Reg.no:

407088988  
14003212

Bank A/c: HSBC  
Account number 60890758  
(IBAN):  
Bank ID 40-41-57  
(BIC/Swift):

<b>Pos</b>	<b>Quantity</b>	<b>Code</b>	<b>Hinges</b>	<b>Description</b>	<b>Veneer</b>
10.1	1.00	pce BE100D		Cutlery tray Depot Non-slip soft touch	
11.1	2.00	pce BE60D		Cutlery tray Depot Non-slip soft touch	
38	28.00	dm LNDERB400		LED niche light Derby II Aluminium profile <i>Width = 2800</i>	
42	2.00	pce LSET-SMART60		LED starter and follow-up set, consisting	

GKO Holmfirth  
59 Huddersfield Road  
Holmfirth  
HD9 4AJ

Telephone:  
Fax:  
E-Mail:  
Website:  
VAT number: 407088988  
Co.Reg.no: 14003212

Bank A/c: HSBC  
Account number 60890758  
(IBAN):  
Bank ID 40-41-57  
(BIC/Swift):