



NORTH

422640 E

422660 E

422680 E

422700 E

422720 E

422740 E

422760 E

424020 N

424000 N

423980 N

423960 N

423940 N

HEALEY LANE

PROPOSED PRIVATE RETAINING WALL SITED 3.83m FROM THE BACK OF THE PROPOSED ADOPTED HIGHWAY, REFER TO DRAWING 24106-DCE-XX-XX-D-C-158 FOR PROPOSED CROSS SECTION

PROPOSED PRIVATE GEOCELLULAR SURFACE WATER ATTENUATION TANK SITED 3.79m FROM THE BACK OF THE PROPOSED ADOPTED HIGHWAY, REFER TO DRAWING 24106-DCE-XX-XX-D-C-158 FOR PROPOSED CROSS SECTION

SW38-1.00
CL:132.390
IL:130.350 1500
2.040m DEEP
1.2mØ PCC D400

PROPOSED YORKSHIRE WATER PRECAST CONCRETE SURFACE WATER ATTENUATION TANK SITED 4.01m FROM THE BACK OF THE PROPOSED ADOPTED HIGHWAY, REFER TO DRAWING 24106-DCE-XX-XX-D-C-158 FOR PROPOSED CROSS SECTION

CW1.02
CL:129.460
BDIL:128.110 1500
IL:127.000 1500
2.460m DEEP
1.2mØ PCC D400


1.007 15.167m 1500
PVC1:1.15

PROP IL
IL:126.015 1500

DO NOT SCALE

DESIGNERS HAZARD IDENTIFICATION

IT IS ASSUMED THAT ALL WORKS WILL BE UNDERTAKEN BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT. IN ADDITION TO THE HAZARDS TYPICALLY ASSOCIATED WITH THE TYPES OF CONSTRUCTION DETAILED ON THIS DRAWING, ANY KNOWN ABNORMAL HAZARDS SPECIFIC TO THIS SCHEME HAVE BEEN IDENTIFIED.

 **ABNORMAL HAZARD REFERENCE**

NOTES

- DO NOT SCALE FROM THIS DRAWING.
- THIS DRAWING IS TO BE REPRODUCED IN COLOUR.
- IF ANY DISCREPANCIES ARE FOUND IN THIS DRAWING, PLEASE REPORT TO DUDLEYS CONSULTING ENGINEERS.
- THIS DRAWING HAS BEEN ORIENTATED TO OS BRITISH NATIONAL GRID (EPSG:27700 OSGB36). EXISTING SURVEY STATIONS ARE SHOWN ON THE TOPOGRAPHICAL SURVEY.
- THIS DRAWING IS BASED ON THE FOLLOWING INFORMATION:
 - 4246 - 01 - TOPOGRAPHICAL SURVEY BY MOBILE CAD SURVEYING SOLUTIONS DATED APRIL 2024.
 - 2405-GWP-00-00-D-A-(00)-0005 REVISION C05 - PROPOSED SITE PLAN BY GWP ARCHITECTS DATED NOVEMBER 2025.
 - 6854 - PROPOSED ADOPTABLE LIGHTING BY KIRKLEES COUNCIL DATED NOVEMBER 2025.
- ALL WORK TO BE UNDERTAKEN IN ACCORDANCE WITH THE CURRENT EDITION OF THE BUILDING REGULATIONS, SEWERAGE SECTOR CODES OF PRACTICE, AND THE RELEVANT LOCAL HIGHWAY AUTHORITY STANDARDS.
- SUBJECT TO AGREEMENT WITH KIRKLEES COUNCIL

KEY

- EXTENT OF AREA TO BE ADOPTED
- ADOPTABLE CARRIAGEWAYS
- ADOPTABLE FOOTWAYS AND MARGINS
- ADOPTABLE HIGHWAY DRAINAGE
- WORKS TO EXISTING HIGHWAY
- SERVICE MARGIN
- PROPOSED YORKSHIRE WATER SURFACE WATER, FOUL WATER, AND COMBINED WATER SEWERS AND LATERALS
- PROPOSED YORKSHIRE WATER SURFACE WATER ATTENUATION TANK
- EXISTING YORKSHIRE WATER COMBINED WATER SEWER
- PROPOSED PRIVATE SURFACE WATER ATTENUATION TANK
- SITE BOUNDARY
- S38 SURFACE WATER MANHOLE
- PROPOSED LIGHTING COLUMN

24.11.25	ADDITIONAL MANHOLE ADDED AND TACTILE PAVING MOVED BY 1.5m	DC	JA	P08
24.10.25	OS GRID ADDED	JA	PD	P07
06.10.25	UPDATED SITE LAYOUT	DC	JA	P06
02.09.25	UPDATED SITE LAYOUT	DC	JA	P05
23.01.25	UPDATED SITE LAYOUT	JA	PD	P04
10.01.25	ADDED NOTES REGARDING STRUCTURES, AMENDED EXTENT OF S278 WORKS	JA	PD	P03
19.12.24	UPDATED SITE LAYOUT	JA	PD	P02
24.10.24	PRELIMINARY ISSUE	JA	PD	P01
DATE	REVISION DESCRIPTION	BY	CHK.	REV.

DUDLEYS CONSULTING ENGINEERS

Tithe House
35 Town Street
Leeds, LS18 5JU
0113 258 3611
info@dudleys.co.uk

PROJECT
HEALEY LANE
BATLEY, WF17 8BN

TITLE
SECTION 38 LAYOUT

SCALE	PAPER	STATUS
1:200	A1	PRELIMINARY
DRAWING NO.	REV.	
24106-DCE-XX-XX-D-C-138	P08	

