



• Sanderson Associates Consulting Engineers ("the consultant"), has not checked or verified, and shall have no liability whatsoever for any inaccuracies which may be attributable to any data, reports, base plan(s) and drawings provided by the client, or purchased by the consultant on the client's behalf, that may have been utilised within this drawing.

• The consultant shall not be liable for the use by any person of any document for any purpose other than that for which the same were provided by the consultant.

• No liability whatsoever is accepted by the consultant for any error or omission.

• The consultant accepts no liability for any vehicle specification errors within the vehicle track software used and / or its vehicle libraries.

• The locations of utilities apparatus, if shown, is reproduced from plans supplied to the consultant, although care has been taken when duplicating this information. These locations are approximate only and no guarantee can be given for their accuracy. It is the client's or its appointed agent/contractors responsibility to verify the exact locations on site by hand dig trial holes or other appropriate means prior to mechanical excavation.

• Service connections are not shown but their presence should be anticipated.

• Reference to any third party equipment shown on this drawing was only relevant at the time the drawing was prepared.

• It is the client's responsibility to ensure that any equipment ordered meets the design.

- KEY:**
- SAW CUT EXISTING FOOTWAY LEVELS
- FULL FOOTWAY CONSTRUCTION**
- 20mm SURFACE COURSE - AC6 DENSE SURF 100/150
  - 50mm BINDER COURSE - AC20 DENSE BIN 100/150
  - 100mm - TYPE 1 SUB BASE TO SERIES 800 MCHW
- VEHICLE CROSSOVER CONSTRUCTION**
- 20mm SURFACE COURSE - AC6 DENSE SURF 100/150
  - 50mm BINDER COURSE - AC20 DENSE BIN 100/150
  - 225mm - TYPE 1 SUB BASE TO SERIES 800 MCHW
- HARD MARGIN CONSTRUCTION**
- 4NO. 100x200x80 CONCRETE BLOCK PAVOIRS
  - 30mm SAND BEDDING COURSE
  - 150MM ST5 GRADE CONCRETE
  - MIN 150mm SUB BASE (TYPE 1) BENEATH KERB
  - FOUNDATION CONCRETE
- K1 - 125x255 HB2 PCC KERB - 125mm UPSTAND
  - K4 - 125x255 PCC KERB - 30mm UPSTAND
  - K7 - 125x255 - K1-K4 TRANSITION KERB - 125-30mm UPSTAND
  - K8 - 125x255 - K4-K1 TRANSITION KERB - 25-125mm UPSTAND
  - K15 - 125x125 BN PCC KERB - 30mm UPSTAND
  - K14 - 125x255 K1-K15 TRANSITION KERB - 125-30mm UPSTAND
  - K16 - 125x255 K15-K1 TRANSITION KERB - 30-125mm UPSTAND
  - E1 - 50x150 - PCC EDGING KERB - 0mm UPSTAND
  - C1 - 150x125 - PCC CHANNEL KERB - 0mm UPSTAND
- NOTES:**
- KERB DESIGNATIONS TAKEN FROM: KMBC REF: HD/SD/11/01B To 03B
  - ALL DIMENSIONS MEASURED IN MILLIMETERS UNLESS OTHERWISE SPECIFIED

**sanderson**  
associates  
consulting engineers

Highways | Traffic | Transportation | Water

T 01924 844080 mail@sandersonassociates.co.uk  
www.sandersonassociates.co.uk

UNTIL TECHNICAL APPROVAL HAS BEEN OBTAINED FROM THE RELEVANT LOCAL AUTHORITIES OR STATUTORY BODIES, IT SHOULD BE UNDERSTOOD THAT ALL DRAWINGS ARE ISSUED AS PRELIMINARY AND NOT FOR CONSTRUCTION. SHOULD THE CONTRACTOR AND / OR EMPLOYER COMMENCE WORK PRIOR TO APPROVAL BEING GIVEN, IT IS ENTIRELY AT THEIR OWN RISK

P01	FIRST ISSUE	SS	07/01/2026	TC
Rev	Amendment	Drawn	Date	Checked
Drawing Status				
S5 - FOR APPROVAL				

Client  
**JONES HOMES (YORKSHIRE) LIMITED**

Project Title  
**LAND OFF SUNNY VIEW, BATLEY (PHASE 2)**

Drawing Title  
**PROPOSED KERBING AND FOOTWAYS**

Scale	Drawing Size	Drawn By	Checked By
1:250	A1	SS	TC
Project Number	Date	Approved By	
166039	JAN 26	DB	
Drawing Number	Rev		
166039-SAN-WLG-XX-DR-C-11_001	P01		