

**Sent:** 14 May 2026 09:59

**Subject:** Further DOCO comments regarding application number 2026/90421 at location Cockley Hill Lane, Kirkheaton, Huddersfield, HD5 0HH - cycle storage details

Re: condition 13- amended cycle storage details

Thank you for the further consultation request regarding this application.

I have reviewed the newly submitted document “Gleeson Homes Standard Details – Cycle Shed Dwg Ref: SD05” (id 1136488).

The condition can be discharged.

Could the applicant please be advised to consider installing Sheffield stands which are security rated to one of the standards mentioned in previous correspondence (Sold Secure SS104 Bronze, LPS 1175 Issue 8 Security Rating A1, STS 225 Issue 2 Burglar Resistance BR1(S), STS 205 Issue 8 Burglar Resistance BR1, STS 501 Security Rating TR1 or STS 503 Security Rating TR1).

Kind regards,

Agnieszka Boryn  
Designing Out Crime Officer  
Kirklees District

This email transmission may contain confidential or legally privileged information and is intended for the addressee(s) only. If you are not the intended recipient, any disclosure, copying, distribution, retention, or reliance upon the contents of this e-mail and any attachment(s) is strictly prohibited and may be unlawful. If you have received this in error, please use the reply function to notify us immediately and permanently delete the email and any attachment(s) from your computer or electronic device. West Yorkshire Police reserves the rights to routinely monitor incoming and outgoing e-mail messages and cannot accept liability or responsibility for any errors or omissions in the content and, as internet communications should not be considered as secure, for changes made to this message after it was sent. Any views or opinions expressed in this message may not be those of West Yorkshire Police. This email was scanned for viruses by West Yorkshire Police's anti-virus services and on leaving the Force was found to be virus and malware free. You must take full responsibility for any subsequent virus or malware checking.