





- Existing panel may need to adjust to accommodate fire rated doorset - *Panel to have material trimmed from either side to remain symmetrical.*
- Existing door frame to be removed to permit installation of new fire rated doorset.
- Existing architrave to be carefully removed and set aside for reinstatement (Bedroom side). Architrave to be replaced with new softwood architrave where unable to be removed intact.
- Existing architrave to be retained and redecorated (Corridor side).
- Existing masonry wall
- Existing plaster - retained where practically possible
- Existing plaster removed



- Existing panel may need to adjust to accommodate fire rated doorset - *Panel to have material trimmed from either side to remain symmetrical.*
- New fire rated doorset.
- Firestop
- Existing architrave to be reinstatement (Bedroom side). *Architrave to be replaced with new softwood architrave where unable to be removed intact.*
- Existing architrave to be retained and redecorated (Corridor side).
- Plasterboard on metal frame, fixed back to existing masonry wall.
- New plywood lining to receive painted finish to match door frame and existing panel.
- Existing masonry wall
- Existing plaster - retained where practically possible.

1 Typical Internal Door Detail - Block A Bedrooms

1 : 5

P1	Issued for Planning	25.06.2026	DR	MS
Rev	Description	Date	Dr by	App by
original by MCS	date created 07/08/26		approved by RS	

AHR
AHR Architects Ltd
No.1 Aire Street
Leeds
LS1 4PR
United Kingdom

GMI
Kirklees COUNCIL
T +44(0)113 3858787
E leeds@ahr.co.uk
www.ahr.co.uk

client name	GMI Construction Group
project	George Hotel Refurbishment
drawing	Typical Internal Door Detail - Block A Bedrooms
computer file	plot date
\\10.32.1.1\DEM_Profile\Folder_redirection\matt.stephenson\Documents\Revit Files\Local Files\Revit 2024\054-AHR-ZZ-ZZ-M-A-00001_matt.stephenson\7MKLQ.rvt	
project number	scale
2024.00373.000	1 : 5 @A3
drawing number	rev
L054-AHR-21-ZZ-ZZ-D-A-21303 P1	issue status
	52

This drawing is to be read in conjunction with all related drawings. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of AHR.