

Indicator (for population aged 18 years and over unless specified)		Numerator	Denominator	Time Period	Local Data Source	National Data Source	Notes
Resident Population Characteristics							
Total population			Area population count	Mid-year 2012	WYCSA Resident Population (5N2)	2011 Census: KS102EW Age structure, local authorities in England and Wales	http://www.ons.gov.uk/ons/rel/census/2011-census/key-statistics-for-local-authorities-in-england-and-wales/rft-table-ks102ew.xls
By age groups							
	aged 16-18 years (n=16125)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 18 years and over (n=337982)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 18-24 years (n=42035)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 18-44 years (n=1626247)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 45-64 years (n=107977)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 65-74 years (n=37228)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 65 years and over (n=67064)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
	aged 75 years and over (n=30153)	area population aged as specified in indicator	/1000 area population	Mid-year 2012	WYCSA Resident Population (5N2)	Mid-2011, Ward 2011 Estimates - Census 2011	http://www.ons.gov.uk/ons/rel/sape/ward-mid-year-pop-est-eng-wales-exp/mid-2011-census-based/rft-ward-level-mid-year
South Asian		aged 18 years and over (n=51492)	South Asian area population aged 18 years and over	Mid-year 2012	WYCSA WYCSA Resident Population (5N2); Nam PeChan v2.1	Nav	
Non-South Asian		aged 18 years and over (n=286490)	Non-South Asian area population aged 18 years and over	Mid-year 2012	WYCSA WYCSA Resident Population (5N2); Nam PeChan v2.1	Nav	
White		All ages from census 2011	/1000 area population	2011 Census	2011 Census: Table CT0010 Ethnic group	2011 Census: KS201EW Ethnic group, local authorities in England and Wales	http://www.ons.gov.uk/ons/rel/census/2011-census/key-statistics-and-quick-statistics-for-wards-and-output-areas-in-england-and-wales/rft-gs211ew-wm.xls
All BME		All ages from census 2011	/1000 area population	2011 Census	2011 Census: Table CT0010 Ethnic group	2011 Census: KS201EW Ethnic group, local authorities in England and Wales	http://www.ons.gov.uk/ons/rel/census/2011-census/key-statistics-and-quick-statistics-for-wards-and-output-areas-in-england-and-wales/rft-gs211ew-wm.xls
Healthy Foundations motivation segments							
Health Conscious Realists (HCR)		Number of respondents classified as HCR segment using the Healthy Foundations (HF) 19-item allocation model	all question respondents	2012	Current Living in Kirklees (CLIK) survey	The Healthy Foundations Lifestages Segmentation. Research Report No. 1. Department of Health 2011	
Balanced Compensators (BC)		Number of respondents classified as BC segment using the Healthy Foundations (HF) 19-item allocation model	all question respondents	2012	CLIK survey	The Healthy Foundations Lifestages Segmentation. Research Report No. 1. Department of Health 2011	
Live for Today's (LFT)		Number of respondents classified as LFT segment using the Healthy Foundations (HF) 19-item allocation model	all question respondents	2012	CLIK survey	The Healthy Foundations Lifestages Segmentation. Research Report No. 1. Department of Health 2011	
Hedonistic Immortals (HI)		Number of respondents classified as HI segment using the Healthy Foundations (HF) 19-item allocation model	all question respondents	2012	CLIK survey	The Healthy Foundations Lifestages Segmentation. Research Report No. 1. Department of Health 2011	
Unconfident Fatalists (UF)		Number of respondents classified as UF segment using the Healthy Foundations (HF) 19-item allocation model	all question respondents	2012	CLIK survey	The Healthy Foundations Lifestages Segmentation. Research Report No. 1. Department of Health 2011	
Social connectedness/ capital							
Participation in regular volunteering (at least once per month)		Number of respondents who gave the response specified in indicator	all question respondents	2011	Your Place Your Say (YPYS) survey	Citizenship Survey 2010/11 (DCLG)	
Feel lonely/ isolated all or most of the time		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Social connectedness (have someone to rely on in a crisis or to comfort them when upset)		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Have someone to comfort them when upset		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Have someone to rely on in a crisis		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Agree that local area is a place where people from different ethnic backgrounds get on well together		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Agree that local area is a place where people of different ages get on well together		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Agree that local area is a place where people treat each other with respect and consideration		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Agree that local area is a place where people trust each other		Number of respondents who gave the response specified in indicator	all question respondents	2011	YPYS	Nav	
Agree that local area is a place where people pull together to improve things		Number of respondents who gave the response specified in indicator	all question respondents	2011	YPYS	Nav	
Place & physical assets							
Satisfied overall with local area as a place to live		Number of respondents who gave the response specified in indicator	all question respondents	2011	YPYS	Citizenship Survey 2010/11 (DCLG)	
Think that people being drunk or rowdy in public places is a problem in their local area		Number of respondents who gave the response specified in indicator	all question respondents	2011	YPYS	Nav	
Feel safe when outside in local area during the day		Number of respondents who gave the response specified in indicator	all question respondents	2011	YPYS	Nav	
Crime							
	Household burglary	households No. of crimes	/1000 population	April 2011 to March 2012	West Yorkshire Police	Neighbourhood statistics via www.westyorkshireobservatory.org	
	Vehicle crime	all ages No. of crimes	/1000 population	April 2011 to March 2012	West Yorkshire Police	HMIC Crime & Policing Comparator (Figures for E&W 12 months to June 2012)	
	Violent crime (excluding robbery)	all ages No. of crimes	/1000 population	April 2011 to March 2012	West Yorkshire Police	HMIC Crime & Policing Comparator (Figures for E&W 12 months to June 2012)	National comparator for violent crime does not exclude robbery
	Robbery	all ages No. of crimes	/1000 population	April 2011 to March 2012	West Yorkshire Police	HMIC Crime & Policing Comparator (Figures for E&W 12 months to June 2012)	
	All crime reported to the police	all ages No. of crimes	/1000 population	April 2011 to March 2012	West Yorkshire Police	HMIC Crime & Policing Comparator (Figures for E&W 12 months to June 2012)	
Housing							
Total number of households		households Non-void properties	N/A	2012	Kirklees Local Land and Property Gazetteer 2012	2010 Data, English Housing Survey HOMES (2010), Communities and Local Government	
Living in overcrowded accommodation		households Respondents who were identified as having a ratio of people to living rooms > 1	all question respondents	2012	CLIK survey	English Housing Survey 2011-12	National figure is 3 year average from 2008-9 to 2011-12
Home perceived as NOT suitable for household's needs (all household types)		households Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Home perceived as NOT suitable for needs of pensioner households		pensioner households Number of respondents who gave the response specified in indicator	all question respondents from pensioner households	2012	CLIK survey	Nav	
Home perceived as NOT suitable for needs of households with dependent children		households with dependent children Number of respondents who gave the response specified in indicator	all question respondents from households with dependent children	2012	CLIK survey	Nav	
Home perceived as NOT suitable for household's needs because it is badly in need of repairs/improvements		households Number of respondents who gave the response specified in indicator	all respondents who said their house was not suitable	2012	CLIK survey	English Housing Survey HOMES (2010), Communities and Local Government	pp 67 (paragraph 4.12) - Non decent dwellings which fail the Decent Homes criteria.
Home perceived as NOT suitable for household's needs because it is too large		households Number of respondents who gave the response specified in indicator	all respondents who said their house was not suitable	2012	CLIK survey	Nav	
Families							
Eat with family/ household members 5 or more times per week		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Provide unpaid care for someone who is limited in their daily activities		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	HSE (2011)	provision informal help or support to anyone in the last month because of a LTC, mental ill health, disability or problems related to old age.

Economic well-being							
Money worries in past few weeks (most or all of time)		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Job Seekers Allowance claimants	aged 18-64 years	JSA Claimants Q3 2012	Working Age Population	2012	Department for work and pensions (numerator) & ONS (denominator)	Department for work and pensions (numerator) & ONS (denominator)	
Claimants of Severe Disability Allowance or Incapacity Benefit or Employment Support Allowance	aged 18-64 years	Working-age DWP benefit claimants, Incapacity Benefits & SDA Q1 2012	Working Age Population	2012	Department for work and pensions (numerator) & ONS (denominator)	Department for Work and Pensions (numerator) & ONS (denominator)	
Working Age Poverty	aged 18-64 years	B/ ESA, JSA or Income Support Claimants	Working Age Population	2012	Department for work and pensions (numerator) & ONS (denominator)	Department for Work and Pensions (numerator) & ONS (denominator)	
Old Age / Pensioner Poverty	aged over 65 years	Pension Credit claimants, Guarantee Element Q1 2012	Population aged 65 years and over	2012	Department for work and pensions (numerator) & ONS (denominator)	Department for Work and Pensions (numerator) & ONS (denominator)	
Work and skills							
Qualified to at least level 2	aged 18-64 years	Number of respondents who gave the response specified in indicator	all question respondents age 18-64 years	2012	CLIK survey	NOMIS Official Labour Market Statistics, Office for National Statistics (ONS) Jan 2012- Dec 2012	http://www.nomisweb.co.uk/reports/lmp/gor/2092957699/report.aspx#ta
Working age people on out of work benefits	aged 18-64 years	Number of respondents who gave the response specified in indicator	all question respondents age 18-64 years	2012	CLIK survey	Nav	
Workless	aged 18-64 years	Number of respondents age 18-64 years who are either unemployed and available for work, long-term sick/ disabled, wholly retired, looking after the home or 'doing something else'	all question respondents age 18-64 years	2012	CLIK survey	Nav	
In routine & manual (R&M) employment	aged 18-64 years	Number of respondents identified as being in R&M employment based on their response to occupation questions.	all question respondents age 18-64 years	2012	CLIK survey	Nav	
Self-reported wellbeing (Warwick Edinburgh Mental Well Being Scale - WEMWBS) of people in education/ employment/ training	aged 18-64 years	Mean score (on a scale of 14 to 70)	all question respondents age 18-64 years	2012	CLIK survey	Nav	
Self-reported wellbeing (WEMWBS) of people NOT in education/ employment/ training	aged 18-64 years	Mean score (on a scale of 14 to 70)	all question respondents age 18-64 years	2012	CLIK survey	Nav	
Health behaviours							
Current smoker		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	(HSE, 2011) (16+y)	
Physical activity	Meet recommended level	Number of respondents who do 30 mins moderate physical activity at least 5 times per week	all question respondents	2012	Active People Survey, Sports England	Active People Survey, Sports England	
	Never do 30 minutes moderate physical activity per day	Number of respondents who never do 30 mins moderate physical activity in a week	all question respondents	2012	Active People Survey, Sports England	Active People Survey, Sports England	
Alcohol	Likely to be drinking at increasing risk levels (Audit C score of 5 or more)	Score based on responses to questions using the Audit C tool	all question respondents	2012	CLIK survey	Nav	
	Binge drinking (Those who consume 7 or more units of alcohol on a typical drinking day)	Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
	Males/ females who drink 7 or more units of alcohol on a typical day who are concerned about their drinking and plan to reduce it	Number of male/ female respondents who gave the responses specified in indicator	all male/ female question respondents	2012	CLIK survey	Nav	
	Not concerned about drinking (of all those who drink alcohol)	Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Food and nutrition	Likely to eat 5-a-day	Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	HSE (2011) Actual 5-a-day	Self-reported 5 a day recorded within HSE (2011) survey. However, CLIK asked 'Likely 5-a-day.'
	Eat fast food or take away meals at least once a week	Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
	Very/quite confident cooking from basic ingredients	Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
	Cook from basic ingredients 5 or more times per week?	Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Adults with no unhealthy behaviours		Number of respondents identified as having no unhealthy behaviours	all question respondents	2012	CLIK survey	Kings Fund (based on HSE 2008)	
Adults with 1 unhealthy behaviour		Number of respondents identified as having 1 unhealthy behaviour	all question respondents	2012	CLIK survey	Kings Fund (based on HSE 2008)	
Adults with 2 unhealthy behaviours		Number of respondents identified as having 2 unhealthy behaviours	all question respondents	2012	CLIK survey	Kings Fund (based on HSE 2008)	
Adults with 3 unhealthy behaviours		Number of respondents identified as having 3 unhealthy behaviours	all question respondents	2012	CLIK survey	Kings Fund (based on HSE 2008)	
Adults with 4 unhealthy behaviours		Number of respondents identified as having 4 unhealthy behaviours	all question respondents	2012	CLIK survey	Kings Fund (based on HSE 2008)	
Women of child bearing age (WOCBA) - aged 18-44 years							
Smoking	Current smoker	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	(HSE, 2011) (16+y)	Could not break down by WOCBA - figure shown is total women aged 16+y
	Smoking at birth	excl South Asian	Number of non-South Asian women assessed at time of delivery as smokers	/1000 non-South Asian mothers with known smoking status at birth	2012	CHFT and MSYFT	HSCIC 2013
	Smoking at birth	Incl South Asian	Number of women assessed at time of delivery as smokers	/1000 mothers with known smoking status at birth	2012	CHFT and MSYFT	HSCIC 2013
Physical activity	Meet recommended level	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	(HSE, 2011) (16+y)	WOCBA aged 16 - 44y.
Alcohol	Likely to be drinking at increasing risk levels (Audit C score of 5 or more)	Score based on responses to questions using the Audit C tool	all female question respondents aged 18-44 years	2012	CLIK survey	Nav	
	Binge drinking (Those who consume 7 or more units of alcohol on a typical drinking day)	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	Nav	
	Those who drink 7 or more units of alcohol on a typical day who are concerned about their drinking and plan to reduce it	Number of respondents who gave the responses specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	Nav	
Food and nutrition	Likely to eat 5-a-day	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	Nationa Diet and nutrition survey	
	Eat fast food or take away meals at least once a week	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	Nav	
	Very/quite confident cooking from basic ingredients	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	Nav	
	Cook from basic ingredients 5 or more times per week	Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	Nav	
Being Healthy							
Life Expectancy 3 year average (2008-2010)	at birth (male)	3 year average death count 2008-2010	/1000 directly standardised rate (European)	ONS ADE 2008-2010; WYCSA Mid-year 2009	SEPHO Life Expectancy Calculator used; ONS Annual Death Extract; WYCSA Resident Population (5N2)	Information Centre NCHOD 2008-2010	
	at birth (female)	3 year average death count 2008-2010	/1000 directly standardised rate (European)	ONS ADE 2008-2010; WYCSA Mid-year 2009	SEPHO Life Expectancy Calculator used; ONS Annual Death Extract; WYCSA Resident Population (5N2)	Information Centre NCHOD 2008-2010	
	at 65 years (male)	3 year average death count 2008-2010	/1000 directly standardised rate (European)	ONS ADE 2008-2010; WYCSA Mid-year 2009	SEPHO Life Expectancy Calculator used; ONS Annual Death Extract; WYCSA Resident Population (5N2)	Information Centre NCHOD 2008-2010	
	at 65 years (female)	3 year average death count 2008-2010	/1000 directly standardised rate (European)	ONS ADE 2008-2010; WYCSA Mid-year 2009	SEPHO Life Expectancy Calculator used; ONS Annual Death Extract; WYCSA Resident Population (5N2)	Information Centre NCHOD 2008-2010	
Overall health good to excellent		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	HSE (2011) (16+y)	
Self-rated health (0-100 scale) mean score (standard deviation in brackets)		Mean score (on a scale of 0-100)	all question respondents	2012	CLIK survey	HSE (2010) (16+y)	Weight cases by 'Household Level Weight'.
Long-term limiting condition		Number of respondents who gave the responses specified in indicator	all question respondents	2012	CLIK survey	GLS: ONS (2010) 16+ y	(GLS survey asked: Limiting long term standing illness or disability)
People who need support to continue to live in own home		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	
Any problems with mobility [EQ-5D]		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	HSE (2010) (16+y)	Utilised dataset: Weight cases by 'Household Level Weight'.
Any problems with usual activities [EQ-5D]		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	HSE (2010) (16+y)	Utilised dataset: Weight cases by 'Household Level Weight'.
People with a long-term health condition/ problem who are confident in managing their own health		Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav	

Emotional health & wellbeing							
Positive wellbeing mean score (WEMWBS scale of 14-70)		Mean score (on a scale of 14 to 70)	all question respondents	2012	CLIK survey	HSE (2011) (16+y)	
Medium/ high rating (score of 7-10) of satisfaction with life overall		Number of respondents who scored 7-10	all question respondents	2012	CLIK survey	HSE (2011) (16+y)	
Medium/ high rating (score 7-10) of how worthwhile the things they do are		Number of respondents who scored 7-10	all question respondents	2012	CLIK survey	HSE (2011) (16+y)	
Medium/ high rating (score 7-10) of happiness yesterday		Number of respondents who scored 7-10	all question respondents	2012	CLIK survey	HSE (2011) (16+y)	
Very low/ low rating (score 0-1) of how anxious they were yesterday		Number of respondents who scored 0-1	all question respondents	2012	CLIK survey	HSE (2011) (16+y)	
Biological factors							
Individuals admitted to hospital due to fractured hip (primary diagnosis (ICD-10 S720); last episode in spell)		aged 18-74 years	Admitted with primary diagnosis specified in indicator	/1000 resident population 18-74years and 75years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
		aged 75 years and over	Admitted with primary diagnosis specified in indicator	/1000 resident population 18-74years and 75years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
Individuals staying in hospital for more than 3 days after an accident (secondary diagnosis (ICD-10 V01-X59); last episode in spell)		aged 18 years and over	Staying longer than 3 days with secondary diagnoses specified in indicator	/1000 resident population 18years and over / 18-64years / 65years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
		aged 18-64 years	Staying longer than 3 days with secondary diagnoses specified in indicator	/1000 resident population 18years and over / 18-64years / 65years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
		aged 65 years and over	Staying longer than 3 days with secondary diagnoses specified in indicator	/1000 resident population 18years and over / 18-64years / 65years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
Cancer new cases (incidence)	Breast	all ages (female)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
	Colon*	all ages (male)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
		all ages (female)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
	Melanoma (skin)*	all ages (male)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
		all ages (female)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
	Lung*	all ages (male)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
		all ages (female)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)
Prostate*	all ages (male)	Number of new cases of cancer diagnosed	/1000 directly standardised rate (European)	2008-10	Northern and Yorkshire Cancer Registry and Information Service (PRAXIS 2012).	National Cancer Intelligence Network (NCIN), UK Cancer Information Service (UKCIS)	
Heart disease (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav
Individuals admitted to hospital in an emergency due to a heart attack (primary diagnosis (ICD-10 I21-I22); last episode in spell)		aged 18-64 years	Number of respondents who gave the response specified in indicator	/1000 resident population 18 - 64 years	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
		aged 65 years and over	Number of respondents who gave the response specified in indicator	/1000 resident population aged 65years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
High blood pressure (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Health Survey of England (HSE) 2011
Stroke (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Health Survey of England (HSE) 2011
Individuals admitted to hospital in an emergency due to a stroke (primary diagnosis (ICD-10 I60-I69); last episode in spell)		aged 18-64 years	Admitted with primary diagnoses and age as specified	/1000 resident population aged 18 - 64 years	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
		aged 65 years and over	Admitted with primary diagnoses and age as specified	/1000 resident population aged 65 years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
CVD (self-reported heart disease, high BP and stroke)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav
COPD (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav
Individuals admitted to hospital in an emergency due to bronchitis, emphysema and other COPD (primary diagnosis (ICD-10 J40-J44), as per last episode in spell)		aged 18-64 years	Admitted with primary diagnoses and age as specified	/1000 resident population aged 18 - 64 years	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
		aged 65 years and over	Admitted with primary diagnoses and age as specified	/1000 resident population aged 65 years and over	SUS 2011; WYCSA Mid-year 2011	Secondary Uses Service (SUS); WYCSA Resident Population (5N2)	Nav
Asthma (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	GLS: ONS (2010) 16+ y
Diabetes (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Health Survey of England (HSE) 2011
Continence problems (bladder or bowel) (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav
Short-term (less than 3 months) pain problems (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav
Long-term (longer than 3 months) pain problems (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	Nav
Back pain (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	GLS: ONS (2010) 16+ y
Depression, anxiety or other mental health condition (self-reported)			Number of respondents who gave the response specified in indicator	all question respondents	2012	CLIK survey	HSE (2011) 16+ y
Obese - Body Mass Index 30+			Number of respondents who reported their body weight	all question respondents	2012	CLIK survey	HSE (2011) 16+ y
Overweight and Obese - Body Mass Index 25+			Number of respondents who reported their body weight	all question respondents	2012	CLIK survey	HSE (2011) 16+ y
Underweight - Body Mass Index <20			Number of respondents who reported their body weight	all question respondents	2012	CLIK survey	HSE (2011) 16+ y
Women of childbearing age (WoCBA) Obese - Body Mass Index 30+			Number of respondents who reported their body weight	all female question respondents aged 18-44 years	2012	CLIK survey	HSE (2011) 16+ y
Women of childbearing age (WoCBA) Overweight and Obese - Body Mass Index 25+			Number of respondents who gave the response specified in indicator	all female question respondents aged 18-44 years	2012	CLIK survey	HSE (2011) 16+ y
Deaths	Deaths: All Causes – DSR (ICD10 A00-Y99)	Under 75	3 year average death count 2009-2011 with ICD-10 as specified in indicator table	/1000 directly standardised rate (European) aged < 75 yrs	ONS 2009-2011; WYCSA Mid-year 2010	ONS Annual Death Extracts; WYCSA Resident Population (5N2)	2008-2010, Health Inequality Profiles 2011 Data, ERPHO England figures for ERPHO calculated using PHO birth and death extracts http://www.erpho.org.uk/viewResource.aspx?id=22217
	Deaths: All Cancers – DSR (ICD10 C00-C97)	Under 75	3 year average death count 2009-2011 with ICD-10 as specified in indicator table	/1000 directly standardised rate (European) aged < 75 yrs	ONS 2009-2011; WYCSA Mid-year 2010	ONS Annual Death Extracts; WYCSA Resident Population (5N2)	2008-2010, Health Inequality Profiles 2011 Data, ERPHO England figures for ERPHO calculated using PHO birth and death extracts http://www.erpho.org.uk/viewResource.aspx?id=22218
	Deaths: All Circulatory Diseases – DSR (ICD10 I00-I99)	Under 75	3 year average death count 2009-2011 with ICD-10 as specified in indicator table	/1000 directly standardised rate (European) aged < 75 yrs	ONS 2009-2011; WYCSA Mid-year 2010	ONS Annual Death Extracts; WYCSA Resident Population (5N2)	2008-2010, Health Inequality Profiles 2011 Data, ERPHO England figures for ERPHO calculated using PHO birth and death extracts http://www.erpho.org.uk/viewResource.aspx?id=22221
	Deaths: Coronary Heart Disease – DSR (ICD10 I20-I25)	Under 75	3 year average death count 2009-2011 with ICD-10 as specified in indicator table	/1000 directly standardised rate (European) aged < 75 yrs	ONS 2009-2011; WYCSA Mid-year 2010	ONS Annual Death Extracts; WYCSA Resident Population (5N2)	Nav
	Deaths: Stroke – DSR (ICD10 I60-I69)	Under 75	3 year average death count 2009-2011 with ICD-10 as specified in indicator table	/1000 directly standardised rate (European) aged < 75 yrs	ONS 2009-2011; WYCSA Mid-year 2010	ONS Annual Death Extracts; WYCSA Resident Population (5N2)	Nav
	Deaths: Bronchitis, Emphysema and other COPD – DSR (ICD10 J40-J44)	Under 75	3 year average death count 2009-2011 with ICD-10 as specified in indicator table	/1000 directly standardised rate (European) aged < 75 yrs	ONS 2009-2011; WYCSA Mid-year 2010	ONS Annual Death Extracts; WYCSA Resident Population (5N2)	2008-2010, Health Inequality Profiles 2011 Data, ERPHO England figures for ERPHO calculated using PHO birth and death extracts http://www.erpho.org.uk/viewResource.aspx?id=22223