

JSNA adult health and wellbeing indicators 2012-13

Deprivation, priority group and household type

Updated: 26/07/2013

All Figures are rates per 1000 unless specified. For indicator definitions, sources and time periods see data definitions tables.

Indicator of wellbeing
Indicator of 'people & skills' assets
Indicator of 'physical' assets
Indicator of 'associations' assets

•	Suppressed due to small numbers
N/A	Not applicable to this row/ column
Nav	Data not available

To download this table in Excel format click here

Demographic/ vulnerable/ groups and household types	Kirklees overall	IMD Quintiles					Vulnerable/ priority group			Household type			
		1 (most deprived)	2	3	4	5 (least deprived)	Adults with long-term limiting illness/ disability	Workless (aged 18-64 years)	Carers	Single person	At least one pensioner	At least one dependent child	
Resident Population Characteristics													
By age group													
aged 18 years and over (n=337982)	736	775	792	808	805	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
aged 18-24 years (n=42035)	115	105	78	87	72	53	120	45	81	10	111		
aged 18-44 years (n=162624)	427	396	342	333	298	280	475	350	328	62	779		
aged 45-64 years (n=107977)	198	232	272	289	307	377	525	453	351	111	209		
aged 65-74 years (n=37228)	58	78	98	107	117	148	N/A	114	145	448	10		
aged 65 years and over (n=67064)	110	146	177	185	199	339	N/A	193	318	823	11		
aged 75 years and (n=30153)	52	69	80	79	82	191	N/A	79	173	376	•		
Healthy Foundations motivation segments (%)													
Health Conscious Realists (HCR)	263	200	260	290	320	320	190	204	290	240	270	270	
Balanced Compensators (BC)	150	150	140	150	170	190	110	129	150	150	150	150	
Live for Today's (LFT)	200	230	200	190	160	170	130	187	180	180	180	230	
Hedonistic Immortals (HI)	110	90	120	120	130	110	90	86	90	110	70	130	
Unconfident Fatalists (UF)	270	330	280	250	220	210	490	394	290	320	340	220	
Social connectedness/ capital													
Participation in regular volunteering (at least once per month)	206	Nav	Nav	Nav	Nav	Nav	190	Nav	260	Nav	Nav	250	
Feel lonely/ isolated all or most of the time	63	103	73	45	29	16	119	148	56	96	38	55	
Social connectedness (have someone to rely on in a crisis or to comfort them when upset)	898	851	876	922	949	951	857	839	893	857	928	907	
Have someone to comfort them when upset	847	788	821	875	912	914	797	774	845	769	875	869	
Have someone to rely on in a crisis	861	795	845	889	920	934	809	784	849	822	896	871	
Agree that local area is a place where people from different ethnic backgrounds get on well together	434	470	454	391	399	415	395	415	426	423	440	468	
Agree that local area is a place where people of different ages get on well together	638	559	613	641	729	750	585	578	640	610	642	671	
Agree that local area is a place where people treat each other with respect and consideration	542	457	510	529	639	692	513	486	544	540	621	542	
Agree that local area is a place where people trust each other	429	327	380	441	548	588	408	382	441	417	516	435	
Agree that local area is a place where people pull together to improve things	380	N/A	N/A	N/A	N/A	N/A	400	Nav	420	N/A	N/A	360	
Place & physical assets													
Satisfied overall with local area as a place to live	760	N/A	N/A	N/A	N/A	N/A	730	Nav	720	N/A	N/A	720	
Think that people being drunk or rowdy in public places is a problem in their local area	260	N/A	N/A	N/A	N/A	N/A	320	Nav	280	N/A	N/A	285	
Feel safe when outside in local area during the day	860	N/A	N/A	N/A	N/A	N/A	810	Nav	850	N/A	N/A	850	
Housing													
Living in overcrowded accommodation	59	113	53	36	32	12	45	82	51	N/A	25	155	
Home perceived as NOT suitable for household's needs	155	208	165	127	114	104	215	219	177	143	109	197	
Home perceived as NOT suitable for needs of pensioner households	109	138	117	89	85	109	136	150	161	107	109	268	
Home perceived as NOT suitable for needs of households with dependent children	197	239	228	180	141	104	272	258	241	N/A	268	197	
Home perceived as NOT suitable for household's needs because it is badly in need of repairs/improvements	265	311	278	209	171	161	309	320	289	345	202	270	
Home perceived as NOT suitable for household's needs because it is too large	258	127	135	166	180	343	174	130	155	260	375	35	
Families													
Eat with family/ household members 5 or more times per week	524	474	482	552	571	629	458	536	604	129	550	678	
Provide unpaid care for someone who is limited in their daily activities	190	176	185	190	197	222	218	192	N/A	145	225	183	
Economic well-being													
Money worries in past few weeks (most or all of time)	230	367	276	209	171	144	327	382	261	226	103	347	
Work and skills													
Qualified to at least level 2	719	627	697	755	816	812	626	540	744	686	597	733	
Workless	204	294	209	149	146	146	313	N/A	209	214	77	209	
In routine & manual employment	228	234	276	233	167	179	170	N/A	2210	240	200	222	

JSNA adult health and wellbeing indicators 2012-13

Deprivation, priority group and household type

Updated: 26/07/2013

All Figures are rates per 1000 unless specified. For indicator definitions, sources and time periods see data definitions tables.

Colour key: indicator of 'wellbeing'
Indicator of 'people & skills' assets
Indicator of 'physical' assets
Indicator of 'associations' assets

Key to symbols/ abbreviations:
• Suppressed due to small numbers
N/A Not applicable to this row/ column
Nav Data not available

To download this table in Excel format click here

Demographic/ vulnerable/ groups and household types		Kirklees overall	IMD Quintiles					Vulnerable/ priority group			Household type		
			1 (most deprived)	2	3	4	5 (least deprived)	Adults with long-term limiting illness/ disability	Workless (aged 18-64 years)	Carers	Single person	At least one pensioner	At least one dependent child
Health behaviours													
Current smoker	current	186	242	212	165	130	107	235	292	171	239	110	189
Physical activity	meet recommended level	365	347	347	386	365	417	285	347	392	385	399	355
	Never do 30 minutes moderate physical activity per day	110	130	112	99	87	65	217	163	82	90	132	81
Alcohol	Likely to be drinking at increasing risk levels (Audit C score of 5 or more)	688	635	677	693	731	729	584	639	689	658	531	728
	Binge drinking (Those who consume 7 or more units of alcohol on a typical drinking day)	211	264	213	213	179	165	189	237	185	225	85	240
	Males who drink 7 or more units of alcohol on a typical day who are concerned about their drinking and plan to reduce it	207	197	218	183	255	180	184	265	243	175	170	266
	Females who drink 7 or more units of alcohol on a typical day who are concerned about their drinking and plan to reduce it	197	139	213	255	168	281	199	196	192	229	•	147
Food and nutrition	Likely to eat 5-a-day	640	576	601	681	708	725	584	579	684	564	687	654
	Eat fast food or take away meals at least once a week	191	243	202	163	163	120	180	174	190	210	122	230
	Very/quite confident cooking from basic ingredients	857	814	855	884	887	882	770	811	883	839	827	877
	Cook from basic ingredients 5 or more times a week	479	462	455	509	486	524	414	488	523	397	509	534
Adults with no unhealthy behaviours		83	97	77	72	80	87	85	86	90	93	134	66
Adults with 1 unhealthy behaviour		297	259	276	331	307	345	297	292	328	267	383	280
Adults with 2 unhealthy behaviours		373	346	362	386	398	385	339	312	359	356	343	403
Adults with 3 or more unhealthy behaviours		247	298	285	211	214	183	278	310	223	283	140	251
Women of child bearing age (WoCBA) - aged 18-44 years													
Smoking	current	214	259	225	180	167	159	336	322	250	271	•	208
	Smoking at birth							Nav	Nav	Nav	Nav	Nav	Nav
Physical activity	meet recommended level	337	362	323	370	275	334	278	419	375	317	333	373
	Never do 30 minutes moderate physical activity per day	64	82	63	32	62	60	110	103	46	78	102	57
Alcohol	Likely to be drinking at increasing risk levels (Audit C score of 5 or more)	705	673	696	762	744	699	641	632	717	712	514	697
	Binge drinking (Those who consume 7 or more units of alcohol on a typical drinking day)	280	373	284	259	228	192	309	312	301	351	296	254
	Those who drink 7 or more units of alcohol on a typical day who are concerned about their drinking and plan to reduce it	169	125	182	217	138	255	165	157	158	174	•	141
Food and nutrition	Likely to eat 5-a-day	625	550	601	714	686	710	245	554	618	495	547	649
	Eat fast food or take away meals at least once a week	208	262	191	191	182	135	224	227	256	233	424	216
	Very/quite confident cooking from basic ingredients	889	863	905	920	890	883	840	867	905	784	875	906
	Cook from basic ingredients 5 or more times a week	503	503	492	542	479	507	433	527	513	306	458	568
Being Healthy													
Overall health good/ very good		646	549	632	692	714	747	263	464	624	562	515	742
Self-rated health (0-100 scale) mean score (standard deviation in brackets)		74.4 (20.3)	70.6 (22.3)	73.5 (20.9)	76.1 (19.0)	77.8 (17.4)	78.4 (17.2)	58.4 (22.6)	65.1 (25.4)	74.0 (20.0)	71.5 (20.8)	71.3 (20.8)	77.1 (18.2)
Long-term limiting condition		301	327	312	299	265	274	N/A	462	650	678	697	518
People who need support to continue to live in own home		112	138	130	101	77	71	312	223	98	172	208	42
Any problems with mobility [EQ-5D]		254	288	273	241	206	224	647	378	265	349	491	120
Any problems with usual activities [EQ-5D]		297	340	302	286	258	259	769	457	346	387	463	192
People with a long-term health condition/ problem who are confident in managing their own health		775	713	756	810	831	838	692	634	792	755	807	778
Emotional health & wellbeing													
Positive wellbeing mean score (WEMWBS scale of 14-70)		47.4 (9.6)	45.6 (10.3)	46.8 (9.8)	48.1 (9.4)	49.2 (8.5)	49.4 (8.8)	42.9 (10.6)	43.9 (11.5)	47.3 (9.5)	45.9 (10.1)	48.2 (8.9)	47.7 (9.3)
Medium/ high rating (score of 7-10) of satisfaction with life overall		626	539	593	650	714	749	385	452	610	527	613	678
Medium/ high rating (score 7-10) of how worthwhile the things they do are		659	568	633	685	752	760	466	490	670	562	656	716
Medium/ high rating (score 7-10) of happiness yesterday		613	528	580	645	706	716	420	469	602	535	626	651
Very low/ low rating (score 0-1) of how anxious they were yesterday		319	284	301	326	371	365	248	303	314	321	363	306

All Figures are rates per 1000 unless specified. For indicator definitions, sources and time periods see data definitions tables.

Colour key: indicator of 'wellbeing'
indicator of 'people & skills' assets
indicator of 'physical' assets
indicator of 'associations' assets

Key to symbols/ abbreviations:
• Suppressed due to small numbers
N/A Not applicable to this row/ column
Nav Data not available

To download this table in Excel format click here

Indicator for people aged 18 years and over unless specified (all figures are rates per 1000 unless specified)	Demographic/ vulnerable/ groups and household types	Kirklees overall	IMD Quintiles					Vulnerable/ priority group			Household type		
			1 (most deprived)	2	3	4	5 (least deprived)	Adults with long-term limiting illness/ disability	Workless (aged 18-64 years)	Carers	Single person	At least one pensioner	At least one dependent child
Biological factors													
Heart disease (self-reported)	aged 18 years and over	53	53	54	55	51	52	134	61	54	73	142	14
High blood pressure (self-reported)	aged 18 years and over	201	204	200	197	193	210	338	240	222	267	404	84
Individuals admitted to hospital in an emergency due to a heart attack	aged 18 years and over	1.9	2.0	2.1	1.8	1.6	1.9	N/A	Nav	N/A	N/A	N/A	N/A
Stroke (self-reported)	aged 18 years and over	12	12	13	12	11	13	32	16	11	15	28	3
Individuals admitted to hospital in an emergency due to a stroke	aged 18 years and over	2.2	2.5	2.1	2.3	2.4	1.5	N/A	Nav	N/A	N/A	N/A	N/A
CVD (self-reported heart disease, high BP or stroke)	aged 18 years and over	221	222	221	218	216	231	402	262	241	299	468	90
COPD	aged 18 years and over	25	26	26	29	21	21	66	33	24	37	59	5
Individuals admitted to hospital in an emergency due to bronchitis, emphysema and other COPD	aged 18 years and over	2.4	3.1	2.9	2.5	1.5	1.3	N/A	Nav	N/A	N/A	N/A	N/A
Asthma (self-reported)	aged 18 years and over	106	129	115	95	86	79	162	145	114	105	111	117
Diabetes (self-reported)	aged 18 years and over	72	83	72	76	59	59	140	96	66	92	148	34
Incontinence of bladder or bowel (self-reported)	aged 18 years and over	63	61	61	65	63	70	132	81	74	80	118	36
Short-term pain problems (self-reported)	aged 18 years and over	91	86	91	88	96	102	109	91	100	98	110	82
Long-term pain problems (self-reported)	aged 18 years and over	145	154	150	150	122	142	363	237	161	180	214	86
Back pain (self-reported)	aged 18 years and over	162	157	157	164	168	171	285	188	195	189	208	130
Depression, anxiety or other nervous illness (self-reported)	aged 18 years and over	208	245	238	184	158	155	391	354	228	253	136	198
Obese - Body Mass Index 30+		187	231	181	185	152	154	260	242	204	191	182	176
Overweight and Obese - Body Mass Index 25+		535	545	547	523	516	530	619	565	570	540	600	498
Underweight - Body Mass Index < 20		22	30	23	19	17	11	26	28	14	26	13	22
WoCBA Obese - Body Mass Index 30+		169	200	168	153	134	153	227	201	210	186	245	168
WoCBA Overweight and Obese - Body Mass Index 25+		399	429	421	344	366	382	462	432	469	370	415	416
Deaths	All causes	2.93	4.18	3.17	2.62	2.29	1.93	N/A	Nav	N/A	N/A	N/A	N/A
	All cancers*	1.09	1.40	1.10	1.06	1.01	0.87	N/A	Nav	N/A	N/A	N/A	N/A
	All circulatory diseases* (CVD)	0.71	1.05	0.75	0.62	0.53	0.49	N/A	Nav	N/A	N/A	N/A	N/A
	Coronary heart disease*	0.37	0.57	0.42	0.32	0.29	0.19	N/A	Nav	N/A	N/A	N/A	N/A
	Stroke*	0.14	0.22	0.12	0.13	0.11	0.11	N/A	Nav	N/A	N/A	N/A	N/A
	Bronchitis, emphysema & other COPD*	0.13	0.25	0.16	0.11	0.08	•	N/A	Nav	N/A	N/A	N/A	N/A